Cucumber Report

| Start : Jan 13, 10:49:05.998 pm	End : Jan 13, 10:51:57.551 pm	Duration : 2 m 51.553 s
Features	Scenarios	Steps
PASSED - 0	PASSED - 1	PASSED - 7
FAILED - 1	FAILED - 1	FAILED - 0
SKIPPED - 0	SKIPPED - 0	SKIPPED - 5

Features: 1

Scenarios: 2

Steps: 12

Pass % — Features: 0 %

Pass % — Scenarios: 50 %

Pass % — Steps: 58 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Test the Guru99 Application	*2 m 51.553 s*	*2*	*1*	*1*	*0*	*12*	*7*	*0*	*5*

#	Feature Name	T	P	F	S	Duration
1	Test the Guru99 Application	2	1	1	0	2 m 51.553 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Guru99 Application	Test the guru99 register page	6	6	0	0	1 m 23.355 s
2	Test the Guru99 Application	Test the guru99 register page	6	1	0	5	1 m 28.081 s

Test the Guru99 Application

| FAILED	DURATION - 2 m 51.553 s		Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Steps Total - 12 Pass - 7 Fail - 0 Skip - 5	12
/ 10:49:05.998 pm // 10:51:57.551 pm /						

Test the guru99 register page

PASSED	DURATION - 1 m 23.355 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	6
/ 10:49:06.032 pm // 10:50:29.387 pm /				
Test the Guru99 Application				

#	Step / Hook Details	Status	Duration
1	Given user is on guru99 register page	PASSED	54.469 s
	AFTER_STEP - Steps.Guru99_RegisterPage.getScreenshot(io.cucumber.java.Scenario) fd860eed-9f18-4d22-9678-39c71db5435e	PASSED	1.376 s
2	And user validate url and register page title	PASSED	0.348 s
	AFTER_STEP - Steps.Guru99_RegisterPage.getScreenshot(io.cucumber.java.Scenario) fd860eed-9f18-4d22-9678-39c71db5435e	PASSED	0.964 s

#	Step / Hook Details	Status	Duration
3	When user enter contact page details "Disha" , "jare","9999099990" and "disha@gmail.com"	PASSED	6.027 s
	AFTER_STEP - Steps.Guru99_RegisterPage.getScreenshot(io.cucumber.java.Scenario) fd860eed-9f18-4d22-9678-39c71db5435e 	PASSED	0.675 s
4	And user enter mailing information "Dighi" , "Bhosari","MAHARASHTRA", "411029" and "INDIA"	PASSED	4.246 s
	AFTER_STEP - Steps.Guru99_RegisterPage.getScreenshot(io.cucumber.java.Scenario) fd860eed-9f18-4d22-9678-39c71db5435e 	PASSED	0.607 s
5	And user enter user information details "disha", "disha123" and "disha123"	PASSED	10.348 s
	AFTER_STEP - Steps.Guru99_RegisterPage.getScreenshot(io.cucumber.java.Scenario) fd860eed-9f18-4d22-9678-39c71db5435e 	PASSED	1.030 s
6	And user validate sucessful register messege	PASSED	0.679 s
	AFTER_STEP - Steps.Guru99_RegisterPage.getScreenshot(io.cucumber.java.Scenario) fd860eed-9f18-4d22-9678-39c71db5435e 	PASSED	0.646 s

Test the guru99 register page

FAILED	DURATION - 1 m 28.081 s
/ 10:50:29.470 pm // 10:51:57.551 pm /	
Test the Guru99 Application	

Steps
Total - 6
Pass - 1
Fail - 0
Skip - 5

#	Step / Hook Details	Status	Duration
1	Given user is on guru99 register page	PASSED	11.959 s
	AFTER_STEP - Steps.Guru99_RegisterPage.getScreenshot(io.cucumber.java.Scenario)	FAILED	50.471 s

	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 45.000 (Session info: MicrosoftEdge=120.0.2210.121) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d66eaeead5a8c776a1bde6863724f482, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52929}, msedge: {msedgedriverVersion: 120.0.2210.133 (5a3825c4628..., userDataDir: C:\Users\SANDIP\AppData\Loc...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52929/devtoo..., se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d66eaeead5a8c776a1bde6863724f482
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)
	    at Steps.Guru99_RegisterPage.getScreenshot(Guru99_RegisterPage.java:88)		

2	And user validate url and register page title	SKIPPED	0.102 s
3	When user enter contact page details "Monali" , "More","8808088088" and "monali@gmail.com"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	And user enter mailing information "Baramati" , "Pune","MAHARASHTRA", "411059" and "CHINA"	SKIPPED	0.001 s
5	And user enter user information details "monali", "mona123" and "mona123"	SKIPPED	0.001 s
6	And user validate sucessful register messege	SKIPPED	0.001 s
	AFTER - Steps.Guru99_RegisterPage.before_or_after_all()	FAILED	25.502 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d66eaeead5a8c776a1bde6863724f482, quit {}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52929}, msedge: {msedgedriverVersion: 120.0.2210.133 (5a3825c4628..., userDataDir: C:\Users\SANDIP\AppData\Loc...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52929/devtoo..., se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d66eaeead5a8c776a1bde6863724f482
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:148)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:445)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:279)
	  at BaseLayer.BaseClass.tearDown(BaseClass.java:40)
	  at Steps.Guru99_RegisterPage.before_or_after_all(Guru99_RegisterPage.java:100)
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown
	  at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396)
	  at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:144)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:445)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:279)
	  at BaseLayer.BaseClass.tearDown(BaseClass.java:40)
	  at Steps.Guru99_RegisterPage.before_or_after_all(Guru99_RegisterPage.java:100)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invokeStatic(Invoker.java:80)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:45)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:90)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:181) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:119) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:138) at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1768) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833)		