

Wolverine (BPC-157 + TB-500)

Product Name: W20mg
Source: Blending of Raw Materials
Dosage Form: Liquid Cartridge
Specification: 3 mL/Cartridge **Lot:** 26078
Manufacture Date: March 18, 2026 **Expiry:** March 17, 2027

Test Item	Specification		Result
Appearance	Clear, colorless liquid, free from visible foreign particles		Complies
pH	4.5 – 5.5		4.8
Purity	≥ 97 %		99 %
Endotoxin	< 10 EU/mg		Complies
Microbial Test	Total bacteria Count	< 10 CFU	Complies
	Mold and Yeast Count	< 10 CFU	Complies
Preservative Effectiveness Test	<i>E. coli</i> : Initial count 8.0×10^6 CFU/g(mL); Log ₁₀ reduction 2.90 at 2 days, >4.90 at 7 days, and >5.90 at 14 and 30 days		Complies
	<i>P. aeruginosa</i> : Initial count 8.0×10^6 CFU/g(mL); Log ₁₀ reduction 2.90 at 2 days, >4.90 at 7 days, and >5.90 at 14 and 30 days		Complies
	<i>S. aureus</i> : Initial count 9.0×10^6 CFU/g(mL); Log ₁₀ reduction >4.95 at 2 days and >5.95 at 7, 14, and 30 days		Complies
	<i>C. albicans</i> : Initial count 3.0×10^4 CFU/g(mL); Log ₁₀ reduction 0.12 at 2 days, >1.60 at 7 days, and >3.60 at 14 and 30 days		Complies
	<i>A. brasiliensis</i> : Initial count 3.0×10^5 CFU/g(mL); Log ₁₀ reduction 0.57 at 2 days, >2.47 at 7 days, and >4.47 at 14 and 30 days		Complies

Summary

The test results demonstrated that the batch met all established specifications. The appearance was a clear, colorless liquid free from visible foreign particles. The pH was 4.8, within the specified range of 4.5–5.5. The purity was 99 %, meeting the requirement of NLT 97 %. The endotoxin test complied with the acceptance criterion of NMT 10 EU/mg. The microbial test also complied with the established criteria, with the total aerobic microbial count and total yeast and mold count both within the specified limits. The preservative effectiveness test was performed using *E. coli*, *P. aeruginosa*, *S. aureus*, *C. albicans*, and *A. brasiliensis*. All test organisms met the required Log₁₀ reduction criteria through Day 30. Therefore, the sample complies with the acceptance criteria. Accordingly, this batch was found to be acceptable with respect to the established quality specifications.

Conclusion

Classification	Department / Title	Name	Date
Prepared by	POSTECH	KNY	2026.03.28
Approved by	Head	Jack	2026.03.30

this CoA or any portion thereof, cannot be reproduced without authorization of the laboratory



Client: Stack One Labs
 Accession #: 2606180055
 Search Code: Stac2606180055
 Received: 06/18/2026
 Reported: 06/21/2026
 Lot: 26078

Sample Summary

Product:	W20mg	Purity:	99.38%
Identity:	Confirmed	Net Content:	Not Requested
Appearance:	Clear Liquid		
Endotoxin Threshold:	Pass		
Microbial Analysis (PCR):	Pass		

Analytical Results

Test	Result
Identity (LC-MS)	Confirmed
Purity (HPLC-UV)	99.38%
Net Content	Not Requested

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.


Endotoxin Replicate 1:	Pass	Assay Sensitivity: ≤ 0.05 EU/mL
Endotoxin Replicate 2:	Pass	Assay Sensitivity: ≤ 0.05 EU/mL

Method: Microbial detection performed using validated polymerase chain reaction (PCR)-based assay targeting common microbial contaminants.


Microbial Analysis (PCR)	No Detectable Microbial DNA	Pass
--------------------------	-----------------------------	------

Method: HPLC with UV detection coupled with mass spectrometry (LC-MS).

Chromatogram



Mass Confirmation



Alex Johnson

Principal Chemist

FreedomDiagnosticsTesting.com
 Admin@FreedomDiagnostics.net
 Proudly Owned and Operated in the USA



The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.