Incidental Requirements — Status Feature (Ethan Skidmore)

Scope

This document captures functional and non-functional requirements for the **Status** component of *Incidental,* a real-time incident reporting and management system.

Fully dressed use cases (Status)

UC1: Status Creation

- **Primary Actor:** Affected Service
- **Stakeholders and Interests:**
    - Affected Service: Create and send status update for internal teams and to public
    - Affected Service User: Stay notified on status of service
- **Preconditions:**
    - Service registered with *Incidental*
    - User must be logged in and affiliated with service
    - User must be in status tab of incident report
- **Success Guarantee:**
    - Status is created fully, is saved to high-level account, and is ready to be sent, but is not yet sent
- **Main Success Scenario:**
    1. Status tab is displayed with current status or no status, "Create New Status" and "Load Status Preset" buttons
    2. User selects "Create New Status" button
    3. Status creation screen is displayed
    4. Editable fields for status name, notes, and other details
    5. "Revert" button and "Save" button are present on this screen
    6. User sets each field to desired values
    7. User clicks "Save" button, status is saved to service account, and incident status is updated on account-side
    8. Status edit window closes and returns user to status tab
- **Extensions:**

    2a. User selects "Load Status Preset" button
        1. List of saved status presets is displayed to user
        2. User selects a preset to load
        3. status is saved to service account, and incident status is updated on account-side
        4. Status edit window closes and returns user to status tab

    7a. User selects "Revert" button
        1. Changes to status are reverted as if no editing had taken place
        2. Status editing window is closed
- **Special Requirements:**
- **Technology and Data Variations:**
    - Statuses can be created on the spot or loaded from saved preset

UC2: Status Preset Management

- **Primary Actor:** Affected Service
- **Stakeholders and Interests:**
    - Affected Service: Be able to quickly update status without having to create an entire update every time
    - Affected Service User: Receive more timely status updates
- **Preconditions:**
    - Service registered with *Incidental*
    - User must be logged in and affiliated with service
- **Success Guarantee:**
    - Status preset is created that can be selected any time, without the need to create a status from scratch
- **Main Success Scenario:**
    1. User opens "Status Presets" tab from main menu
    2. User is presented with a current list of status presets, with options to delete, edit, and create new status presets
    3. User selects "create new status preset"
    4. A window opens with status field options, similar to creating an incident status
    5. "Cancel" and "Save Preset" buttons are on this screen
    6. User fills out fields and selects "Save Preset"
    7. New status window closes, and new status preset is added to list
- **Extensions:**

    3a. User selects a preset to delete
        1. Preset is deleted from the list
        2. User is returned control

    3b. User selects a preset to edit
        1. A status editing window opens with fields already filled out from selected preset
        2. Return to step 5

    6a. User selects "Cancel"
        1. Preset is deleted
        2. User returns to list

- **Special Requirements:**
- **Technology and Data Variations:**
    - User can edit existing presets or create new ones

UC3: Status Publishing

- **Primary Actor:** Affected Service
- **Stakeholders and Interests:**
    - Affected Service: Coordinate teams with specific statuses without notifying public of secret information
- **Preconditions:**
    - Service registered with *Incidental*

    - User must be logged in and affiliated with service
    - User must be in status tab of incident report
    - Status must have been created previously (either just now, or saved as preset)
- **Success Guarantee:**
    - Status is displayed selectively on *Incidental* page to either team, public, or both
    - Users affiliated with service can now view and edit status
- **Main Success Scenario:**
    1. Next to loaded or created status is a button to publish status to public, or publish to internal team members
    2. User presses "Publish to public" button
    3. Status is updated on public *Incidental* page, as well as on internal page for team members and affiliates
    4. User is notified of successful publish
- **Extensions:**
    2a. User selects publish to internal team members
        1. All service-affiliated users, including those who are not high-level, receive status update and can view status
        2. Return to step 4
- **Special Requirements:**
    - Status must reach internal team within 10 seconds, and other users within 5 minutes
- **Technology and Data Variations:**
    - None

UC4: Stakeholder Reports Influence Status

- **Primary Actor:** Users of Affected Service
- **Stakeholders and Interests:**
    - Affected Service User: Can report incidents and update status as a stakeholder, also can tell if issue is on their end or is affecting many users
    - Affected Service: Can get quick reports from users, as well as assess breadth of incident
- **Preconditions:**
    - Service registered with *Incidental*
    - User must be on page for service
    - User reporting feature must be toggled on by service
- **Success Guarantee:**
    - User report will have been sent to affected service
    - Report counter on status will be updated
- **Main Success Scenario:**
    1. User accesses service page, "Report Issue" button is displayed
    2. Optional report description text box is available to user
    3. User enters report information and presses report button
    4. Report is sent to service, and internal report counter is updated
    5. If incident and status are currently active, status will include report counter displayed to target group

6. Notification of successful report will be sent to user

- **Extensions:**
- **Special Requirements:**
- **Technology and Data Variations:**
    - User can send empty report
    - User or service affiliates can send reports
    - User does not need to have an account

Use case diagrams



Conceptual class diagrams



Supplementary Specifications

Status must reach the internal team within 10 seconds, and other users within 5 minutes - any status updates sent must reach the internal team quickly (< 10 seconds) in order for them to be able to quickly respond to incidents and status updates. The general public can have a much larger delay, so up to 5 minutes is allowable.