


NT98332 SOC Platform

PAGE	Content		
00.	Cover Page	A17.	TP2831 VD #1
01.	Revision	A18.	TP2831 VD #1 Power
02.	Function Plan	A19.	TP2831 VD #1 Connector
03.	Power Block	A20.	TP2831 VD #2
04.	Stack up	A21.	TP2831 VD #2 Power
05.	PCB Placement	A22.	TP2831 VD #2 Connector
A00.	NT98332_System	A23.	Buzzer / IrDA / RS485 / AES
A01.	NT98332_MISC_RGMII	P00.	Heatsink_TP
A02.	NT98332_Cap_DDR	P01.	12V Power
A03.	NT98332_Periperal	P02.	5V Power
A04.	NV98332_0V9_1V2	P03.	3V3 Power
A05.	NT98332_1V8_3V3	P04.	1V8 Power
A06.	X_Boot Setting	P05.	1V2 DDR4 Power
A07.	X_SPI Flash	P06.	0V9 Core Power
A08.	X_DDR4_0 x16	P07.	1V2 AD Power
A09.	X_DDR4_1 x16		
A10.	X_UART_JCE		
A11.	X_I2C_I2S_EXT_GPIO		
A12.	X_RGMII & USB20		
A13.	X_CVBS & EPHY		
A14.	X_HDMI		
A15.	X_VGA		
A16.	X_SATA		



Release Version	Description
Version: 1V1	


Revision


Date	Rev	Description/Change List	Page	Date	Rev	Description/Change List	Page
21/12/13	0V1	First Created					
21/01/13	0V2	R21 ball Rename and sperate its power from VCC3IO18 power group					
21/03/23	0V3	The R21 Ball (VCC3IO18_I2S) rename VCC3IO for used limiation					
23/01/06	1V1	add ESD protection between the SATA connector and ac couple capacitor add ESD protection on the USB&CVBS Port					







NT98332 Power Sequence(DDR4)











[illegible]

NOVATEK MICROELECTRONICS CROP.				
Title: NV98332_1V8_3V3				
Size: C	Document Number: NT98332	Department: iVoT	Designer: Jimmy Hou	Rev: 1V1
Date: Tuesday, April 7, 2026	Sheet: 11	of	28	











chr10

- >X.DDBP_MCK [R.14.15]
- >X.DDBP_MCKN [R.14.15]
- >X.DDBP_MCKE [R.14.15]
- >X.DDBP_MAASN [R.14.15]
- >X.DDBP_MACTN [R.14.15]
- >X.DDBP_MISETN [R.14.15]




chr17

- >X.DDBP_MOOT [R.14.15]
- >X.DDBP_MBGO [R.14.15]
- >X.DDBP_MWEN [R.14.15]
- >X.DDBP_MTEN [R.15]
- >X.DDBP_MCASN [R.14.15]
- >X.DDBP_MCSNO [R.14.15]




NOVATEK MICROELECTRONICS CROP.			
Title: X_DDR4_0 X16			
Size: C	Document Number: NT98332	Department: iVoT	Designer: Jimmy Hou
Date: Tuesday, April 7, 2026	Sheet: 14	of	28
Rev: 1V1			


DDR1 x16








Bypass Cap:Place Near DDR4 Chip



NOVATEK MICROELECTRONICS CROP.				
Title: X_DDR4_1 X16				
Size: C	Document Number: NT98332	Department: iVoT	Designer: Jimmy Hou	Rev: 1V1
Date: Tuesday, April 7, 2026	Sheet: 15	of 28		







TP9932_A

--AC mode: Default
C178, C179, C182, C183 package are depend
on voltage of short to power.

U3

The type and specification of the components refer to the BOM

Techpoint Inc.		
Title Hi3531D_TP9932 EVK		
Size C	Document Number AD1(TP9932)	Rev 1.2
Date: Monday, April 13, 2026	Sheet 19	of 28





TP9932_B

--AC mode: Default
C184, C185, C186, C187 package are depend
on voltage of short to power.

U27



The type and specification of the components refer to the BOM

JIMI LOT		
Title Hi3531D_TP9932 EVK		
Size C	Document Number AD2(TP9932)	Rev 1.2
Date: Monday, April 13, 2026	Sheet 20	of 28



share pads

Note NC pins are connected to signal pins for layout



D

D

C


C

B

B



A

A











COMPANY:			
TITLE:			
CODE:	SIZE:	DRAWING NO:	REV:
<Code>	C	<Drawing Number>	<Revision>
SCALE: <Scale>			SHEET22OF 28

REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:








TP9932_3.3V






DRAWN:	DATED:
CHECKED: <Checked By>	DATED: <Checked Date>
QUALITY CONTROL: <QC By>	DATED: <QC Date>
RELEASED: <Released By>	DATED: <Release Date>

COMPANY:			
TITLE:			
CODE:	SIZE:	DRAWING NO:	REV:
<Code>	C	<Drawing Number>	<Revision>
SCALE: <Scale>		SHEET 23 OF 28	



K3136240002102



REST KEY

