- [ ] Steric factor ...mass
- [ ] QSAR ,Two input biological Data
- [ ] Tetrazole...polar
- [ ] Tetrazole... lipophilic
- [ ] Receptor mapping geometric
- [ ] Simplification (cocaine)
- [ ] Simplification
- [ ] Methyl gp...Conformational block
- [ ] Gut infection
- [ ] Oral hypoglycemic
- [ ] Stereic electronic
- [ ] Double blind
- [ ] Compound V active conformer
- [ ] Group B
- [ ] Long term phase 4
- [ ] Decrease activity and selectivity
- [ ] Rigid... except large number of conformer

- [ ] 1year
- [ ] Renewing patency
- [ ] Decrease, decrease
- [ ] Unaccepted
- [ ] Step F , bulky group
- [ ] Drug and target, docking
- [ ] Rational... etiology
- [ ] EWG to increase activity
- [ ] Safer
- [ ] SBDD
- [ ] Penicillin decrease attack of amino increase stability
- [ ] Ring variation triazole
- [ ] Overlap
- [ ] Morphine excess 2 Carbon optimize interaction
- [ ] Drug sentry
- [ ] Chemical development...

increase safety yield

- [ ] Nitrogen on benzene extra binding interaction H bonding
- [ ] Same mechanism of action
- [ ] Extension
- [ ] Bioisostere...same biological
- [ ] Pharmacophore descriptors.. hydrophobic electrostatic
- [ ] Pyrrole.... rigidification
- [ ] Lead compound