

7. Script-Controlled ACL – Restrict Record Access Based on Field Value

Objective

To control record access dynamically by using a script that checks a specific field value and allows or restricts users from accessing records based on defined conditions.

Activities Performed

- Identify the table and field used for access control.
- Define the conditions for allowing or restricting record access.
- Create a script-controlled Access Control List (ACL).
- Configure the ACL to evaluate the selected field value.
- Write and test the script for record-level access control.
- Test the ACL with different field values and user roles.
- Verify that authorized users can access the records.
- Verify that restricted users cannot access the records.
- Record the test results and observed behavior.
- Document the configuration, limitations, and possible future enhancements.

Expected / Produced Output

This configuration provides controlled and condition-based access to records by evaluating field values through a script. It improves record security by ensuring that users can access only the records permitted by the defined conditions.

Screenshots:

institution Details

Student Roll Numbe

Search

Actions on selected rows...

New

All

☐	Student Roll Number	Branch	Description	Email	Faculty name	Phone Number	Student Name
☐	INS0001007	EEE	ACL is Executed	saiguna@gmail.com	Abel Tuter	9090898765	Guna Sai
☐	INS0001004	EEE		prashanth@gmail.com	Abel Tuter	9090909090	Prashanth Reddy

institution Details

Student Roll Numbe

Search

Actions on selected rows...

New

All

☐	Student Roll Number	Branch	Description	Email	Faculty name	Phone Number	Student Name
☐	INS0001007	EEE		com	Abel Tuter	9090898765	Guna Sai
☐	INS0001004	EEE		il.com	Abel Tuter	9090909090	Prashanth Reddy

Data Flow Diagram:

Data Flow Diagram: Script-Controlled ACL – Restrict Record Access Based on Field Value

