

Offense vs Defense: An Analysis in the NBA's Play Style

Team 22

2025-11-07

Abstract

Dunk or get dunked on — that's the name of the game when it comes to the NBA. You have twenty-four seconds to sink a shot or get one put down on your hoop, and currently the rules have seemed to strongly favor offenses and penalize physical defenses. Does that mean defense is less useful now, or does defense still play just as crucial a part and simply look different from what we expect? This paper seeks to investigate what efficient defenses and offenses look like by identifying key metrics that aggregate to describe efficient play, and ultimately analyze what wins games more, scoring points or allowing points. To conduct this analysis, we will develop models describing offensive and defensive efficiency and apply nested F-tests across the models and an aggregate to identify which contributes more to winning games. (Insert findings later)

Introduction

The NBA's rulebook since 2004 and ongoing regularly makes updates that drive the game to at least seem both extremely offense-driven and defense-second, with the latter seemingly being a mere afterthought if not outright not integrated into defensive philosophies. This perception of the game may have a strong sense of truth, but there is a very viable possibility that it only describes half the game and leaves sorely underdeveloped defensive outlook and strategy. To bring the best out of players' technical abilities, strengthen and develop the NBA-seeking talent pool with both the players and aspiring coaches, and help the NBA tangibly understand how to fight now-rampant criticisms of the NBA 'going soft', it is crucial to better understand the current defensive structure of the game and how to best develop it. By analyzing which key metrics contribute to defensive or offensive efficiency and developing models to understand how much each throughput affects winning outcomes, we can create this better understanding of the flipside to the offensive-minded game style. In order to best conduct this analysis, we will break the analysis into two phases.

For the first phase of analysis, we will first categorize the variables into defensive and offensive categories. Once we class the variables, we will test for intercategorical collinearity and develop a full model that selects one variable per collinear relationship to avoid redundancy. Once the full model is developed, we will employ techniques like backwards elimination to develop statistically significant offensive and defensive models that explain a team's win within a game accurately.

For the second phase of analysis, we will then create an aggregate model from the two initial models that is computed as a composite. Using all three models the, we will conduct nested F-tests to determine whether the offensive model or defensive model provides the stronger signal within the composite.

Data

In order to conduct this analysis on NBA gameplay statistics, we are using regular season data (original data) compiled over a time range from 2010-2024 (Korolyk, 2024). This dataset is compiled by Vasilii Korolyk and is publicly available at <https://github.com/NocturneBear/NBA-Data-2010-2024> for academic use under its

MIT License. The original data contains over 33,000 observations and documents 57 variables over each entry.

Within the raw data given, one of the variables was not a statistic and was in fact a helpful utility called AVAILABLE_FLAGS, which indicated whether the data was healthy enough for use. As a result, when cleaning the data we initially dropped all entries that didn't have a value of 1, which indicated they were healthy. After dropping those entries, we then removed all variables that have no bearing on the intended research or methodologies along with fully-empty rows. After cleaning, we're left with around 28K observations and 27 variables. The variables for the fully cleaned data are as follows

Dimensions

- Season
- Team ID
- Team Abbreviation
- Team Name
- Game ID
- Game Date
- Matchup
- Win/Loss Status

Metrics

- Field Goals Made
- Field Goals Attempted
- Field Goal Accuracy
- Three Pointers Made
- Three Pointers Attempted
- Three Pointer Accuracy
- Free Throws Made
- Free Throws Attempted
- Free Throw Accuracy
- Offensive Rebounds
- Defensive Rebounds
- Total Rebounds
- Assists
- Turnovers
- Steals
- Blocks
- Blocks Against
- Personal Fouls
- Personal Fouls Drawn

Before we can use this data though, note something of key importance — three point shots are counted as field goals, since they are a type of field goal along with two-point shots. Mathematically,

$$FG = 3P + 2P$$

From here we can derive formulas to develop two-point metrics as follows

$$2PA = FGA - 3PA, \quad 2PM = FGM - 3PM, \quad 2P\% = \frac{FGM - 3PM}{FGA - 3PA}$$

After computing these derived metrics, we are finally left with a dataset of 28K observations and 30 variables named like so:

Dimensions

- Season
- Team ID
- Team Abbreviation
- Team Name
- Game ID
- Game Date
- Matchup
- Win/Loss Status

Metrics

- Field Goals Made
- Field Goals Attempted
- Field Goal Accuracy
- Three Pointers Made
- Three Pointers Attempted
- Three Pointer Accuracy
- Free Throws Made
- Free Throws Attempted
- Free Throw Accuracy
- Offensive Rebounds
- Defensive Rebounds
- Total Rebounds
- Assists
- Turnovers
- Steals
- Blocks
- Blocks Against
- Personal Fouls
- Personal Fouls Drawn
- Two Pointers Made
- Two Pointers Attempted
- Two Pointer Accuracy

EDA & Data Visualization

Analysis

In the next stage of the project, we will study how offensive and defensive efficiency relate to winning more games. Specifically, we will:

Identify whether offense or defense contributes more to win percentage. Basic data is not a good measure of the importance of offense and defense. More analysis and calculations are needed.

Create a four-quadrant “Offense vs Defense” chart to compare team play styles.

Focus on the top 10 teams in the league to determine common efficiency patterns.

This will allow us to better answer the question: Does offense or defense win more games in the NBA?

```
# df_top10 %>%
#   select(Team, `WIN%`, OffRtg, off_rank, DefRtg, def_rank)
```

Citations

Korolyk, Vitalii. "NBA Data 2010-2024 by NocturneBear." GitHub, NocturneBear, 2024, github.com/NocturneBear/NBA-Data-2010-2024.

