Command Prompt - mongo show dbs 0.000GB dmin 0.000GB onfig mployee 0.000GB employees 0.000GB 0.000GB local use call data switched to db call data show bds uncaught exception: Error: don't know how to show [bds] : shellHelper.show@src/mongo/shell/utils.js:1191:11 shellHelper@src/mongo/shell/utils.js:819:15 @(shellhelp2):1:1 > show databases: admin 0.000GB call data base 0.000GB config 0.000GB mployee 0.000GB employees 0.000GB 0.000GB local use call data base switched to db call data base show co;;ections; uncaught exception: Error: don't know how to show [co;;ections] : shellHelper.show@src/mongo/shell/utils.js:1191:11 shellHelper@src/mongo/shell/utils.js:819:15 @(shellhelp2):1:1 show collections; call data > db.call data.insert(id:1,source:"+918971153465",destination:"+919740485542",source location:"hassan",call duration:20.9,roaming:"true",call charge:2.03) uncaught exception: SyntaxError: missing) after argument list : (shell):1:23 db.call_data.insert([{ id:1,source:"+918971153465",destination:"+916362760431",source_location:"Hassan",call_duration:2.09,roaming:"false",call_charge:2.98}]) BulkWriteResult({ "writeErrors" : [], "writeConcernErrors" : [], "nInserted" : 1, "nUpserted" : 0, "nMatched" : 0, "nModified" : 0, "nRemoved" : 0, "upserted" : [] db.call data.show(); uncaught exception: TypeError: db.call_data.show is not a function : (shell):1:1 db.call data.find(); "_id" : ObjectId("61d277ae23cbae4dfd1e09f6"), "source" : "+919612345670", "destination" : "+919612345671", "source_location" : "Delhi", "destination_location" : "Mumbai", "call_duration" 2.03, "roaming" : "false", "call_charge" : 2.03 } "_id" : ObjectId("61d277ae23cbae4dfd1e09f7"), "source" : "+919612345672", "destination" : "+919612545671", "source location" : "Mumbai", "destination_location" : "Varanasi", "call_duratio 🗸 23℃ ^
□ 및 (1) Type here to search

Select Command Prompt - mongo show dbs dmin 0.000GB 0.000GB onfig mployee 0.000GB employees 0.000GB 0.000GB local use call data switched to db call data show bds uncaught exception: Error: don't know how to show [bds] : shellHelper.show@src/mongo/shell/utils.js:1191:11 shellHelper@src/mongo/shell/utils.js:819:15 @(shellhelp2):1:1 > show databases: admin 0.000GB call data base 0.000GB config 0.000GB mployee 0.000GB employees 0.000GB 0.000GB local use call data base switched to db call data base show co;;ections; uncaught exception: Error: don't know how to show [co;;ections] : shellHelper.show@src/mongo/shell/utils.js:1191:11 shellHelper@src/mongo/shell/utils.js:819:15 @(shellhelp2):1:1 show collections; call data > db.call data.insert(id:1,source:"+918971153465",destination:"+919740485542",source location:"hassan",call duration:20.9,roaming:"true",call charge:2.03) uncaught exception: SyntaxError: missing) after argument list : (shell):1:23 db.call_data.insert([{ id:1,source:"+918971153465",destination:"+916362760431",source_location:"Hassan",call_duration:2.09,roaming:"false",call_charge:2.98}]) BulkWriteResult({ "writeErrors" : [], "writeConcernErrors" : [], "nInserted" : 1, "nUpserted" : 0, "nMatched" : 0, "nModified" : 0, "nRemoved" : 0, "upserted" : [] db.call data.show(); uncaught exception: TypeError: db.call_data.show is not a function : (shell):1:1 db.call data.find(); "_id" : ObjectId("61d277ae23cbae4dfd1e09f6"), "source" : "+919612345670", "destination" : "+919612345671", "source_location" : "Delhi", "destination_location" : "Mumbai", "call_duration" 2.03, "roaming" : "false", "call_charge" : 2.03 } "_id" : ObjectId("61d277ae23cbae4dfd1e09f7"), "source" : "+919612345672", "destination" : "+919612545671", "source location" : "Mumbai", "destination_location" : "Varanasi", "call_duratio 🗸 23℃ ^ 🕵 및 🖫 (୬) 🚜 Type here to search

```
Select Command Prompt - mongo
 db.call data.show();
uncaught exception: TypeError: db.call data.show is not a function :
 (shell):1:1
 db.call data.find();
 " id": ObjectId("61d277ae23cbae4dfd1e09f6"), "source": "+919612345670", "destination": "+919612345671", "source location": "Delhi", "destination location": "Mumbai", "call duration"
 2.03, "roaming" : "false", "call_charge" : 2.03 }
   id" : ObjectId("61d277ae23cbae4dfd1e09f7"), "source" : "+919612345672", "destination" : "+919612545671", "source_location" : "Mumbai", "destination_location" : "Varanasi", "call_duratio
         "roaming" : "true", "call_charge" : 7
   id": ObjectId("61d277ae23cbae4dfd1e09f8"), "source": "+919612345673", "destination": "+919612645671", "source location": "Chennai", "destination location": "Kerela", "call duration
 : 5.39, "roaming" : "false", "call_charge" : 5.39 }
 "_id" : ObjectId("61d277ae23cbae4dfd1e09f9"), "source" : "+919612345674", "destination" : "+919616545671", "source location" : "Kolkata", "destination location" : "Bangalore", "call_durat
on" : 6.01, "roaming" : "false", "call charge" : 6.01 }
 " id" : ObjectId("61d277ae23cbae4dfd1e09fa"), "source" : "+919612345675", "destination" : "+919617745671", "source location" : "Chennai", "destination location" : "Hyderabad", "call durat
    : 1.55, "roaming" : "true", "call charge" : 3.55 }
 " id" : ObjectId("61d277ae23cbae4dfdle09fb"), "source" : "+919612345676", "destination" : "+919618845671", "source location" : "Mumbai", "destination location" : "Patna", "call duration"
 4.36, "roaming" : "false", "call_charge" : 4.36 }
 "_id" : ObjectId("61d277ae23cbae4dfd1e09fc"), "source" : "+919612345676", "destination" : "+919612995671", "source_location" : "Kolkata", "destination_location" : "Jaipur", "call_duration
 : 12.31, "roaming" : "true", "call charge" : 24.62 }
 " id" : ObjectId("61d277ae23cbae4dfd1e09fd"), "source" : "+919612345678", "destination" : "+919612300671", "source location" : "Kolkata", "destination location" : "Kota", "call duration"
 29.43, "roaming" : "false", "call charge" : 29.43 }
 "_id" : ObjectId("61d277ae23cbae4dfd1e09fe"), "source" : "+919612345679", "destination" : "+919612346671", "source_location" : "Mumbai", "destination_location" : "Manali", "call_duration"
 13.58, "roaming" : "false", "call charge" : 13.58 }
   id" : ObjectId("61d277ae23cbae4dfd1e09ff"), "source" : "+919612345670", "destination" : "+919612345671", "source_location" : "Delhi", "destination_location" : "Bangalore", "call_duratio
  : 14.08, "roaming" : "true", "call_charge" : 28.16 }
   id" : ObjectId("61d277ae23cbae4dfd1e0a00"), "source" : "+919612345680", "destination" : "+919612334671", "source location" : "Delhi", "destination location" : "Jammu", "call duration" :
20.17, "roaming" : "false", "call_charge" : 20.17 }
 " id" : ObjectId("61d277ae23cbae4dfd1e0a01"), "source" : "+919612345681", "destination" : "+919612323671", "source location" : "Kolkata", "destination location" : "Ranchi", "call duration"
  : 7.42, "roaming" : "false", "call charge" : 7.42 }
 "id": ObjectId("61d277ae23cbae4dfd1e0a02"), "source": "+919612345682", "destination": "+919612312671", "source location": "Delhi", "destination location": "Bhatinda", "call duration
   8.13, "roaming" : "false", "call_charge" : 8.13 }
   id": ObjectId("61d277ae23cbae4dfd1e0a03"), "source": "+919612345683", "destination": "+919612312671", "source location": "Chennai", "destination location": "Mumbai", "call duration
 : 18.05, "roaming" : "false", "call_charge" : 18.05 }
   id": ObjectId("61d277ae23cbae4dfd1e0a04"), "source": "+919612345670", "destination": "+919612345671", "source location": "Delhi", "destination location": "Mumbai", "call duration"
 2.03, "roaming" : "false", "call_charge" : 2.03 }
 " id" : ObjectId("61d277ae23cbae4dfd1e0a05"), "source" : "+919612345672", "destination" : "+919612545671", "source location" : "Mumbai", "destination location" : "Varanasi", "call duratio
  : 3.5, "roaming" : "true", "call charge" : 7
   id": ObjectId("61d277ae23cbae4dfd1e0a06"), "source": "+919612345673", "destination": "+919612645671", "source location": "Chennai", "destination location": "Kerela", "call duration
 : 5.39, "roaming" : "false", "call_charge" : 5.39 }
   id" : ObjectId("61d277ae23cbae4dfd1e0a07"), "source" : "+919612345674", "destination" : "+919616545671", "source location" : "Kolkata", "destination location" : "Bangalore", "call_durat
on" : 6.01, "roaming" : "false", "call_charge" : 6.01 }
 " id" : ObjectId("61d277ae23cbae4dfd1e0a08"), "source" : "+919612345675", "destination" : "+919617745671", "source location" : "Chennai", "destination location" : "Hyderabad", "call durat
on" : 1.55, "roaming" : "true", "call_charge" : 3.55 }
 "id": ObjectId("61d277ae23cbae4dfdIe0a09"), "source": "+919612345676", "destination": "+919618845671", "source location": "Mumbai", "destination location": "Patna", "call duration"
 4.36, "roaming" : "false", "call_charge" : 4.36 }
ype "it" for more
 db.collections.count;
function(query, options) {
   const cmd =
       Object.assign({count: this.getName(), query: this._massageObject(query || {})}, options);
                                                                                                                                                    🌏 23°C ∧ 🝖 🌷 🖫 Ф) 🥒 10:43 AM
```

Type here to search

```
Select Command Prompt - mongo
   _id" : ObjectId("61d277ae23cbae4dfd1e0a03"), "source" : "+919612345683", "destination" : "+91<del>0012312071</del>", "source_location" : "Chennai", "destination_location" : "Mumbai", "call_duration
   18.05, "roaming" : "false", "call_charge" : 18.05 }
 "_id" : ObjectId("61d277ae23cbae4dfd1e0a04"), "source" : "+919612345670", "destination" : "+919612345671", "source_location" : "Delhi", "destination_location" : "Mumbai", "call_duration"
 2.03, "roaming" : "false", "call_charge" : 2.03 }
 "_id" : ObjectId("61d277ae23cbae4dfd1e0a05"), "source" : "+919612345672", "destination" : "+919612545671", "source_location" : "Mumbai", "destination_location" : "Varanasi", "call_duratio
  : 3.5, "roaming" : "true", "call charge" : 7 }
 "_id" : ObjectId("61d277ae23cbae4dfd1e0a06"), "source" : "+919612345673", "destination" : "+919612645671", "source_location" : "Chennai", "destination_location" : "Kerela", "call_duration
 : 5.39, "roaming" : "false", "call_charge" : 5.39 }
   id" : ObjectId("61d277ae23cbae4dfd1e0a07"), "source" : "+919612345674", "destination" : "+919616545671", "source location" : "Kolkata", "destination location" : "Bangalore", "call durat
    : 6.01, "roaming" : "false", "call_charge" : 6.01 }
 "_id" : ObjectId("61d277ae23cbae4dfd1e0a08"), "source" : "+919612345675", "destination" : "+919617745671", "source_location" : "Chennai", "destination_location" : "Hyderabad", "call_durat
on" : 1.55, "roaming" : "true", "call charge" : 3.55 }
 " id" : ObjectId("61d277ae23cbae4dfdle0a09"), "source" : "+919612345676", "destination" : "+919618845671", "source_location" : "Mumbai", "destination_location" : "Patna", "call_duration"
 4.36, "roaming" : "false", "call_charge" : 4.36 }
Type "it" for more
 db.collections.count;
function(query, options) {
   const cmd =
       Object.assign({count: this.getName(), query: this._massageObject(query || {})}, options);
   if (cmd.readConcern) {
       cmd.readConcern = {level: cmd.readConcern};
   const res = this. db.runReadCommand(cmd);
   if (!res.ok) {
       throw _getErrorWithCode(res, "count failed: " + tojson(res));
   return res.n;
 db.collections.count();
 db.call_data.count();
 db.call data.find({call duration:{$gt:10.00}}).pretty().count();
```





























