

## Spring 2024: CS5720 Neural Networks & Deep Learning – ICP-8

### Assignment – 7

Name: Sangeetha Baddam

700757191

Github Link: [https://github.com/Sangeetha-Baddam/Assignment\\_7](https://github.com/Sangeetha-Baddam/Assignment_7)

Video Link:

[https://drive.google.com/file/d/11PIFyLPGjYV5\\_0H024A8LnI9HMsBnUNI/view?usp=drive\\_link](https://drive.google.com/file/d/11PIFyLPGjYV5_0H024A8LnI9HMsBnUNI/view?usp=drive_link)

#### Use Case Description:

LeNet5, AlexNet, Vgg16, Vgg19

1. Training the model
2. Evaluating the model

#### Programming elements:

1. About CNN
2. Hyperparameters of CNN
3. Image classification with CNN

#### In class programming:

1. Tune hyperparameter and make necessary addition to the baseline model to improve validation accuracy and reduce validation loss.
2. Provide logical description of which steps lead to improved response and what was its impact on architecture behavior.
3. Create at least two more visualizations using matplotlib (Other than provided in the source file)
4. Use dataset of your own choice and implement baseline models provided.
5. Apply modified architecture to your own selected dataset and train it.
6. Evaluate your model on testing set.
7. Save the improved model and use it for prediction on testing data
8. Provide plot of confusion matrix
9. Provide Training and testing Loss and accuracy plots in one plot using subplot command and history object.
10. Provide at least two more visualizations reflecting your solution.

11. Provide logical description of which steps lead to improved response for new dataset when compared with baseline model and enhance architecture and what was its impact on architecture behavior

Finder File Edit View Go Window Help zoom Thu Mar 14 11:01 PM

Home Page - Select or create x icp8\_700757191 - Jupyter N: x Bb 15492383

localhost:8889/notebooks/icp8\_700757191.ipynb

book 7 to learn about the new features and the actions to take if you are using extensions - Please note that updating to Notebook 7 might break some of your extensions.

jupyter icp8\_700757191 Last Checkpoint: 41 minutes ago (autosaved) Logout

File Edit View Insert Cell Kernel Widgets Help Not Trusted Python 3 (ipykernel)

Import libraries

```
In [1]: import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import tensorflow as tf
from tensorflow.keras.datasets import cifar100

from tensorflow.keras.optimizers import RMSprop
from keras.preprocessing import image
from tensorflow.keras.preprocessing.image import ImageDataGenerator
from tensorflow.keras.layers import Dense, Flatten, Conv2D, MaxPooling2D, Dropout, BatchNormalization
import matplotlib inline
```

Extract data and train and test dataset


```
In [2]: (x_train, x_train_val, x_test, y_train, y_train_val, y_test) = cifar100_load_data()
```

Downloading data from <https://www.cs.toronto.edu/~kriz/cifar-100-python.tar.gz>  
169801437/169801437 [=====] - 6s 8us/step

```
In [27]: classes = ['apple', 'aquarium_fish', 'baby', 'bear', 'beaver', 'bed', 'bee', 'beetle', 'bicycle', 'bottle',
```

Let's look into the dataset images

```
In [31]: plt.figure(figsize=(16,16))
for i in range(100):
    plt.subplot(10,10,i+1)
    plt.axis('off')
    plt.imshow(x_train[i], cmap = 'gray')
```



Finder File Edit View Go Window Help zoom Thu Mar 14 11:02 PM


Home Page - Select or create x icp8\_700757191 - Jupyter N: x Bb 15492383

localhost:8889/notebooks/icp8\_700757191.ipynb

book 7 to learn about the new features and the actions to take if you are using extensions - Please note that updating to Notebook 7 might break some of your extensions.

jupyter icp8\_700757191 Last Checkpoint: 41 minutes ago (autosaved) Logout

File Edit View Insert Cell Kernel Widgets Help Not Trusted Python 3 (ipykernel)



Training, Validating and Splitting trained and tested data

```
In [4]: from sklearn.model_selection import train_test_split
x_train, x_val, y_train, y_val = train_test_split(x_train, y_train, test_size=0.2)
```

```
In [6]: from keras.utils.np_utils import to_categorical
y_train = to_categorical(y_train, num_classes = 100)
y_val = to_categorical(y_val, num_classes = 100)
```

```
In [7]: print(x_train.shape)
print(y_train.shape)
print(x_val.shape)
print(y_val.shape)
print(x_test.shape)
print(y_test.shape)

(40000, 32, 32, 3)
(40000, 100)
(10000, 32, 32, 3)
(10000, 100)
(10000, 32, 32, 3)
(10000, 1)
```

```
In [8]: train_datagen = ImageDataGenerator(
    preprocessing_function = tf.keras.applications.vgg19.preprocess_input,
    rotation_range=10,
    zoom_range = 0.1,
    width_shift_range = 0.1,
    height_shift_range = 0.1,
    shear_range = 0.1,
    horizontal_flip = True
```

Finder File Edit View Go Window Help zoom Thu Mar 14 11:02 PM

Home Page - Select or create x icp8\_700757191 - Jupyter Notebook x Bb 15492383

localhost:8889/notebooks/icp8\_700757191.ipynb

look 7 to learn about the new features and the actions to take if you are using extensions - Please note that updating to Notebook 7 might break some of your extensions.

jupyter icp8\_700757191 Last Checkpoint: 41 minutes ago (autosaved) Logout

File Edit View Insert Cell Kernel Widgets Help Not Trusted Python 3 (ipykernel)

```
train_datagen.fit(train_data)
val_datagen = ImageDataGenerator(preprocessing_function = tf.keras.applications.vgg19.preprocess_input)
val_datagen.fit(val_data)

In [9]: from keras.callbacks import ReduceLROnPlateau
learning_rate_reduction = ReduceLROnPlateau(monitor='val_accuracy',
                                             patience=3,
                                             verbose=1,
                                             factor=0.5,
                                             min_lr=0.0001)

We have used only 16 layers out of 19 layers in the CNN

In [18]: vgg_model = tf.keras.applications.VGG19(
include_top=False,
weights=None,
input_shape=(32,32,3),
)

vgg_model.summary()

Model: "vgg19"
Layer (type) Output Shape Param #
-----
input_1 (InputLayer) [None, 32, 32, 3] 0
block1_conv1 (Conv2D) (None, 32, 32, 64) 1792
block1_conv2 (Conv2D) (None, 32, 32, 64) 36928
block1_pool (MaxPooling2D) (None, 16, 16, 64) 0
block2_conv1 (Conv2D) (None, 16, 16, 128) 73856
block2_conv2 (Conv2D) (None, 16, 16, 128) 147584
block2_pool (MaxPooling2D) (None, 8, 8, 128) 0
block3_conv1 (Conv2D) (None, 8, 8, 256) 295168
block3_conv2 (Conv2D) (None, 8, 8, 256) 590880
block3_conv3 (Conv2D) (None, 8, 8, 256) 590880
block3_conv4 (Conv2D) (None, 8, 8, 256) 590880
block3_pool (MaxPooling2D) (None, 4, 4, 256) 0
block4_conv1 (Conv2D) (None, 4, 4, 512) 1180160
block4_conv2 (Conv2D) (None, 4, 4, 512) 2350880
block4_conv3 (Conv2D) (None, 4, 4, 512) 2350880
block4_conv4 (Conv2D) (None, 4, 4, 512) 2350880
block4_pool (MaxPooling2D) (None, 2, 2, 512) 0
block5_conv1 (Conv2D) (None, 2, 2, 512) 2350880
```

Finder File Edit View Go Window Help zoom Thu Mar 14 11:02 PM

Home Page - Select or create x icp8\_700757191 - Jupyter Notebook x Bb 15492383

localhost:8889/notebooks/icp8\_700757191.ipynb

look 7 to learn about the new features and the actions to take if you are using extensions - Please note that updating to Notebook 7 might break some of your extensions.

jupyter icp8\_700757191 Last Checkpoint: 42 minutes ago (autosaved) Logout

File Edit View Insert Cell Kernel Widgets Help Not Trusted Python 3 (ipykernel)

```
block5_conv1 (Conv2D) (None, 2, 2, 512) 2350880
block5_conv2 (Conv2D) (None, 2, 2, 512) 2350880
block5_conv3 (Conv2D) (None, 2, 2, 512) 2350880
block5_conv4 (Conv2D) (None, 2, 2, 512) 2350880
block5_pool (MaxPooling2D) (None, 1, 1, 512) 0

Total params: 28,024,384
Trainable params: 28,024,384
Non-trainable params: 0

In [14]: model = tf.keras.Sequential()
model.add(vgg_model)
model.add(Flatten())
model.add(Dense(1024, activation='relu'))
model.add(BatchNormalization())
model.add(Dense(1024, activation='relu'))
model.add(BatchNormalization())
model.add(Dense(256, activation='relu'))
model.add(BatchNormalization())
model.add(Dense(100, activation='softmax'))

model.summary()

Model: "sequential_1"
Layer (type) Output Shape Param #
-----
vgg19 (Functional) (None, 1, 1, 512) 28024384
flatten_1 (Flatten) (None, 512) 0
dense_4 (Dense) (None, 1024) 525312
batch_normalization_3 (Batch Normalization) (None, 1024) 4096
dense_5 (Dense) (None, 1024) 1049600
batch_normalization_4 (Batch Normalization) (None, 1024) 4096
dense_6 (Dense) (None, 256) 262400
batch_normalization_5 (Batch Normalization) (None, 256) 1024
dropout_1 (Dropout) (None, 256) 0
dense_7 (Dense) (None, 100) 25700

Total params: 21,896,612
Trainable params: 21,892,464
Non-trainable params: 4,148
```

Finder File Edit View Go Window Help zoom Thu Mar 14 11:02 PM

Home Page - Select or create x icp8\_700757191 - Jupyter Notebook x Bb 15492383

localhost:8889/notebooks/icp8\_700757191.ipynb

Look 7 to learn about the new features and the actions to take if you are using extensions - Please note that updating to Notebook 7 might break some of your extensions.

jupyter icp8\_700757191 Last Checkpoint: 42 minutes ago (autosaved) Logout

```
File Edit View Insert Cell Kernel Widgets Help Not Trusted Python 3 (ipykernel)
```

```
In [15]: optimizer = tf.keras.optimizers.Adam(learning_rate = 0.001, momentum = 0.9)
model.compile(optimizer=optimizer,
              loss='categorical_crossentropy',
              metrics=['accuracy'])


In [16]: history = model.fit(
    train_datagen.flow(x_train, y_train, batch_size = 128),
    validation_data = val_datagen.flow(x_val, y_val, batch_size = 128),
    epochs = 10,
    verbose = 1,
    callbacks = [learning_rate_reduction])

Epoch 1/10
113/113 [=====] - 44s 124ms/step - loss: 5.2395 - accuracy: 0.0140 - val_loss: 4.5463 - va
    _accuracy: 0.0205 - lr: 0.0010
Epoch 2/10
113/113 [=====] - 38s 121ms/step - loss: 5.0465 - accuracy: 0.0181 - val_loss: 4.5047 - va
    _accuracy: 0.0248 - lr: 0.0010
Epoch 3/10
113/113 [=====] - 36s 116ms/step - loss: 4.9621 - accuracy: 0.0179 - val_loss: 4.7844 - va
    _accuracy: 0.0117 - lr: 0.0010
Epoch 4/10
113/113 [=====] - 36s 115ms/step - loss: 4.8896 - accuracy: 0.0191 - val_loss: 4.5794 - va
    _accuracy: 0.0206 - lr: 0.0010
Epoch 5/10
113/113 [=====] - 36s 116ms/step - loss: 4.7737 - accuracy: 0.0202 - val_loss: 4.4016 - va
    _accuracy: 0.0302 - lr: 0.0010
Epoch 6/10
113/113 [=====] - 36s 116ms/step - loss: 4.6797 - accuracy: 0.0253 - val_loss: 4.3797 - va
    _accuracy: 0.0325 - lr: 0.0010
Epoch 7/10
113/113 [=====] - 35s 113ms/step - loss: 4.6021 - accuracy: 0.0245 - val_loss: 4.3531 - va
    _accuracy: 0.0295 - lr: 0.0010
Epoch 8/10
113/113 [=====] - 36s 115ms/step - loss: 4.5665 - accuracy: 0.0258 - val_loss: 4.3573 - va
    _accuracy: 0.0308 - lr: 0.0010
Epoch 9/10
113/113 [=====] - 36s 116ms/step - loss: 4.5199 - accuracy: 0.0262 - val_loss: 4.3059 - va
    _accuracy: 0.0340 - lr: 0.0010
Epoch 10/10
113/113 [=====] - 36s 113ms/step - loss: 4.4793 - accuracy: 0.0281 - val_loss: 4.3472 - va
    _accuracy: 0.0322 - lr: 0.0010

In [17]: acc = history.history['accuracy']
val_acc = history.history['val_accuracy']

plt.figure()
plt.plot(acc, color = 'purple', label = 'Training Accuracy')
plt.plot(val_acc, color = 'blue', label = 'Validation Accuracy')
plt.legend()

Out[17]: <matplotlib.legend.Legend at 0x7f82e645a190>
```



Finder File Edit View Go Window Help zoom Thu Mar 14 11:02 PM

Finder File Edit View Go Window Help zoom Thu Mar 14 11:02 PM

Home Page - Select or create x icp8\_700757191 - Jupyter Notebook x Bb 15492383

localhost:8889/notebooks/icp8\_700757191.ipynb

Look 7 to learn about the new features and the actions to take if you are using extensions - Please note that updating to Notebook 7 might break some of your extensions.

jupyter icp8\_700757191 Last Checkpoint: 42 minutes ago (autosaved) Logout


```
File Edit View Insert Cell Kernel Widgets Help Not Trusted Python 3 (ipykernel)
```

```
Out[17]: <matplotlib.legend.Legend at 0x7f82e645a190>
```

```
In [18]: loss = history.history['loss']
val_loss = history.history['val_loss']

plt.figure()
plt.plot(loss, color = 'green', label = 'Training Loss')
plt.plot(val_loss, color = 'red', label = 'Validation Loss')
plt.legend()

Out[18]: <matplotlib.legend.Legend at 0x7f82e61822e0>
```



Finder File Edit View Go Window Help zoom Thu Mar 14 11:02 PM

Finder File Edit View Go Window Help zoom Thu Mar 14 11:02 PM

Home Page - Select or create x icp8\_700757191 - Jupyter N: x Bb 15492383

localhost:8889/notebooks/icp8\_700757191.ipynb

book 7 to learn about the new features and the actions to take if you are using extensions - Please note that updating to Notebook 7 might break some of your extensions.

jupyter icp8\_700757191 Last Checkpoint: 42 minutes ago (autosaved) Logout

```
File Edit View Insert Cell Kernel Widgets Help Not Trusted Python 3 (ipykernel) O
```

```
In [19]: X_test = tf.keras.applications.vgg19.preprocess_input(X_test)
y_pred = np.argmax(model.predict(X_test), axis=-1)
y_pred[10]

Out[19]: array([53, 77, 36, 5, 87, 77, 77, 52, 82])

In [20]: from sklearn.metrics import confusion_matrix, accuracy_score
print('Testing Accuracy : ', accuracy_score(y_test, y_pred))
Testing Accuracy : 0.8383

In [21]: cm = confusion_matrix(y_test, y_pred)
cm

Out[21]: array([[0, 0, ..., 0, 0],
               [0, 0, ..., 0, 0],
               [0, 0, ..., 0, 0],
               ...,
               [0, 0, ..., 0, 0],
               [0, 0, ..., 0, 0],
               [0, 0, ..., 0, 0]])

In [38]: import itertools
def plot_confusion_matrix(cm, classes,
                          normalize=True,
                          title='Confusion matrix',
                          cmap=plt.cm.Greens):
    """
    This function prints and plots the confusion matrix.
    Normalization can be applied by setting 'normalize=True'.
    """
    plt.imshow(cm, interpolation='nearest', cmap=cmap)
    plt.title(title)
    plt.colorbar()
    tick_marks = np.arange(len(classes))
    plt.xticks(tick_marks, classes, rotation=30)
    plt.yticks(tick_marks, classes)

    if normalize:
        cm = cm.astype('float') / cm.sum(axis=1)[:, np.newaxis]
        print("Normalized confusion matrix")
    else:
        print('Confusion matrix, without normalization')

    #print(cm)

    thresh = cm.max() / 2.
    for i, j in itertools.product(range(cm.shape[0]), range(cm.shape[1])):
        plt.text(i, j, cm[i, j],
                 horizontalalignment="center",
                 color="white" if cm[i, j] > thresh else "black")

    plt.tight_layout()
    plt.ylabel('True label')
    plt.xlabel('Predicted label')

In [35]: plt.figure(figsize=(100,100))
plot_confusion_matrix(cm, classes)
```

Mac OS X dock with various application icons.

Finder File Edit View Go Window Help zoom Thu Mar 14 11:02 PM

Home Page - Select or create x icp8\_700757191 - Jupyter N: x Bb 15492383

localhost:8889/notebooks/icp8\_700757191.ipynb


book 7 to learn about the new features and the actions to take if you are using extensions - Please note that updating to Notebook 7 might break some of your extensions.

jupyter icp8\_700757191 Last Checkpoint: 42 minutes ago (autosaved) Logout

```
File Edit View Insert Cell Kernel Widgets Help Not Trusted Python 3 (ipykernel) O
```

```
In [35]: plt.figure(figsize=(100,100))
plot_confusion_matrix(cm, classes)

Normalized confusion matrix
```



Mac OS X dock with various application icons.

