

1. Program



1



Attempted: 1/1

☐ Use Custom Input

Compile and Test

Submit Code

## Question 1

Revisit Later

## How to Attempt?

## All Digits Count

Write a function to find the count of ALL digits in a given number N. The number will be passed to the function as an input parameter of type int.

**Assumption:** The input number will be a positive integer number  $\geq 1$  and  $\leq 25000$ .

For e.g.

If the given number is 292, the function should return 3 because there are 3 digits in this number

If the given number is 1015, the function should return 4 because there are 4 digits in this number

Code Execution Code History

0/2 - Sample Test Cases Failed

✔ Default 2

## ⌵ CODE EXECUTION DETAILS

Time: 251 ms

Memory: 103812 kb

## ⌵ TEST CASE INFORMATION

Input

1015

Expected Output

4

Actual Output

4

## ➤\_ CONSOLE OUTPUT

## ⌵ STANDARD ERROR/WARNING

None

✔ Default 1

1. Program



1



Attempted: 1/1

## Question 1

Revisit Later

## How to Attempt?

**All Digits Count**

Write a function to find the count of ALL digits in a given number N. The number will be passed to the function as an input parameter of type int.

**Assumption:** The input number will be a positive integer number  $\geq 1$  and  $\leq 25000$ .

For e.g.

If the given number is 292, the function should return 3 because there are 3 digits in this number

If the given number is 1015, the function should return 4 because there are 4 digits in this number

☐ Use Custom Input

Compile and Test

Submit Code

Code Execution Code History

0/8 - Graded Test Cases Failed

Corner 2

Corner 1

Necessary 2

Necessary 1

Basic 4

Basic 3

Basic 2

Basic 1

Mercer

mettl

Sangeetha

LP\_Practice\_AllDigitsCount / Saved: 0 seconds ago

1. Program

1

Question 1

Revisit Later

How to Attempt?

All Digits Count

Write a function to find the count of ALL digits in a given number N. The number will be passed to the function as an input parameter of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000.

For e.g.

If the given number is 292, the function should return 3 because there are 3 digits in this number

If the given number is 1015, the function should return 4 because there are 4 digits in this number

Code Execution

0/8 - Graded Test

✓ Corner 2

✓ Corner 1

✓ Necessary 2

✓ Necessary 1

✓ Basic 4

✓ Basic 3

✓ Basic 2

✓ Basic 1

Mettl Online Assessment © 2021-2031

Need Help? Contact us: +1 (800)

Finish Test

Remaining Time: 01:01:58

Your Test Summary

1 Total Questions

Attempted: 1/1

Marked for Revisit: 0/1

Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	<div><div>1</div><div>0</div></div> <div>Total: 1 Questions</div>

Yes, End Test!

No, Back to Test