```
Html
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Responsive Landing Page with Interactive Navigation</title>
 <link rel="stylesheet" href="Land.css">
 <script src="land.js" defer></script>
</head>
<body>
<header id="header">
 <nav id="navbar">
   <l
    <a href="#home">Home</a>
    <a href="#features">Features</a>
    <a href="#pricing">Pricing</a>
    <a href="#contact">Contact</a>
   </nav>
</header>
<div class="image">
 <img src="ai.jpeg">
</div>
<div class="image">
 <img src="ai.jpeg">
</div>
</body>
</html>
```

```
Css
#header {
  position: fixed;
 top: 0;
 left: 0;
 width: 100%;
 background-color: rgba(0, 0, 0, 0.8);
 z-index: 1000;
 transition: background-color 0.3s ease;
}
#navbar{
 display: flex;
 justify-content: center;
 align-items: center;
 height: 60px;
}
#navbar ul {
 list-style-type: none;
 display: flex;
}
#navbar ul li {
  margin: 0 15px;
}
#navbar ul li a {
  color: #fff;
  text-decoration: none;
 font-weight: bold;
```

```
padding: 10px 15px;
  transition: color 0.3s ease;
}
.scrolled {
 background-color: #333;
}
#navbar ul li a:hover {
 color: yellow;
}
.image{
  max-width: 100%;
 max-height: 100%;
 object-fit: contain;
}
Javascript
window.addEventListener('scroll', function() {
 var header = document.getElementById('header');
 if (window.scrollY > 0) {
   header.classList.add('scrolled');
 }else{
   header.classList.remove('scrolled');
 }
});
```





