

Problem Statement

Business Context

The healthcare industry is rapidly evolving, with professionals facing increasing challenges in managing vast volumes of medical data while delivering accurate and timely diagnoses. The need for quick access to comprehensive, reliable, and up-to-date medical knowledge is critical for improving patient outcomes and ensuring informed decision-making in a fast-paced environment.

Healthcare professionals often encounter information overload, struggling to sift through extensive research and data to create accurate diagnoses and treatment plans. This challenge is amplified by the need for efficiency, particularly in emergencies, where time-sensitive decisions are vital. Furthermore, access to trusted, current medical information from renowned manuals and research papers is essential for maintaining high standards of care.

To address these challenges, healthcare centers can focus on integrating systems that streamline access to medical knowledge, provide tools to support quick decision-making, and enhance efficiency. Leveraging centralized knowledge platforms and ensuring healthcare providers have continuous access to reliable resources can significantly improve patient care and operational effectiveness.

Common Questions to Answer

- 1. Diagnostic Assistance:** "What are the common symptoms and treatments for pulmonary embolism?"
- 2. Drug Information:** "Can you provide the trade names of medications used for treating hypertension?"
- 3. Treatment Plans:** "What are the first-line options and alternatives for managing rheumatoid arthritis?"
- 4. Specialty Knowledge:** "What are the diagnostic steps for suspected endocrine disorders?"
- 5. Critical Care Protocols:** "What is the protocol for managing sepsis in a critical care unit?"

Objective

As an AI specialist, your task is to develop a RAG-based AI solution using renowned medical manuals to address healthcare challenges. The objective is to **understand** issues like information overload, **apply** AI techniques to streamline decision-making, **analyze** its impact on diagnostics and patient outcomes, **evaluate** its potential to standardize care practices, and **create** a functional prototype demonstrating its feasibility and effectiveness.

Data Description

The **Merck Manuals** are medical references published by the American pharmaceutical company Merck & Co., that cover a wide range of medical topics, including disorders, tests, diagnoses, and drugs. The manuals have been published since 1899, when Merck & Co. was still a subsidiary of the German company Merck.

The manual is provided as a PDF with over 4,000 pages divided into 23 sections.

Installing and Importing Necessary Libraries and Dependencies

```
# Installation for GPU llama-cpp-python
# uncomment and run the following code in case GPU is being used
!CMAKE_ARGS="-DLLAMA_CUBLAS=on" FORCE_CMAKE=1 pip install llama-cpp-python==0.2.28

# Installation for CPU llama-cpp-python
# uncomment and run the following code in case GPU is not being used
# !CMAKE_ARGS="-DLLAMA_CUBLAS=off" FORCE_CMAKE=1 pip install llama-cpp-python==0.2.28
```

```
_____ 0.0/9.4 MB ? eta -:--:--
_____ 3.1/9.4 MB 109.4 MB/s eta 0:00:01
_____ 5.8/9.4 MB 86.8 MB/s eta 0:00:01
_____ 7.8/9.4 MB 75.4 MB/s eta 0:00:01
_____ 9.4/9.4 MB 84.8 MB/s eta 0:00:00
```

```
Installing build dependencies ... done
Getting requirements to build wheel ... done
Installing backend dependencies ... done
Preparing metadata (pyproject.toml) ... done
```

```
_____ 45.5/45.5 kB 307.6 MB/s eta 0:00:00
_____ 16.6/16.6 MB 164.8 MB/s eta 0:00:00
_____ 44.6/44.6 kB 310.9 MB/s eta 0:00:00
```

```
Building wheel for llama-cpp-python (pyproject.toml) ... done
```

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.

tensorflow 2.19.0 requires numpy<2.2.0,>=1.26.0, but you have numpy 2.4.3 which is incompatible.

numba 0.60.0 requires numpy<2.1,>=1.22, but you have numpy 2.4.3 which is incompatible.

Note:

- After running the above cell, kindly restart the runtime (for Google Colab) or notebook kernel (for Jupyter Notebook), and run all cells sequentially from the next cell.
- On executing the above line of code, you might see a warning regarding package dependencies. This error message can be ignored as the above code ensures that all necessary libraries and their dependencies are maintained to successfully execute the code in **this notebook**.

```
!pip install huggingface_hub==0.35.3 pandas==2.2.2 tiktoken==0.12.0 pymupdf==1.26.5
```

```

_____ 60.9/60.9 kB 6.6 MB/s eta 0:00:00
_____ 52.0/52.0 kB 5.6 MB/s eta 0:00:00
_____ 44.0/44.0 kB 4.3 MB/s eta 0:00:00
_____ 564.3/564.3 kB 39.6 MB/s eta 0:00:00
_____ 24.1/24.1 MB 67.9 MB/s eta 0:00:00
_____ 1.0/1.0 MB 50.2 MB/s eta 0:00:00
_____ 2.5/2.5 MB 93.5 MB/s eta 0:00:00
_____ 19.9/19.9 MB 52.0 MB/s eta 0:00:00
_____ 486.6/486.6 kB 38.2 MB/s eta 0:00:00
_____ 19.2/19.2 MB 73.8 MB/s eta 0:00:00
_____ 278.2/278.2 kB 22.7 MB/s eta 0:00:00
_____ 2.0/2.0 MB 69.8 MB/s eta 0:00:00
_____ 458.9/458.9 kB 40.5 MB/s eta 0:00:00
_____ 17.2/17.2 MB 28.2 MB/s eta 0:00:00
_____ 72.1/72.1 kB 6.9 MB/s eta 0:00:00
_____ 142.0/142.0 kB 16.5 MB/s eta 0:00:00
_____ 68.7/68.7 kB 7.9 MB/s eta 0:00:00
_____ 231.6/231.6 kB 23.7 MB/s eta 0:00:00
_____ 66.5/66.5 kB 7.5 MB/s eta 0:00:00
_____ 105.4/105.4 kB 11.7 MB/s eta 0:00:00
_____ 71.6/71.6 kB 7.1 MB/s eta 0:00:00
_____ 60.6/60.6 kB 6.6 MB/s eta 0:00:00
_____ 64.7/64.7 kB 7.2 MB/s eta 0:00:00
_____ 12.0/12.0 MB 79.2 MB/s eta 0:00:00
_____ 51.0/51.0 kB 5.7 MB/s eta 0:00:00

```

ERROR: pip's dependency resolver does not currently take into account all the packages that are installed. This behaviour is the source of the following dependency conflicts.

google-colab 1.0.0 requires requests==2.32.4, but you have requests 2.32.5 which is incompatible.

opentelemetry-exporter-otlp-proto-http 1.38.0 requires opentelemetry-exporter-otlp-proto-common==1.38.0, but you have opentelemetry-exporter-otlp-proto-common 1.40.0 which is incompatible.

opentelemetry-exporter-otlp-proto-http 1.38.0 requires opentelemetry-proto==1.38.0, but you have opentelemetry-proto 1.40.0 which is incompatible.

opentelemetry-exporter-otlp-proto-http 1.38.0 requires opentelemetry-sdk~=1.38.0, but you have opentelemetry-sdk 1.40.0 which is incompatible.

opentelemetry-exporter-gcp-logging 1.11.0a0 requires opentelemetry-sdk<1.39.0,>=1.35.0, but you have opentelemetry-sdk 1.40.0 which is incompatible.

google-adk 1.27.1 requires opentelemetry-api<1.39.0,>=1.36.0, but you have opentelemetry-api 1.40.0 which is incompatible.

google-adk 1.27.1 requires opentelemetry-sdk<1.39.0,>=1.36.0, but you have opentelemetry-sdk 1.40.0 which is incompatible.

langgraph-prebuilt 1.0.8 requires langchain-core>=1.0.0, but you have langchain-core 0.3.83 which is incompatible.

Note:

- After running the above cell, kindly restart the runtime (for Google Colab) or notebook kernel (for Jupyter Notebook), and run all cells sequentially from the next cell.
- On executing the above line of code, you might see a warning regarding package dependencies. This error message can be ignored as the above code ensures that all necessary libraries and their dependencies are maintained to successfully execute the code in **this notebook**.

```

#Libraries for processing dataframes,text
import json,os
import tiktoken

```

```
import pandas as pd

#Libraries for Loading Data, Chunking, Embedding, and Vector Databases
from langchain.text_splitter import RecursiveCharacterTextSplitter
from langchain_community.document_loaders import PyMuPDFLoader
from langchain_community.embeddings.sentence_transformer import SentenceTransformer
from langchain_community.vectorstores import Chroma

#Libraries for downloading and loading the llm
from huggingface_hub import hf_hub_download
from llama_cpp import Llama
```

Question Answering using LLM

Downloading and Loading the model

```
model_name_or_path = "TheBloke/Mistral-7B-Instruct-v0.2-GGUF"
model_basename = "mistral-7b-instruct-v0.2.Q6_K.gguf"
```

```
model_path = hf_hub_download(
    repo_id=model_name_or_path,
    filename=model_basename
)
```

```
mistral-7b-instruct-v0.2.Q6_K.gguf: 0%|          | 0.00/5.94G [00:00<?, ?B/s]
```

```
#uncomment the below snippet of code if the runtime is connected to GPU.
llm = Llama(
    model_path=model_path,
    n_ctx=7000,
    n_gpu_layers=36,
    n_batch=512
)
```

```
AVX = 1 | AVX_VNNI = 0 | AVX2 = 1 | AVX512 = 1 | AVX512_VBMI = 0 | AVX512_VNNI = 0
| FMA = 1 | NEON = 0 | ARM_FMA = 0 | F16C = 1 | FP16_VA = 0 | WASM_SIMD = 0 | BLAS
= 1 | SSE3 = 1 | SSSE3 = 1 | VSX = 0 |
```

Response

```
def response(query,max_tokens=128,temperature=0,top_p=0.95,top_k=50):
    model_output = llm(
        prompt=query,
        max_tokens=max_tokens,
        temperature=temperature,
        top_p=top_p,
        top_k=top_k
    )

    return model_output['choices'][0]['text']
```

```
response("What treatment options are available for managing hypertension?")
```

'\n\nHypertension, or high blood pressure, is a common condition that can increase the risk of various health problems such as heart disease, stroke, and kidney damage. The good news is that there are several effective treatment options available to help manage hypertension and reduce the risk of complications. Here are some of the most commonly used treatments:\n\n1. Lifestyle modifications: Making lifestyle changes is often the first line of defense against hypertension. This may include eating a healthy diet rich in fruits, vegetables, whole grains, and lean proteins; limiting sodium intake; getting regular physical activity'

Query 1: What is the protocol for managing sepsis in a critical care unit?

```
user_input_1 = "What is the protocol for managing sepsis in a critical care unit?"  
response(user_input_1)
```

Llama.generate: prefix-match hit

'\n\nSepsis is a life-threatening condition that can arise from an infection, and it requires prompt recognition and aggressive management in a critical care unit. The following are general steps for managing sepsis in a critical care unit:\n\n1. Early recognition: Recognize the signs and symptoms of sepsis early and initiate treatment as soon as possible. Sepsis can present with various clinical features, including fever or hypothermia, tachycardia or bradycardia, altered mental status, respiratory distress, and lactic acidosis.\n2. ABCs'

Query 2: What are the common symptoms for appendicitis, and can it be cured via medicine? If not, what surgical procedure should be followed to treat it?

```
user_input_2 = " What are the common symptoms for appendicitis, and can it be cured  
response(user_input_2)
```

Llama.generate: prefix-match hit

'\n\nAppendicitis is a medical condition characterized by inflammation of the appendix, a small tube-shaped organ located in the lower right side of the abdomen. The symptoms of appendicitis can vary from person to person, but some common signs and symptoms include:\n\n1. Abdominal pain: The pain is typically located in the lower right quadrant of the abdomen and may be dull at first, but it can quickly become sharp and severe. The pain may worsen with movement or pressure on the area.\n2. Loss of appetite: People with appendicitis may lose their'

Query 3: What are the effective treatments or solutions for addressing sudden patchy hair loss, commonly seen as localized bald spots on the scalp, and what could be the possible causes behind it?

```
user_input_3 = " What are the effective treatments or solutions for addressing sud  
response(user_input_3)
```

Llama.generate: prefix-match hit

"\n\nSudden patchy hair loss, also known as alopecia areata, is an autoimmune condition that causes hair loss in small, round patches on the scalp, beard, or other areas of the body. The exact cause of alopecia areata is not known, but it's believed to be related to a problem with the immune system.\n\nThere are several treatments for alopecia areata that have been shown to be effective in promoting hair regrowth:\n\n1. Corticosteroids: These medications can be applied directly to the affected area or taken orally"

Query 4: What treatments are recommended for a person who has sustained a physical injury to brain tissue, resulting in temporary or permanent impairment of brain function?

```
user_input_4 = "What treatments are recommended for a person who has sustained a physical injury to brain tissue, resulting in temporary or permanent impairment of brain function?"
response(user_input_4)
```

Llama.generate: prefix-match hit

'\n\nA person who has sustained a physical injury to the brain tissue may require various treatments depending on the severity and location of the injury. Here are some common treatments that may be recommended:\n\n1. Emergency care: In case of a traumatic brain injury (TBI), it is essential to seek emergency medical attention as soon as possible. The primary goal of emergency care is to prevent further damage to the brain, stabilize vital signs, and manage any life-threatening conditions.\n\n2. Medications: Depending on the symptoms, healthcare professionals may prescribe medications to manage various conditions associated with a brain injury, such as pain, swelling, and seizures.

Query 5: What are the necessary precautions and treatment steps for a person who has fractured their leg during a hiking trip, and what should be considered for their care and recovery?

```
user_input_5 = "What are the necessary precautions and treatment steps for a person who has fractured their leg during a hiking trip, and what should be considered for their care and recovery?"
response(user_input_5)
```

Llama.generate: prefix-match hit

"\n\nFirst and foremost, if you suspect that someone has fractured their leg while hiking, it's essential to ensure their safety and prevent further injury. Here are some necessary precautions:\n\n1. Keep the person calm and still: Encourage them to remain as still as possible to minimize pain and prevent worsening the injury.\n\n2. Assess the situation: Check for any signs of shock, such as pale skin, rapid heartbeat, or shallow breathing. If you notice these symptoms, seek medical help immediately.\n\n3. Immobilize the leg: Use a splint, sling, or other available materials to immobilize the leg and prevent movement.

Question Answering using LLM with Prompt Engineering

```
system_prompt = "You are a helpful medical assistant. Provide accurate and concise answers to medical questions."
response(system_prompt)
```

Query 1: What is the protocol for managing sepsis in a critical care unit?

```
user_input_1 = system_prompt + "\n" + "What is the protocol for managing sepsis in a critical care unit?"
response(user_input_1)
```

'\nSepsis is a life-threatening condition caused by a dysregulated response to infection. In a critical care unit, managing sepsis involves addressing the underlying infection while providing supportive care to maintain organ function and prevent progression to septic shock. Here are some key steps in managing sepsis in a critical care unit based on current medical guidelines:\n1. Early recognition and diagnosis: Recognize sepsis early by assessing for signs of infection, inflammation, and organ dysfunction. Use the Sequential Organ Failure Assessment (SOFA) score to evaluate organ function and the Quick'

Query 2: What are the common symptoms for appendicitis, and can it be cured via medicine? If not, what surgical procedure should be followed to treat it?

```
user_input_2 = system_prompt+"\n"+ " What are the common symptoms for appendicitis,\nresponse(user_input_2)
```

Llama.generate: prefix-match hit

'\n\nAppendicitis is an inflammatory condition of the appendix, a small tube-shaped organ located in the lower right side of the abdomen. Common symptoms include:\n1. Sudden and persistent pain in the lower right abdomen, often starting around the navel and moving to the right.\n2. Loss of appetite and feeling sick to your stomach (nausea).\n3. Fever, which may be low-grade at first but can rise as high as 101°F (38.3°C) or more.\n4. Vomiting,'

Query 3: What are the effective treatments or solutions for addressing sudden patchy hair loss, commonly seen as localized bald spots on the scalp, and what could be the possible causes behind it?

```
user_input_3 = system_prompt+"\n"+ " What are the effective treatments or solutions\nresponse(user_input_3)
```

Llama.generate: prefix-match hit

"\n\nSudden patchy hair loss, also known as alopecia areata, is an autoimmune condition that results in the sudden appearance of smooth, round, or oval bald patches on the scalp. The exact cause of alopecia areata is not fully understood, but it's believed to be related to a problem with the immune system.\n\nThere are several treatments for addressing sudden patchy hair loss:\n\n1. Corticosteroids: These medications can help reduce inflammation and suppress the immune response that causes hair loss. They can be applied topically or taken orally"

Query 4: What treatments are recommended for a person who has sustained a physical injury to brain tissue, resulting in temporary or permanent impairment of brain function?

```
user_input_4 = system_prompt+"\n"+ "What treatments are recommended for a person who\nresponse(user_input_4)
```

Llama.generate: prefix-match hit

```
'\nAccording to the American Speech-Language-Hearing Association (ASHA), treatment for a person with a brain injury depends on the specific location and extent of the damage. Here are some common treatments:\n1. Rehabilitation: This is the most important treatment for brain injuries. It may include physical therapy, occupational therapy, speech-language therapy, and cognitive rehabilitation to help individuals regain lost skills and improve overall function.\n2. Medications: Depending on the symptoms, medications may be prescribed to manage seizures, control pain, reduce inflammation, or improve cognitive function.\n'
```

Query 5: What are the necessary precautions and treatment steps for a person who has fractured their leg during a hiking trip, and what should be considered for their care and recovery?

```
user_input_5 = system_prompt+"\n"+ "What are the necessary precautions and treatment steps for a person who has fractured their leg during a hiking trip, and what should be considered for their care and recovery?"
response(user_input_5)
```

Llama.generate: prefix-match hit

```
'\nA fractured leg, also known as a broken leg, is a common injury that can occur during hiking due to falls or accidents. Here are the necessary precautions and treatment steps for a person who has sustained a fractured leg:\n1. Assess the situation: Ensure the safety of both the injured person and any companions. Check for signs of shock, such as pale skin, rapid heartbeat, or shallow breathing. If there is any suspicion of a severe injury or if the person shows signs of shock, call emergency services immediately.\n2. Immobilize the leg: Use a splint, sling'
```

```
#observation : All the answers are based on the internal training of the model, generated by the model.
#For the query 4 about the brain injury, the model is referring American Speech-Language-Hearing Association (ASHA)
```

Data Preparation for RAG

```
#Libraries for processing dataframes, text
import json, os
import tiktoken
import pandas as pd

#Libraries for Loading Data, Chunking, Embedding, and Vector Databases
from langchain.text_splitter import RecursiveCharacterTextSplitter
from langchain_community.document_loaders import PyMuPDFLoader
from langchain_community.embeddings.sentence_transformer import SentenceTransformer
from langchain_chroma import Chroma
```

Loading the Data

```
# uncomment and run the below code snippets if the dataset is present in the Google Drive
# from google.colab import drive
# drive.mount('/content/drive')
```

```
manual_pdf_path = "/content/medical_diagnosis_manual.pdf"
```

```
pdf_loader = PyMuPDFLoader>manual_pdf_path)
```

```
manual = pdf_loader.load()
```


#observation: The Merck Manual pdf is loaded successfully

Data Overview

Checking the first 5 pages

```
for i in range(5):  
    print(f"Page Number : {i+1}",end="\n")  
    print(manual[i].page_content,end="\n")
```

Page Number : 1
sangeethakumari.g@gmail.com
D83YNKBVRA

This file is meant for personal use by sangeethakumari.g@gmail.com only.
Sharing or publishing the contents in part or full is liable for legal action.

Page Number : 2
sangeethakumari.g@gmail.com
D83YNKBVRA

This file is meant for personal use by sangeethakumari.g@gmail.com only.
Sharing or publishing the contents in part or full is liable for legal action.

Page Number : 3
Table of Contents

1	Front	
1	Cover	
2	Front Matter	
53	1 – Nutritional Disorders	
53	Chapter 1. Nutrition: General Considerations	
59	Chapter 2. Undernutrition	
69	Chapter 3. Nutritional Support	
76	Chapter 4. Vitamin Deficiency, Dependency & Toxicity	
99	Chapter 5. Mineral Deficiency & Toxicity	
108	Chapter 6. Obesity & the Metabolic Syndrome	
120	2 – Gastrointestinal Disorders	
120		

Chapter 7. Approach to the Patient With Upper GI Complaints	132
Chapter 8. Approach to the Patient With Lower GI Complaints	143
Chapter 9. Diagnostic & Therapeutic GI Procedures	150
Chapter 10. GI Bleeding	158
Chapter 11. Acute Abdomen & Surgical Gastroenterology	172
Chapter 12. Esophageal & Swallowing Disorders	183
Chapter 13. Gastritis & Peptic Ulcer Disease	196
Chapter 14. Bezoars & Foreign Bodies	199
Chapter 15. Pancreatitis	206
Chapter 16. Gastroenteritis	213
Chapter 17. Malabsorption Syndromes	225
Chapter 18. Irritable Bowel Syndrome	229
Chapter 19. Inflammatory Bowel Disease	241
Chapter 20. Diverticular Disease	246
Chapter 21. Anorectal Disorders	254
Chapter 22. Tumors of the GI Tract	

.....	
275	
3 – Hepatic & Biliary Disorders	
.....	
.....	
275	
Chapter 23. Approach to the Patient With Liver Disease	
.....	
.....	
294	
Chapter 24. Testing for Hepatic & Biliary Disorders	
.....	
.....	
305	
Chapter 25. Drugs & the Liver	
.....	
.....	
308	
Chapter 26. Alcoholic Liver Disease	
.....	
.....	
314	
Chapter 27. Fibrosis & Cirrhosis	
.....	
.....	
322	
Chapter 28. Hepatitis	
.....	
.....	
333	
Chapter 29. Vascular Disorders of the Liver	
.....	
.....	
341	
Chapter 30. Liver Masses & Granulomas	
.....	
.....	
348	
Chapter 31. Gallbladder & Bile Duct Disorders	
.....	
.....	
362	
4 – Musculoskeletal & Connective Tissue Disorders	
.....	
.....	
362	
Chapter 32. Approach to the Patient With Joint Disease	
.....	
.....	
373	
Chapter 33. Autoimmune Rheumatic Disorders	
.....	
.....	
391	
Chapter 34. Vasculitis	
.....	
.....	
416	
Chapter 35. Joint Disorders	
.....	

435	
Chapter 36. Crystal-Induced Arthritides	
443	
Chapter 37. Osteoporosis	
448	
Chapter 38. Paget's Disease of Bone	
451	
Chapter 39. Osteonecrosis	
455	
Chapter 40. Infections of Joints & Bones	
463	
Chapter 41. Bursa, Muscle & Tendon Disorders	
470	
Chapter 42. Neck & Back Pain	
481	
Chapter 43. Hand Disorders	
sangeethakumari.g@gmail.com	
D83YNKBVRA	
This file is meant for personal use by sangeethakumari.g@gmail.com only.	
Sharing or publishing the contents in part or full is liable for legal action.	
Page Number : 4	
491	
Chapter 44. Foot & Ankle Disorders	
502	
Chapter 45. Tumors of Bones & Joints	
510	
5 – Ear, Nose, Throat & Dental Disorders	
510	
Chapter 46. Approach to the Patient With Ear Problems	
523	
Chapter 47. Hearing Loss	
535	
Chapter 48. Inner Ear Disorders	

.....	
.....	
542	
Chapter 49. Middle Ear & Tympanic Membrane Disorders	
.....	
.....	
550	
Chapter 50. External Ear Disorders	
.....	
.....	
554	
Chapter 51. Approach to the Patient With Nasal & Pharyngeal Symptoms	
.....	
567	
Chapter 52. Oral & Pharyngeal Disorders	
.....	
.....	
578	
Chapter 53. Nose & Paranasal Sinus Disorders	
.....	
.....	
584	
Chapter 54. Laryngeal Disorders	
.....	
.....	
590	
Chapter 55. Tumors of the Head & Neck	
.....	
.....	
600	
Chapter 56. Approach to Dental & Oral Symptoms	
.....	
.....	
619	
Chapter 57. Common Dental Disorders	
.....	
.....	
629	
Chapter 58. Dental Emergencies	
.....	
.....	
635	
Chapter 59. Temporomandibular Disorders	
.....	
.....	
641	
6 – Eye Disorders	
.....	
.....	
.....	
641	
Chapter 60. Approach to the Ophthalmologic Patient	
.....	
.....	
669	
Chapter 61. Refractive Error	
.....	
.....	
674	
Chapter 62. Eyelid & Lacrimal Disorders	

680	Chapter 63. Conjunctival & Scleral Disorders
690	Chapter 64. Corneal Disorders
703	Chapter 65. Glaucoma
710	Chapter 66. Cataract
713	Chapter 67. Uveitis
719	Chapter 68. Retinal Disorders
731	Chapter 69. Optic Nerve Disorders
737	Chapter 70. Orbital Diseases
742	7 – Dermatologic Disorders
742	Chapter 71. Approach to the Dermatologic Patient
755	Chapter 72. Principles of Topical Dermatologic Therapy
760	Chapter 73. Acne & Related Disorders
766	Chapter 74. Bullous Diseases
771	Chapter 75. Cornification Disorders
775	

Chapter 76. Dermatitis	
.....	
.....	
786	
Chapter 77. Reactions to Sunlight	
.....	
.....	
791	
Chapter 78. Psoriasis & Scaling Diseases	
.....	
.....	
799	
Chapter 79. Hypersensitivity & Inflammatory Disorders	
.....	
.....	
808	
Chapter 80. Sweating Disorders	
.....	
.....	
811	
Chapter 81. Bacterial Skin Infections	
.....	
.....	
822	
Chapter 82. Fungal Skin Infections	
.....	
.....	
831	
Chapter 83. Parasitic Skin Infections	
.....	
.....	
836	
Chapter 84. Viral Skin Diseases	
.....	
.....	
841	
Chapter 85. Pigmentation Disorders	
.....	
.....	
846	
Chapter 86. Hair Disorders	
.....	
.....	
855	
Chapter 87. Nail Disorders	
.....	
.....	
861	
Chapter 88. Pressure Ulcers	
.....	
.....	
867	
Chapter 89. Benign Tumors	
.....	
.....	
874	
Chapter 90. Cancers of the Skin	
.....	
.....	
882	

8 – Endocrine & Metabolic Disorders

882

Chapter 91. Principles of Endocrinology

887

Chapter 92. Pituitary Disorders

901

Chapter 93. Thyroid Disorders

sangeethakumari.g@gmail.com

D83YNKBVRA

This file is meant for personal use by sangeethakumari.g@gmail.com only.

Sharing or publishing the contents in part or full is liable for legal action.

Page Number : 5

921

Chapter 94. Adrenal Disorders

936

Chapter 95. Polyglandular Deficiency Syndromes

939

Chapter 96. Porphyrrias

949

Chapter 97. Fluid & Electrolyte Metabolism

987

Chapter 98. Acid-Base Regulation & Disorders

1001

Chapter 99. Diabetes Mellitus & Disorders of Carbohydrate Metabolism

1024

Chapter 100. Lipid Disorders

1034

Chapter 101. Amyloidosis

1037

Chapter 102. Carcinoid Tumors

1040

Chapter 103. Multiple Endocrine Neoplasia Syndromes

1046

9 – Hematology & Oncology

.....	
.....	
1046	
Chapter 104. Approach to the Patient With Anemia	
.....	
.....	
1050	
Chapter 105. Anemias Caused by Deficient Erythropoiesis	
.....	
.....	
1061	
Chapter 106. Anemias Caused by Hemolysis	
.....	
.....	
1078	
Chapter 107. Neutropenia & Lymphocytopenia	
.....	
.....	
1086	
Chapter 108. Thrombocytopenia & Platelet Dysfunction	
.....	
.....	
1097	
Chapter 109. Hemostasis	
.....	
.....	
1104	
Chapter 110. Thrombotic Disorders	
.....	
.....	
1107	
Chapter 111. Coagulation Disorders	
.....	
.....	
1113	
Chapter 112. Bleeding Due to Abnormal Blood Vessels	
.....	
.....	
1116	
Chapter 113. Spleen Disorders	
.....	
.....	
1120	
Chapter 114. Eosinophilic Disorders	
.....	
.....	
1126	
Chapter 115. Histiocytic Syndromes	
.....	
.....	
1131	
Chapter 116. Myeloproliferative Disorders	
.....	
.....	
1141	
Chapter 117. Leukemias	
.....	
.....	
1154	

Chapter 118. Lymphomas	1164
Chapter 119. Plasma Cell Disorders	1172
Chapter 120. Iron Overload	1177
Chapter 121. Transfusion Medicine	1186
Chapter 122. Overview of Cancer	1198
Chapter 123. Tumor Immunology	1204
Chapter 124. Principles of Cancer Therapy	1215
10 – Immunology; Allergic Disorders	1215
Chapter 125. Biology of the Immune System	1227
Chapter 126. Immunodeficiency Disorders	1243
Chapter 127. Allergic & Other Hypersensitivity Disorders	1263
Chapter 128. Transplantation	1281
11 – Infectious Diseases	1281
Chapter 129. Biology of Infectious Disease	1300
Chapter 130. Laboratory Diagnosis of Infectious Disease	1306

Chapter 131. Immunization

.....
.....
1313

Chapter 132. Bacteria & Antibacterial Drugs

.....
.....
1353

Chapter 133. Gram-Positive Cocci

.....
.....
1366

Chapter 134. Gram-Positive Bacilli

.....
.....
1376

Chapter 135. Gram-Negative Bacilli

.....
.....
1405

Chapter 136. Spirochetes

.....
.....
1413

Chapter 137. Neisseriaceae

.....
.....
1419

Chapter 138. Chlamydia & Mycoplasmas

.....
.....
1421

Chapter 139. Rickettsiae & Related Organisms

.....
.....
1431

Chapter 140. Anaerobic Bacteria

.....
.....
1450

Chapter 141. Mycobacteria

.....
.....
1470

Chapter 142. Fungi

.....
.....
1493

Chapter 143. Approach to Parasitic Infections

.....
.....
1496

Chapter 144. Nematodes (Roundworms)

.....
.....
sangeethakumari.g@gmail.com

D83YNKBVRA

This file is meant for personal use by sangeethakumari.g@gmail.com only.

Sharing or publishing the contents in part or full is liable for legal action.

#Observation : The pdf is loaded and we can see the first few pages.

Checking the number of pages

```
len(manual)
```

4114

Data Chunking

```
text_splitter = RecursiveCharacterTextSplitter.from_tiktoken_encoder(  
    encoding_name='cl100k_base',  
    chunk_size=512,  
    chunk_overlap=20  
)
```

*#OBSERVATION : Defining the chunk size as 512 and the chunk overlap size as 20.
#The text splitter has been successfully initialized with a chunk size of 512 and a*

```
document_chunks = pdf_loader.load_and_split(text_splitter)
```

```
len(document_chunks)
```

8492

#OBSERVATION : The number of chunks are 8492

```
document_chunks[0].page_content
```

'sangeethakumari.g@gmail.com\nD83YNKBVRA\nThis file is meant for personal use by sangeethakumari.g@gmail.com only.\nSharing or publishing the contents in part or full is liable for legal action.'

```
document_chunks[1].page_content
```

'sangeethakumari.g@gmail.com\nD83YNKBVRA\nThis file is meant for personal use by sangeethakumari.g@gmail.com only.\nSharing or publishing the contents in part or full is liable for legal action.'

```
document_chunks[2].page_content
```

'Table of Contents\n1\nFront

.....	
.....	
.....\n1\nCover	
.....	
.....\n2\nFront Matter	
.....	
.....\n53\n1 – Nutritional Disorders	
.....\n53	
\nChapter 1. Nutrition: General Considerations	
.....\n59\nChapter 2. Undernutrition	
.....\n69\nC	
hapter 3. Nutritional Support	
.....\n76\nChapter 4.	
Vitamin Deficiency, Dependency & Toxicity	
.....\n99\nChapter 5. Mineral Deficiency & Toxicity	
.....\n108\nChapter 6. Obesity & the Metabo	
lic Syndrome	
.....\n120\n2 – Gastrointestinal Disorders	
.....\n120\nChapter 7. Appr	
oach to the Patient With Upper GI Complaints	
.....\n1	
32\nChapter 8. Approach to the Patient With Lower GI Complaints	
.....\n1	
43\nChapter 9. Diagnostic & Therapeutic GI Procedures	
.....\n150\nChapter 10. GI Bleeding	
.....\n158\nC	
hapter 11. Acute Abdomen & Surgical Gastroenterology	
.....\n172\nChapter 12. Esophageal & Swallowing Disorders	
.....\n183\nChapter 13. Gastritis & Peptic Ulcer Disease	
.....\n196\nChapter 14. Bezoars & Foreign Bodies	
.....\n199\nChapter 15. Pancreatitis	
.....\n206\nC	
hapter 16. Gastroenteritis	
.....\n213\nChapter	
17. Malabsorption Syndromes	
.....\n225\nChapter 18. Irritable Bowel Syn	
drome	
.....\n229\nChapter 19. Inflammatory Bowe	
l Disease	

.....\n241\nChapter 20. Diverticular Disease
.....\n246\nChapter 21. Anorectal Disorders
.....\n254\nChapter 22. Tumors of the GI Tract
.....\n275\n3 – Hepatic & Biliary Disorders
.....\n275\nChapter 23. Approach to the Patient With Liver Disease
.....\n294\nChapter 24. Testing for Hepatic & Biliary Disorders
.....\n305'

document_chunks[3].page_content

"Chapter 24. Testing for Hepatic & Biliary Disorders
.....
.....\n305\nChapter 25. Drugs & the Liver
.....
.....\n308\nChapter 26. Alcoholic Liver Disease
.....
.....\n314\nChapter 27. Fibrosis & Cirrhosis
.....
.....\n322\nChapter 28. Hepatitis
.....
.....\n333\nChapter 29. Vascular Disorders of the Liver
.....
.....\n341\nChapter 30. Liver Masses & Granulomas
.....
.....\n348\nChapter 31. Gallbladder & Bile Duct Disorders
.....
.....\n362\n4 – Musculoskeletal & Connective Tissue Disorders
.....
.....\n362\nChapter 32. Approach to the Patient With Joint Disease
.....
.....\n373\nChapter 33. Autoimmune Rheumatic Disorders
.....
.....\n391\nChapter 34. Vasculitis
.....
.....\n416\nChapter 35. Joint Disorders
.....
.....\n435\nChapter 36. Crystal-Induced Arthritides
.....
.....\n443\nChapter 37. Osteoporosis
.....
.....\n448\nChapter 38. Paget's Disease of Bone
.....
.....\n451\nChapter 39. Osteonecrosis
.....
.....\n455\nChapter 40. Infections of Joints & Bones
.....
.....\n463\nChapter 41. Bursa, Muscle & Tendon Disorders
.....
.....\n470\nChapter 42. Neck & Back Pain
.....
.....\n481\nChapter 43. Hand Disorders
.....
.....\nnsangeethakumar
i.g@gmail.com\nD83YNKBVRA\nThis file is meant for personal use by sangeethakumari.
g@gmail.com only.\nSharing or publishing the contents in part or full is liable for
legal action."

Last 200 characters of `document_chunks[2]` :

```
print(document_chunks[2].page_content[-200:])
```

```
.....
294
Chapter 24. Testing for Hepatic & Biliary Disorders
.....
.....
305
```

First 200 characters of `document_chunks[3]` :

```
print(document_chunks[3].page_content[:200])
```

```
Chapter 24. Testing for Hepatic & Biliary Disorders
.....
.....
305
Chapter 25. Drugs & the Liver      .....
```

#OBSERVATION : As expected, there are some overlaps:

*#The sentence 'Chapter 24. Testing for Hepatic & Biliary Disorders
#If we increase the chunk_overlap, the overlapping length of the sentence will also*

```
from langchain_community.embeddings.sentence_transformer import SentenceTransformer
```

Embedding

```
embedding_model = SentenceTransformerEmbeddings(model_name="all-MiniLM-L6-v2")
```

```
/tmp/ipykernel_8313/3002436811.py:1: LangChainDeprecationWarning: The class `HuggingFaceEmbeddings` was deprecated in LangChain 0.2.2 and will be removed in 1.0. An updated version of the class exists in the :class:`~langchain-huggingface` package and should be used instead. To use it run `pip install -U :class:`~langchain-huggingface` and import as `from :class:`~langchain-huggingface import HuggingFaceEmbeddings`.
```

```
embedding_model = SentenceTransformerEmbeddings(model_name="all-MiniLM-L6-v2")
modules.json: 0%|          | 0.00/349 [00:00<?, ?B/s]
config_sentence_transformers.json: 0%|          | 0.00/116 [00:00<?, ?B/s]
README.md: 0.00B [00:00, ?B/s]
sentence_bert_config.json: 0%|          | 0.00/53.0 [00:00<?, ?B/s]
config.json: 0%|          | 0.00/612 [00:00<?, ?B/s]
model.safetensors: 0%|          | 0.00/90.9M [00:00<?, ?B/s]
tokenizer_config.json: 0%|          | 0.00/350 [00:00<?, ?B/s]
vocab.txt: 0.00B [00:00, ?B/s]
tokenizer.json: 0.00B [00:00, ?B/s]
special_tokens_map.json: 0%|          | 0.00/112 [00:00<?, ?B/s]
config.json: 0%|          | 0.00/190 [00:00<?, ?B/s]
```

```
embedding_1 = embedding_model.embed_query(document_chunks[0].page_content)
embedding_2 = embedding_model.embed_query(document_chunks[1].page_content)
```

```
print("Dimension of the embedding vector ", len(embedding_1))
len(embedding_1)==len(embedding_2)
```

Dimension of the embedding vector 384

True

#OBSERVATION :

*# The embedding model provides a fixed-length vector for any number of chunks.
This is necessary because we want to compare them for similarity.*

embedding_1, embedding_2

([-0.1213507205247879,
0.061943404376506805,
0.013677272945642471,
-0.07614817470312119,
0.060221198946237564,
-0.022122632712125778,
0.02755575440824032,
0.014887336641550064,
0.028904039412736893,
0.061900440603494644,
0.03526148200035095,
0.04897011071443558,
0.05497714877128601,
-0.07574323564767838,
-0.024668479338288307,
0.0026807687245309353,
-0.06615709513425827,
-0.025566168129444122,
-0.07604912668466568,
0.013985812664031982,
-0.029712026938796043,
0.009356670081615448,
0.0022956766188144684,
0.0018905282486230135,
0.04284710809588432,
0.01375520508736372,
-0.04990159347653389,
0.025581110268831253,
-0.07274336367845535,
-0.03432049974799156,
0.0021058847196400166,
0.039993058890104294,
0.07183051854372025,
0.03430721163749695,
0.0342288576066494,
0.04023846611380577,
0.001815660623833537,
0.03962988033890724,
-0.05131637305021286,
-0.010186834260821342,
-0.006061265245079994,
-0.03151320666074753,
-0.040834639221429825,
0.01389570813626051,
0.015504950657486916,
0.04063725844025612,
-0.011803864501416683,
0.028665652498602867,
-0.0022379185538738966,
0.018005721271038055,
-0.0636470764875412,
-0.005399808753281832,
0.017436649650335312,
-0.0035501327365636826,
-0.004942734260112047,
-0.031613416969776154,
-0.02793668396770954,
0.016434917226433754,
0.053889937698841095,
0.028045708313584328,

-0.020959367975592613,
0.05154324322938919,
-0.03878641128540039,
-0.05720135569572449,
0.09752494841814041,
-0.021887408569455147,
0.033273544162511826,
0.03237365186214447,
-0.0042218551971018314,
-0.039051033556461334,
-0.03932909667491913,
-0.006181797944009304,
-0.031800247728824615,
0.06984830647706985,
0.0004987366264685988,
-0.029197832569479942,
-0.02567247673869133,
0.03946998715400696,
0.02207615226507187,
-0.06226080656051636,
-0.017537707462906837,
-0.022383585572242737,
0.09451843798160553,
-0.054777055978775024,
-0.07509788870811462,
0.008033697493374348,
0.04339545592665672,
-0.030138913542032242,
0.059631917625665665,
-0.016608480364084244,
-0.024057036265730858,
0.039423976093530655,
0.05329767242074013,
-0.018053129315376282,
-0.04886050149798393,
0.021290864795446396,
-0.04808865487575531,
0.0013991334708407521,
-0.034970711916685104,
0.0862772986292839,
0.010676512494683266,
-0.008048399351537228,
-0.006988650653511286,
-0.06360916048288345,
-0.016004759818315506,
-0.04776211827993393,
0.001626603421755135,
0.0136623065918684,
0.02327827177941799,
-0.04750749096274376,
0.016570070758461952,
-0.006324381567537785,
-0.04860319197177887,
-0.07931892573833466,
0.02660146914422512,
-0.027515187859535217,
-0.12843801081180573,
0.03427322953939438,
0.04356931149959564,
0.005167045164853334,

0.0033916051033884287,
-0.05423925071954727,
-0.006427643354982138,
-0.012221368961036205,
-0.07941505312919617,
-0.14338813722133636,
0.09406859427690506,
6.629568468130892e-33,
0.0025324185844510794,
0.026899751275777817,
0.06548692286014557,
0.010436184704303741,
0.01133172307163477,
-0.061306118965148926,
-0.03276008740067482,
-0.023243669420480728,
-0.15065397322177887,
-0.04511111602187157,
0.01330195926129818,
-0.01474818866699934,
-0.00532033946365118,
0.0831606462597847,
-0.0819932222366333,
0.10824437439441681,
-0.0211070254445076,
0.021659497171640396,
0.07307279855012894,
-0.014015563763678074,
0.0021328586153686047,
0.011982977390289307,
0.02069605514407158,
0.027609748765826225,
-0.028999898582696915,
0.0675535798072815,
0.08937720954418182,
-0.07652252912521362,
0.11920075118541718,
0.033447470515966415,
0.07868549227714539,
-0.014877382665872574,
0.009602036327123642,
-0.029933780431747437,
0.03930564969778061,
0.028611082583665848,
-0.04404624551534653,
-0.04198521375656128,
-0.07040206342935562,
0.019526027143001556,
0.0688871517777443,
-0.027652127668261528,
0.002012459794059396,
-0.019840920343995094,
-0.059566598385572433,
0.011983348056674004,
0.03384466841816902,
-0.013588061556220055,
0.05491981655359268,
-0.0013555531622841954,
0.01826174557209015,
0.00810684822499752,

0.0068601262755692005,
0.0008337777107954025,
0.012020709924399853,
0.020220207050442696,
0.0012818175600841641,
-0.04842562600970268,
0.029547100886702538,
0.0033753595780581236,
0.00021944873151369393,
-0.017133742570877075,
-0.0191737562417984,
-0.03159346431493759,
-0.0027219788171350956,
-0.09648007154464722,
-0.04243788123130798,
-0.0629764199256897,
0.03139256313443184,
-0.12816698849201202,
-0.03164758160710335,
-0.09303566068410873,
0.054706647992134094,
0.08694079518318176,
-0.08363474905490875,
-0.044238343834877014,
0.019387466832995415,
0.04738621041178703,
0.006115711759775877,
-0.04375512897968292,
-0.07242029160261154,
-0.0043977126479148865,
0.034856561571359634,
-0.008715402334928513,
-0.11783772706985474,
0.02942250855267048,
-0.027357682585716248,
-0.08554176986217499,
-0.05645747482776642,
0.08417586982250214,
-0.09245747327804565,
-0.0011166484327986836,
-0.06558976322412491,
0.06846459209918976,
-0.019217925146222115,
-8.009514347339792e-33,
-0.027384527027606964,
0.03963267430663109,
-0.0796976387500763,
0.018053194507956505,
0.05887511000037193,
0.056844860315322876,
0.04579389467835426,
0.03490564972162247,
0.05293477326631546,
0.07976922392845154,
-0.03361768275499344,
0.006878409534692764,
0.0060582589358091354,
-0.09384062886238098,
0.010515857487916946,
-0.017626939341425896,

0.09113702923059464,
0.00831224862486124,
-0.16558246314525604,
-0.040314722806215286,
-0.08414401859045029,
-0.01925644651055336,
0.1257810890674591,
0.0951838493347168,
0.06958358734846115,
-0.0036347846034914255,
0.04334454983472824,
0.05750240758061409,
-0.044290851801633835,
0.051920708268880844,
0.07531854510307312,
0.045939698815345764,
-0.15653063356876373,
-0.018714608624577522,
-0.006397262215614319,
-0.145038902759552,
0.08235631138086319,
0.027901526540517807,
0.05707993358373642,
0.02134724333882332,
0.02743879333138466,
0.11567457765340805,
-0.0026133982464671135,
-0.01808442361652851,
0.01590966247022152,
-0.0017004640540108085,
0.009860304184257984,
0.030785175040364265,
0.00411111069843173,
0.00870771799236536,
0.09996200352907181,
-0.07523392885923386,
0.13704389333724976,
-0.08187002688646317,
0.06124470755457878,
0.025797737762331963,
0.026963185518980026,
0.03504137694835663,
0.027312688529491425,
-0.019710062071681023,
0.0019352852832525969,
-0.02922504022717476,
-0.012966245412826538,
-0.012862001545727253,
0.030593207105994225,
0.04937085881829262,
0.002716867486014962,
0.03560306504368782,
0.02925708144903183,
0.009617233648896217,
-0.005979044362902641,
-0.10924027860164642,
-0.03744535520672798,
-0.046805210411548615,
0.0494513139128685,
0.042533017694950104,

0.014637972228229046,
0.013532480224967003,
-0.05172889307141304,
-0.011965891346335411,
0.08096948266029358,
0.005785408429801464,
-0.017560524865984917,
0.014913994818925858,
0.07908761501312256,
-0.09399646520614624,
0.00572566781193018,
0.0033957003615796566,
0.05513427406549454,
0.018367411568760872,
-0.0686841532588005,
0.08055958151817322,
-0.03104609064757824,
-0.004912253003567457,
-0.002926686778664589,
-4.129106301320462e-08,
0.02660621516406536,
-0.06590958684682846,
-0.032294679433107376,
0.023977063596248627,
0.0025663585402071476,
0.04881148040294647,
0.016113972291350365,
-0.042932551354169846,
0.03375290334224701,
0.06537411361932755,
0.016539230942726135,
-0.09760580211877823,
-0.05863200128078461,
-0.024938397109508514,
-0.10501670837402344,
-0.04858929291367531,
0.04921010136604309,
-0.04590626060962677,
-0.04061896726489067,
-0.018053315579891205,
0.012463371269404888,
0.04643911123275757,
-0.01145412027835846,
-0.08296088129281998,
0.0644766092300415,
-0.005116925574839115,
0.07071653753519058,
0.019206954166293144,
-0.1038542315363884,
-0.003411515150219202,
-0.005169569980353117,
0.04409971833229065,
-0.015412685461342335,
-0.010229576379060745,
-0.06016162410378456,
0.02067336067557335,
-0.03604969382286072,
0.007426940370351076,
-0.05230410024523735,
-0.028876230120658875,

0.02615937776863575,
0.07024764269590378,
0.09601609408855438,
-0.024091755971312523,
-0.017849504947662354,
-0.05006426200270653,
0.04633667692542076,
-0.04290849342942238,
-0.006781895644962788,
0.04561765864491463,
-0.07059838622808456,
-0.03544067591428757,
0.03833002224564552,
0.07828663289546967,
-0.06993437558412552,
-0.024407651275396347,
0.05750390887260437,
0.0011883366387337446,
0.10024397075176239,
-0.04319380968809128,
0.018191765993833542,
-0.018964460119605064,
-0.03668827563524246,
0.006464872043579817],
[-0.1213507205247879,
0.061943404376506805,
0.013677272945642471,
-0.07614817470312119,
0.060221198946237564,
-0.022122632712125778,
0.02755575440824032,
0.014887336641550064,
0.028904039412736893,
0.061900440603494644,
0.03526148200035095,
0.04897011071443558,
0.05497714877128601,
-0.07574323564767838,
-0.024668479338288307,
0.0026807687245309353,
-0.06615709513425827,
-0.025566168129444122,
-0.07604912668466568,
0.013985812664031982,
-0.029712026938796043,
0.009356670081615448,
0.0022956766188144684,
0.0018905282486230135,
0.04284710809588432,
0.01375520508736372,
-0.04990159347653389,
0.025581110268831253,
-0.07274336367845535,
-0.03432049974799156,
0.0021058847196400166,
0.039993058890104294,
0.07183051854372025,
0.03430721163749695,
0.0342288576066494,
0.04023846611380577,

0.001815660623833537,
0.03962988033890724,
-0.05131637305021286,
-0.010186834260821342,
-0.006061265245079994,
-0.03151320666074753,
-0.040834639221429825,
0.01389570813626051,
0.015504950657486916,
0.04063725844025612,
-0.011803864501416683,
0.028665652498602867,
-0.0022379185538738966,
0.018005721271038055,
-0.0636470764875412,
-0.005399808753281832,
0.017436649650335312,
-0.0035501327365636826,
-0.004942734260112047,
-0.031613416969776154,
-0.02793668396770954,
0.016434917226433754,
0.053889937698841095,
0.028045708313584328,
-0.020959367975592613,
0.05154324322938919,
-0.03878641128540039,
-0.05720135569572449,
0.09752494841814041,
-0.021887408569455147,
0.033273544162511826,
0.03237365186214447,
-0.0042218551971018314,
-0.039051033556461334,
-0.03932909667491913,
-0.006181797944009304,
-0.031800247728824615,
0.06984830647706985,
0.0004987366264685988,
-0.029197832569479942,
-0.02567247673869133,
0.03946998715400696,
0.02207615226507187,
-0.06226080656051636,
-0.017537707462906837,
-0.022383585572242737,
0.09451843798160553,
-0.054777055978775024,
-0.07509788870811462,
0.008033697493374348,
0.04339545592665672,
-0.030138913542032242,
0.059631917625665665,
-0.016608480364084244,
-0.024057036265730858,
0.039423976093530655,
0.05329767242074013,
-0.018053129315376282,
-0.04886050149798393,
0.021290864795446396,

-0.04808865487575531,
0.0013991334708407521,
-0.034970711916685104,
0.0862772986292839,
0.010676512494683266,
-0.008048399351537228,
-0.006988650653511286,
-0.06360916048288345,
-0.016004759818315506,
-0.04776211827993393,
0.001626603421755135,
0.0136623065918684,
0.02327827177941799,
-0.04750749096274376,
0.016570070758461952,
-0.006324381567537785,
-0.04860319197177887,
-0.07931892573833466,
0.02660146914422512,
-0.027515187859535217,
-0.12843801081180573,
0.03427322953939438,
0.04356931149959564,
0.005167045164853334,
0.0033916051033884287,
-0.05423925071954727,
-0.006427643354982138,
-0.012221368961036205,
-0.07941505312919617,
-0.14338813722133636,
0.09406859427690506,
6.629568468130892e-33,
0.0025324185844510794,
0.026899751275777817,
0.06548692286014557,
0.010436184704303741,
0.01133172307163477,
-0.061306118965148926,
-0.03276008740067482,
-0.023243669420480728,
-0.15065397322177887,
-0.04511111602187157,
0.01330195926129818,
-0.01474818866699934,
-0.00532033946365118,
0.0831606462597847,
-0.0819932222366333,
0.10824437439441681,
-0.0211070254445076,
0.021659497171640396,
0.07307279855012894,
-0.014015563763678074,
0.0021328586153686047,
0.011982977390289307,
0.02069605514407158,
0.027609748765826225,
-0.028999898582696915,
0.0675535798072815,
0.08937720954418182,
-0.07652252912521362,

0.11920075118541718,
0.033447470515966415,
0.07868549227714539,
-0.014877382665872574,
0.009602036327123642,
-0.029933780431747437,
0.03930564969778061,
0.028611082583665848,
-0.04404624551534653,
-0.04198521375656128,
-0.07040206342935562,
0.019526027143001556,
0.0688871517777443,
-0.027652127668261528,
0.002012459794059396,
-0.019840920343995094,
-0.059566598385572433,
0.011983348056674004,
0.03384466841816902,
-0.013588061556220055,
0.05491981655359268,
-0.0013555531622841954,
0.01826174557209015,
0.00810684822499752,
0.0068601262755692005,
0.0008337777107954025,
0.012020709924399853,
0.020220207050442696,
0.0012818175600841641,
-0.04842562600970268,
0.029547100886702538,
0.0033753595780581236,
0.00021944873151369393,
-0.017133742570877075,
-0.0191737562417984,
-0.03159346431493759,
-0.0027219788171350956,
-0.09648007154464722,
-0.04243788123130798,
-0.0629764199256897,
0.03139256313443184,
-0.12816698849201202,
-0.03164758160710335,
-0.09303566068410873,
0.054706647992134094,
0.08694079518318176,
-0.08363474905490875,
-0.044238343834877014,
0.019387466832995415,
0.04738621041178703,
0.006115711759775877,
-0.04375512897968292,
-0.07242029160261154,
-0.0043977126479148865,
0.034856561571359634,
-0.008715402334928513,
-0.11783772706985474,
0.02942250855267048,
-0.027357682585716248,
-0.08554176986217499,

-0.05645747482776642,
0.08417586982250214,
-0.09245747327804565,
-0.0011166484327986836,
-0.06558976322412491,
0.06846459209918976,
-0.019217925146222115,
-8.009514347339792e-33,
-0.027384527027606964,
0.03963267430663109,
-0.0796976387500763,
0.018053194507956505,
0.05887511000037193,
0.056844860315322876,
0.04579389467835426,
0.03490564972162247,
0.05293477326631546,
0.07976922392845154,
-0.03361768275499344,
0.006878409534692764,
0.0060582589358091354,
-0.09384062886238098,
0.010515857487916946,
-0.017626939341425896,
0.09113702923059464,
0.00831224862486124,
-0.16558246314525604,
-0.040314722806215286,
-0.08414401859045029,
-0.01925644651055336,
0.1257810890674591,
0.0951838493347168,
0.06958358734846115,
-0.0036347846034914255,
0.04334454983472824,
0.05750240758061409,
-0.044290851801633835,
0.051920708268880844,
0.07531854510307312,
0.045939698815345764,
-0.15653063356876373,
-0.018714608624577522,
-0.006397262215614319,
-0.145038902759552,
0.08235631138086319,
0.027901526540517807,
0.05707993358373642,
0.02134724333882332,
0.02743879333138466,
0.11567457765340805,
-0.0026133982464671135,
-0.01808442361652851,
0.01590966247022152,
-0.0017004640540108085,
0.009860304184257984,
0.030785175040364265,
0.00411111069843173,
0.00870771799236536,
0.09996200352907181,
-0.07523392885923386,

0.13704389333724976,
-0.08187002688646317,
0.06124470755457878,
0.025797737762331963,
0.026963185518980026,
0.03504137694835663,
0.027312688529491425,
-0.019710062071681023,
0.0019352852832525969,
-0.02922504022717476,
-0.012966245412826538,
-0.012862001545727253,
0.030593207105994225,
0.04937085881829262,
0.002716867486014962,
0.03560306504368782,
0.02925708144903183,
0.009617233648896217,
-0.005979044362902641,
-0.10924027860164642,
-0.03744535520672798,
-0.046805210411548615,
0.0494513139128685,
0.042533017694950104,
0.014637972228229046,
0.013532480224967003,
-0.05172889307141304,
-0.011965891346335411,
0.08096948266029358,
0.005785408429801464,
-0.017560524865984917,
0.014913994818925858,
0.07908761501312256,
-0.09399646520614624,
0.00572566781193018,
0.0033957003615796566,
0.05513427406549454,
0.018367411568760872,
-0.0686841532588005,
0.08055958151817322,
-0.03104609064757824,
-0.004912253003567457,
-0.002926686778664589,
-4.129106301320462e-08,
0.02660621516406536,
-0.06590958684682846,
-0.032294679433107376,
0.023977063596248627,
0.0025663585402071476,
0.04881148040294647,
0.016113972291350365,
-0.042932551354169846,
0.03375290334224701,
0.06537411361932755,
0.016539230942726135,
-0.09760580211877823,
-0.05863200128078461,
-0.024938397109508514,
-0.10501670837402344,
-0.04858929291367531,

```
0.04921010136604309,  
-0.04590626060962677,  
-0.04061896726489067,  
-0.018053315579891205,  
0.012463371269404888,  
0.04643911123275757,  
-0.01145412027835846,  
-0.08296088129281998,  
0.0644766092300415,  
-0.005116925574839115,  
0.07071653753519058,  
0.019206954166293144,  
-0.1038542315363884,  
-0.003411515150219202,  
-0.005169569980353117,  
0.04409971833229065,  
-0.015412685461342335,  
-0.010229576379060745,  
-0.06016162410378456,  
0.02067336067557335,  
-0.03604969382286072,  
0.007426940370351076,  
-0.05230410024523735,  
-0.028876230120658875,  
0.02615937776863575,  
0.07024764269590378,  
0.09601609408855438,  
-0.024091755971312523,  
-0.017849504947662354,  
-0.05006426200270653,  
0.04633667692542076,  
-0.04290849342942238,  
-0.006781895644962788,  
0.04561765864491463,  
-0.07059838622808456,  
-0.03544067591428757,  
0.03833002224564552,  
0.07828663289546967,  
-0.06993437558412552,  
-0.024407651275396347,  
0.05750390887260437,  
0.0011883366387337446,  
0.10024397075176239,  
-0.04319380968809128,  
0.018191765993833542,  
-0.018964460119605064,  
-0.03668827563524246,  
0.006464872043579817])
```

Vector Database

```
out_dir = 'medical_db'  
  
if not os.path.exists(out_dir):  
    os.makedirs(out_dir)
```

```
vectorstore = Chroma.from_documents(  
    document_chunks,  
    embedding_model,
```

```
)
    persist_directory=out_dir
```

```
vectorstore = Chroma(persist_directory=out_dir,embedding_function=embedding_model)
```

```
# Observation : All your processed text chunks are converted into a numerical embedding  
# and then stored as embeddings (along with their original text content) into a new
```

```
vectorstore.embeddings
```

```
HuggingFaceEmbeddings(client=SentenceTransformer(  
  (0): Transformer({'max_seq_length': 256, 'do_lower_case': False, 'architecture':  
    'BertModel'})  
  (1): Pooling({'word_embedding_dimension': 384, 'pooling_mode_cls_token': False,  
    'pooling_mode_mean_tokens': True, 'pooling_mode_max_tokens': False, 'pooling_mode_  
    mean_sqrt_len_tokens': False, 'pooling_mode_weightedmean_tokens': False, 'pooling_  
    mode_lasttoken': False, 'include_prompt': True})  
  (2): Normalize()  
, model_name='all-MiniLM-L6-v2', cache_folder=None, model_kwargs={}, encode_kwar  
gs={}, multi_process=False, show_progress=False)
```

```
#Observation: This code shows the configuration of the SentenceTransformerEmbedding  
# that is responsible for converting your text data into numerical vector represent
```

```
vectorstore.similarity_search("What are the common symptoms for appendicitis, and c
```


[Document(id='711a6d19-d918-456c-ae8e-1399175f4514', metadata={'title': 'The Merck Manual of Diagnosis & Therapy, 19th Edition', 'subject': '', 'modDate': 'D:20260318212623Z', 'creationdate': '2012-06-15T05:44:40+00:00', 'keywords': '', 'page': 172, 'total_pages': 4114, 'trapped': '', 'creator': 'Atop CHM to PDF Converter', 'producer': 'pdf-lib (https://github.com/Hopding/pdf-lib)', 'author': '', 'moddate': '2026-03-18T21:26:23+00:00', 'file_path': '/content/medical_diagnosis_manual.pdf', 'creationDate': 'D:20120615054440Z', 'format': 'PDF 1.7', 'source': '/content/medical_diagnosis_manual.pdf'}, page_content="Appendicitis\nAppendicitis is acute inflammation of the vermiform appendix, typically resulting in abdominal\npain, anorexia, and abdominal tenderness. Diagnosis is clinical, often supplemented by CT or\nultrasound. Treatment is surgical removal.\nIn the US, acute appendicitis is the most common cause of acute abdominal pain requiring surgery. Over\n5% of the population develops appendicitis at some point. It most commonly occurs in the teens and 20s\nbut may occur at any age.\nOther conditions affecting the appendix include carcinoids, cancer, villous adenomas, and diverticula. The\nappendix may also be affected by Crohn's disease or ulcerative colitis with pancolitis.\nThe Merck Manual of Diagnosis & Therapy, 19th Edition\nChapter 11. Acute Abdomen & Surgical Gastroenterology\n163\nsangeethakumari.g@gmail.com\nD83YNKBVRA\nThis file is meant for personal use by sangeethakumari.g@gmail.com only.\nSharing or publishing the contents in part or full is liable for legal action."),

Document(id='d825f695-fa48-443f-865b-60be11e1c0ea', metadata={'trapped': '', 'creationDate': 'D:20120615054440Z', 'author': '', 'creator': 'Atop CHM to PDF Converter', 'title': 'The Merck Manual of Diagnosis & Therapy, 19th Edition', 'producer': 'pdf-lib (https://github.com/Hopding/pdf-lib)', 'page': 173, 'creationdate': '2012-06-15T05:44:40+00:00', 'subject': '', 'format': 'PDF 1.7', 'keywords': '', 'moddate': '2026-03-18T21:26:23+00:00', 'modDate': 'D:20260318212623Z', 'source': '/content/medical_diagnosis_manual.pdf', 'total_pages': 4114, 'file_path': '/content/medical_diagnosis_manual.pdf'}, page_content="Etiology\nAppendicitis is thought to result from obstruction of the appendiceal lumen, typically by lymphoid\nhyperplasia, but occasionally by a fecalith, foreign body, or even worms. The obstruction leads to\n distention, bacterial overgrowth, ischemia, and inflammation. If untreated, necrosis, gangrene, and\nperforation occur. If the perforation is contained by the omentum, an appendiceal abscess results.\nSymptoms and Signs\nThe classic symptoms of acute appendicitis are epigastric or periumbilical pain followed by brief nausea,\nvomiting, and anorexia; after a few hours, the pain shifts to the right lower quadrant. Pain increases with\ncough and motion. Classic signs are right lower quadrant direct and rebound tenderness located at\nMcBurney's point (junction of the middle and outer thirds of the line joining the umbilicus to the anterior\nsuperior spine). Additional signs are pain felt in the right lower quadrant with palpation of the left lower\nquadrant (Rovsing sign), an increase in pain from passive extension of the right hip joint that stretches\nthe iliopsoas muscle (psoas sign), or pain caused by passive internal rotation of the flexed thigh\n(obturator sign). Low-grade fever (rectal temperature 37.7 to 38.3° C [100 to 101° F]) is common.\nUnfortunately, these classic findings appear in < 50% of patients. Many variations of symptoms and signs\noccur. Pain may not be localized, particularly in infants and children. Tenderness may be diffuse or, in rare\ninstances, absent. Bowel movements are usually less frequent or absent; if diarrhea is a sign, a\nretrocecal appendix should be suspected. RBCs or WBCs may be present in the urine. Atypical symptoms\nare common among elderly patients and pregnant women; in particular, pain is less severe and local\ntenderness is less marked.\nDiagnosis\n• Clinical evaluation\n• Abdominal CT if necessary\n• Ultrasound an option to CT\nWhen classic symptoms and signs are present, the diagnosis is clinical. In such patients, delaying\nlaparotomy to do imaging tests only increases the likelihood of perforation and subsequent complications.\nIn patients with atypical or equivocal findings, imaging studies should be done without delay. Contrast-"),

Document(id='d60d0bd4-dc38-45c2-ae7e-2ea45ab665aa', metadata={'subject': '', 'author': '', 'creationDate': 'D:20120615054440Z', 'producer': 'pdf-lib (https://github.com/Hopding/pdf-lib)', 'trapped': '', 'creator': 'Atop CHM to PDF Converter', 'title': 'The Merck Manual of Diagnosis & Therapy, 19th Edition', 'total_pages': 4114, 'keywords': '', 'moddate': '2026-03-18T21:26:23+00:00', 'page': 173, 'source':

```

'/content/medical_diagnosis_manual.pdf', 'file_path': '/content/medical_diagnosis_
manual.pdf', 'creationdate': '2012-06-15T05:44:40+00:00', 'modDate': 'D:2026031821
2623Z', 'format': 'PDF 1.7'}, page_content='enhanced CT has reasonable accuracy in
diagnosing appendicitis and can also reveal other causes of\nan acute abdomen. Gra
ded compression ultrasound can usually be done quickly and uses no radiation\n(of
particular concern in children); however, it is occasionally limited by the presen
ce of bowel gas and is\nless useful for recognizing nonappendiceal causes of pain.
Appendicitis remains primarily a clinical\nndiagnosis. Selective and judicious use
of radiographic studies may reduce the rate of negative\nlaparotomy.\nLaparoscopy
can be used for diagnosis as well as definitive treatment; it may be especially he
lpful in\nwomen with lower abdominal pain of unclear etiology. Laboratory studies
typically show leukocytosis\n(12,000 to 15,000/ $\mu$ L), but this finding is highly var
iable; a normal WBC count should not be used to\nexclude appendicitis.\nPrognosis
\nWithout surgery or antibiotics, mortality is > 50%.\nWith early surgery, the mor
tality rate is < 1%, and convalescence is normally rapid and complete. With\ncompl
ications (rupture and development of an abscess or peritonitis), the prognosis is
worse: Repeat\noperations and a long convalescence may follow.\nTreatment\nThe Mer
ck Manual of Diagnosis & Therapy, 19th Edition\nChapter 11. Acute Abdomen & Surgic
al Gastroenterology\n164\nsangeethakumari.g@gmail.com\nD83YNKBVRA\nThis file is me
ant for personal use by sangeethakumari.g@gmail.com only.\nSharing or publishing t
he contents in part or full is liable for legal action.')]

```

```

# Observation : This code converts user query into a numerical embedding using the
# and compares this query embedding to all the document embeddings stored in the ve
# and then finds the k chunks that are similar to the user query embeddings.

```

Retriever

```

retriever = vectorstore.as_retriever(
    search_type='similarity',
    search_kwargs={'k': 2}
)

```

```

rel_docs = retriever.get_relevant_documents("What are the common symptoms for apper
rel_docs

```

```

/tmp/ipykernel_8313/1386900170.py:1: LangChainDeprecationWarning: The method `Base
Retriever.get_relevant_documents` was deprecated in langchain-core 0.1.46 and will
be removed in 1.0. Use :meth:`~invoke` instead.

```

```

rel_docs = retriever.get_relevant_documents("What are the common symptoms for ap
pendicitis, and can it be cured via medicine? If not, what surgical procedure shou
ld be followed to treat it ?") #Complete the code to pass the query

```

```
[Document(id='711a6d19-d918-456c-ae8e-1399175f4514', metadata={'creationdate': '2012-06-15T05:44:40+00:00', 'keywords': '', 'total_pages': 4114, 'source': '/content/medical_diagnosis_manual.pdf', 'creator': 'Atop CHM to PDF Converter', 'page': 172, 'file_path': '/content/medical_diagnosis_manual.pdf', 'author': '', 'title': 'The Merck Manual of Diagnosis & Therapy, 19th Edition', 'format': 'PDF 1.7', 'creationDate': 'D:20120615054440Z', 'producer': 'pdf-lib (https://github.com/Hopding/pdf-lib)', 'trapped': '', 'moddate': '2026-03-18T21:26:23+00:00', 'modDate': 'D:20260318212623Z', 'subject': ''}, page_content="Appendicitis\nAppendicitis is acute inflammation of the vermiform appendix, typically resulting in abdominal\npain, anorexia, and abdominal tenderness. Diagnosis is clinical, often supplemented by CT or\nultrasound. Treatment is surgical removal.\nIn the US, acute appendicitis is the most common cause of acute abdominal pain requiring surgery. Over\n5% of the population develops appendicitis at some point. It most commonly occurs in the teens and 20s\nbut may occur at any age.\nOther conditions affecting the appendix include carcinoids, cancer, villous adenomas, and diverticula. The\nappendix may also be affected by Crohn's disease or ulcerative colitis with pancolitis.\nThe Merck Manual of Diagnosis & Therapy, 19th Edition\nChapter 11. Acute Abdomen & Surgical Gastroenterology\n163\nsangeethakumari.g@gmail.com\nD83YNKBVRA\nThis file is meant for personal use by sangeethakumari.g@gmail.com only.\nSharing or publishing the contents in part or full is liable for legal action."),
```

```
Document(id='d825f695-fa48-443f-865b-60be11e1c0ea', metadata={'creationDate': 'D:20120615054440Z', 'modDate': 'D:20260318212623Z', 'moddate': '2026-03-18T21:26:23+00:00', 'total_pages': 4114, 'creator': 'Atop CHM to PDF Converter', 'file_path': '/content/medical_diagnosis_manual.pdf', 'subject': '', 'trapped': '', 'format': 'PDF 1.7', 'keywords': '', 'page': 173, 'source': '/content/medical_diagnosis_manual.pdf', 'title': 'The Merck Manual of Diagnosis & Therapy, 19th Edition', 'author': '', 'creationdate': '2012-06-15T05:44:40+00:00', 'producer': 'pdf-lib (https://github.com/Hopding/pdf-lib)'}, page_content="Etiology\nAppendicitis is thought to result from obstruction of the appendiceal lumen, typically by lymphoid\nhyperplasia, but occasionally by a fecalith, foreign body, or even worms. The obstruction leads to\n distention, bacterial overgrowth, ischemia, and inflammation. If untreated, necrosis, gangrene, and\nperforation occur. If the perforation is contained by the omentum, an appendiceal abscess results.\nSymptoms and Signs\nThe classic symptoms of acute appendicitis are epigastric or periumbilical pain followed by brief nausea,\nvomiting, and anorexia; after a few hours, the pain shifts to the right lower quadrant. Pain increases with\n cough and motion. Classic signs are right lower quadrant direct and rebound tenderness located at\nMcBurney's point (junction of the middle and outer thirds of the line joining the umbilicus to the anterior\nsuperior spine). Additional signs are pain felt in the right lower quadrant with palpation of the left lower\nquadrant (Rovsing sign), an increase in pain from passive extension of the right hip joint that stretches\nthe iliopsoas muscle (psoas sign), or pain caused by passive internal rotation of the flexed thigh\n(obturator sign). Low-grade fever (rectal temperature 37.7 to 38.3° C [100 to 101° F]) is common.\nUnfortunately, these classic findings appear in < 50% of patients. Many variations of symptoms and signs\noccur. Pain may not be localized, particularly in infants and children. Tenderness may be diffuse or, in rare\ninstances, absent. Bowel movements are usually less frequent or absent; if diarrhea is a sign, a\nretrocecal appendix should be suspected. RBCs or WBCs may be present in the urine. Atypical symptoms\nare common among elderly patients and pregnant women; in particular, pain is less severe and local\ntenderness is less marked.\nDiagnosis\n• Clinical evaluation\n• Abdominal CT if necessary\n• Ultrasound an option to CT\nWhen classic symptoms and signs are present, the diagnosis is clinical. In such patients, delaying\nlaparotomy to do imaging tests only increases the likelihood of perforation and subsequent complications.\nIn patients with atypical or equivocal findings, imaging studies should be done without delay. Contrast-")]
```

```
#Observation : We can observe that the two relevant chunks contain the answer to the
# If we increase the k value, there is a chance that we might find the answer in even
# This is a hyperparameter that we need to tune to get the best context.
```

```
model_output = llm(
    "What are the common symptoms for appendicitis, and can it be cured via medication?",
    max_tokens=1000,
    temperature=2,
)
```

Llama.generate: prefix-match hit

```
model_output['choices'][0]['text']
```

'\n\nAppendicitis is a medical condition characterized by inflammation of the appendix, a small pouch connected to the large intestine in the lower right side of the abdomen. Some common symptoms of appendicitis include:\n\n1. Abdominal pain: This is typically localized in the lower right abdomen, starting as a mild cramp-like sensation and progressing into a sharp, persistent pain. The pain may worsen with movement or pressure on the abdomen.\n2. Loss of appetite and feeling sick: Nausea and vomiting are common symptoms of appendicitis. Some people may also experience a loss of interest in food and a general feeling of malaise or illness.\n3. Fever: A fever of 101°F (38.3°C) or higher is common with appendicitis. The body produces a fever as a way to help fight the infection causing the inflammation.\n4. Constipation or diarrhea: While some people experience constipation, others may have diarrhea as a result of the condition. This can depend on how badly the appendix is inflamed and whether it has ruptured.\n5. Rebound tenderness: When a doctor gently presses on the abdomen and then releases the pressure, there may be discomfort or pain in the area where the appendix is located, indicating rebound tenderness.\n\nIf left untreated, appendicitis can result in rupture of the appendix, which can lead to serious complications, including peritonitis (inflammation of the abdominal cavity), sepsis (a potentially life-threatening condition caused by infection), and death. Therefore, prompt medical attention is necessary if you suspect that you have appendicitis.\n\nThe only cure for appendicitis is surgery to remove the infected appendix, called an appendectomy. This can be performed using laparoscopic or open techniques. Laparoscopic appendectomy involves making small incisions and inserting a camera and instruments to remove the appendix through one of these incisions. Open appendectomy involves making a larger incision to directly access and remove the appendix. Both procedures have their benefits and risks, and your healthcare provider will discuss which option is best for you based on your individual circumstances.\n\nIn summary, if you suspect that you may have appendicitis, seek medical attention immediately as it can lead to serious complications if left untreated. While there is no cure for appendicitis via medication, the only treatment option available is an appendectomy.'

#Observation : We can observe that the result is limited to the 1000 token for the

System and User Prompt Template

```
qna_system_message = """
You are an medical assistant whose work is to review the report and provide the appropriate answer.
User input will have the context required by you to answer user questions.
This context will begin with the token: ###Context.
The context contains references to specific portions of a document relevant to the question.

User questions will begin with the token: ###Question.

Please answer only using the context provided in the input. Do not mention anything outside the context.

If the answer is not found in the context, respond "I don't know".
"""
```

```

qna_user_message_template = """
###Context
Here are some documents that are relevant to the question mentioned below.
{context}

###Question
{question}
"""

```

Response Function

```

def generate_rag_response(user_input, k=3, max_tokens=128, temperature=0, top_p=0.95, top_k=20):
    global qna_system_message, qna_user_message_template
    # Retrieve relevant document chunks
    relevant_document_chunks = retriever.get_relevant_documents(query=user_input, k=k)
    context_list = [d.page_content for d in relevant_document_chunks]

    # Combine document chunks into a single context
    context_for_query = ". ".join(context_list)

    user_message = qna_user_message_template.replace('{context}', context_for_query)
    user_message = user_message.replace('{question}', user_input)

    prompt = qna_system_message + '\n' + user_message

    # Generate the response
    try:
        response = llm(
            prompt=prompt,
            max_tokens=max_tokens,
            temperature=temperature,
            top_p=top_p,
            top_k=top_k
        )

        # Extract and print the model's response
        response = response['choices'][0]['text'].strip()
    except Exception as e:
        response = f'Sorry, I encountered the following error: \n {e}'

    return response

```

Question Answering using RAG

Query 1: What is the protocol for managing sepsis in a critical care unit?

```

user_input_1 = "What is the protocol for managing sepsis in a critical care unit?"
generate_rag_response(user_input_1, top_k=20)

```

Llama.generate: prefix-match hit

"Based on the context provided, the protocol for managing sepsis in a critical care unit includes:\n1. Monitoring: The patient's vital signs, including ECG, systolic, diastolic, and mean BP, respiratory rate and depth, pulse oximetry, urine flow by indwelling bladder catheter, body temperature, and clinical status are closely monitored.\n2. Diagnosis: If sepsis or septic shock is suspected, cultures are obtained of blood and any other appropriate specimens.\n3. Treatment:\n a."

Query 2: What are the common symptoms for appendicitis, and can it be cured via medicine? If not, what surgical procedure should be followed to treat it?

```
user_input_2 = "What are the common symptoms for appendicitis, and can it be cured  
generate_rag_response(user_input_2,top_k=20)
```

Llama.generate: prefix-match hit

"Based on the context provided, the common symptoms for appendicitis include epigastric or periumbilical pain followed by brief nausea, vomiting, and anorexia; after a few hours, the pain shifts to the right lower quadrant. Pain increases with cough and motion. Classic signs are right lower quadrant direct and rebound tenderness located at McBurney's point (junction of the middle and outer thirds of the line joining the umbilicus to the anterior superior spine). Additional signs include pain felt in the right lower quadrant with palpation of the left"

Query 3: What are the effective treatments or solutions for addressing sudden patchy hair loss, commonly seen as localized bald spots on the scalp, and what could be the possible causes behind it?

```
user_input_3 = "What are the effective treatments or solutions for addressing sudden  
generate_rag_response(user_input_3,top_k=20)
```

Llama.generate: prefix-match hit

'Based on the context provided, the condition being described is Alopecia Areata. The treatment options mentioned include daily hair counts to quantify hair loss, microscopic hair examination, scalp biopsy, and immunofluorescence studies. These tests are used for definitive diagnosis and to differentiate scarring from non-scarring forms of alopecia. Treatment options for Alopecia Areata include topical Minoxidil (2% for women, 2% or 5% for men) which prolongs the anagen growth phase and enlarges miniaturized'

Query 4: What treatments are recommended for a person who has sustained a physical injury to brain tissue, resulting in temporary or permanent impairment of brain function?

```
user_input_4 = "What treatments are recommended for a person who has sustained a physical  
generate_rag_response(user_input_4,top_k=20)
```

Llama.generate: prefix-match hit

'I. Supportive care including preventing systemic complications due to immobilization, providing good nutrition, and preventing pressure ulcers is recommended.\nII. Physical therapy to prevent limb contractures is also suggested for some patients.\nIII. No specific treatment exists for the injury itself, but support groups may provide assistance to families of brain-injured patients.\nIV. A prolonged period of rehabilitation, particularly in cognitive and emotional areas, is often required for patients whose coma exceeds 24 hours and have major persistent neurologic sequelae.'

Query 5: What are the necessary precautions and treatment steps for a person who has fractured their leg during a hiking trip, and what should be considered for their care and recovery?

```
user_input_5 = "What are the necessary precautions and treatment steps for a person  
generate_rag_response(user_input_5,top_k=20)
```

Llama.generate: prefix-match hit

"Based on the context provided, the following are the necessary precautions and treatment steps for a person who has fractured their leg during a hiking trip:\n1. The first priority is to ensure that the person's airway is clear and they are breathing properly. If there are signs of shock or severe bleeding, call for emergency medical help immediately.\n2. Splinting the leg to prevent further injury and decrease pain is necessary. This can be done using a nonrigid or noncircumferential device such as a splint.\n3. Pain should be treated with opioids, if"

#Observation : The answer is clear, concise, and focused, without any unnecessary i

Query 6: What are the necessary steps to join a College ?

```
user_input_6 = "What are the necessary steps to join a College ?"  
generate_rag_response(user_input_6,top_k=20)
```

Llama.generate: prefix-match hit

"I don't know. The context provided does not contain information about joining a college."

Observation : If we look at the system prompt, we explicitly mentioned that the q

As expected, the model has done its job well. It has eliminated hallucination.

Fine-tuning

```
user_input_1 = "What is the protocol for managing sepsis in a critical care unit?"  
generate_rag_response(user_input_1,max_tokens=100)
```

Llama.generate: prefix-match hit

"Based on the context provided, the protocol for managing sepsis in a critical care unit includes:\n1. Monitoring: The patient's vital signs, including ECG, systolic, diastolic, and mean BP, respiratory rate and depth, pulse oximetry, urine flow by indwelling bladder catheter, body temperature, and clinical status are closely monitored.\n2. Diagnosis: If sepsis or sept"

#Observation : Even if the max_tokens is set to 100, the model still didn't generat

#One of the reasons could be that the temperature is set to 0, making the model mor

```
user_input_2 = "What is the protocol for managing sepsis in a critical care unit?"  
generate_rag_response(user_input_2,max_tokens=200 , temperature=0.1)
```

Llama.generate: prefix-match hit

"Based on the context provided, the protocol for managing sepsis in a critical care unit includes:\n1. Monitoring: The patient's vital signs, including ECG, systolic, diastolic, and mean BP, respiratory rate and depth, pulse oximetry, urine flow by indwelling bladder catheter, body temperature, and clinical status are closely monitored.\n2. Diagnosis: If sepsis or septic shock is suspected, cultures are obtained of blood and any other appropriate specimens.\n3. Treatment:\n a. Antibiotics: Empiric antibiotics are given after appropriate cultures are obtained. Early treatment with an appropriate antimicrobial regimen appears to improve survival. Continuing therapy involves adjusting antibiotics according to the results of culture and susceptibility testing, surgically draining any abscesses, and removing any internal devices that"

```
user_input_3 = "What are the effective treatments or solutions for addressing sudden hair loss?"
generate_rag_response(user_input_3,max_tokens=200 , top_k=20, temperature=0.1)
```

Llama.generate: prefix-match hit

"Based on the context provided, the condition being described is Alopecia Areata. The treatment options mentioned include daily hair counts to quantify hair loss, microscopic examination of hairs, scalp biopsy, and immunofluorescence studies. The possible causes are thought to be autoimmune in nature and may involve genetic susceptibility and environmental triggers. There is no definitive cure for Alopecia Areata, but treatments such as topical Minoxidil or Finasteride can help slow down hair loss and promote regrowth in some cases. However, it's important to note that these treatments are not effective for all causes of hair loss and may have side effects. If the condition persists and diagnosis is in doubt, a scalp biopsy may be necessary to differentiate scarring from non-scarring forms."

#Observation : Previously the answer was limited , as the query could be answered with the information provided in the context.
#Now with the temperature is set to 0.1, making the model more deterministic and focused on the context.

Output Evaluation

Let us now use the LLM-as-a-judge method to check the quality of the RAG system on two parameters - retrieval and generation. We illustrate this evaluation based on the answers generated to the question from the previous section.

- We are using the same Mistral model for evaluation, so basically here the LLM is rating itself on how well he has performed in the task.

```
groundedness_rater_system_message = """
You are tasked with rating AI generated answers to questions posed by users.
You will be presented a question, context used by the AI system to generate the answer.
In the input, the question will begin with ###Question, the context will begin with ###Context.
```

Evaluation criteria:

The task is to judge the extent to which the metric is followed by the answer.

- 1 - The metric is not followed at all
- 2 - The metric is followed only to a limited extent
- 3 - The metric is followed to a good extent
- 4 - The metric is followed mostly
- 5 - The metric is followed completely

Metric:

The answer should be derived only from the information presented in the context

Instructions:

1. First write down the steps that are needed to evaluate the answer as per the metric
 2. Give a step-by-step explanation if the answer adheres to the metric considering
 3. Next, evaluate the extent to which the metric is followed.
 4. Use the previous information to rate the answer using the evaluation criteria and
- *****

```
relevance_rater_system_message = """You are tasked with rating AI generated answers
You will be presented a question, context used by the AI system to generate the answer.
In the input, the question will begin with ###Question, the context will begin with
```

Evaluation criteria:

The task is to judge the extent to which the metric is followed by the answer.

- 1 - The metric is not followed at all
- 2 - The metric is followed only to a limited extent
- 3 - The metric is followed to a good extent
- 4 - The metric is followed mostly
- 5 - The metric is followed completely

Metric:

Relevance measures how well the answer addresses the main aspects of the question, Consider whether all and only the important aspects are contained in the answer when

Instructions:

1. First write down the steps that are needed to evaluate the context as per the metric
 2. Give a step-by-step explanation if the context adheres to the metric considering
 3. Next, evaluate the extent to which the metric is followed.
 4. Use the previous information to rate the context using the evaluation criteria and
- *****

```
user_message_template = """
```

```
###Question
{question}
```

```
###Context
{context}
```

```
###Answer
{answer}
*****
```

```
def generate_ground_relevance_response(user_input, k=3, max_tokens=128, temperature=0,
    global qna_system_message, qna_user_message_template
    # Retrieve relevant document chunks
    relevant_document_chunks = retriever.get_relevant_documents(query=user_input, k=k)
    context_list = [d.page_content for d in relevant_document_chunks]
    context_for_query = ". ".join(context_list)

    # Combine user_prompt and system_message to create the prompt
    prompt = f"""[INST]{qna_system_message}\n
        {'user': {qna_user_message_template.format(context=context_for_query)}}
        [/INST]"""

    response = llm(
        prompt=prompt,
        max_tokens=max_tokens,
        temperature=temperature,
        top_p=top_p,
        top_k=top_k,
```

```

        stop=['INST'],
    )

    answer = response["choices"][0]["text"]

    # Combine user_prompt and system_message to create the prompt
    groundedness_prompt = f"""[INST]{groundedness_rater_system_message}\n
        {'user': {user_message_template.format(context=context_for_query,
        [/INST]"""

    # Combine user_prompt and system_message to create the prompt
    relevance_prompt = f"""[INST]{relevance_rater_system_message}\n
        {'user': {user_message_template.format(context=context_for_query,
        [/INST]"""

    response_1 = llm(
        prompt=groundedness_prompt,
        max_tokens=max_tokens,
        temperature=temperature,
        top_p=top_p,
        top_k=top_k,
        stop=['INST'],
    )

    response_2 = llm(
        prompt=relevance_prompt,
        max_tokens=max_tokens,
        temperature=temperature,
        top_p=top_p,
        top_k=top_k,
        stop=['INST'],
    )

    return response_1['choices'][0]['text'], response_2['choices'][0]['text']

```

Query 1: What is the protocol for managing sepsis in a critical care unit?

```

ground, rel = generate_ground_relevance_response(user_input="What is the protocol for
print(ground, end="\n\n")
print("_____")
print(rel)

```

```

Llama.generate: prefix-match hit
Llama.generate: prefix-match hit
Llama.generate: prefix-match hit

```

Steps to evaluate the answer:

1. Identify the key information related to managing sepsis in a critical care unit from the context.
2. Compare the AI generated answer with the identified key information.
3. Determine if the answer is derived only from the information presented in the context.

Explanation:

The AI generated answer mentions monitoring for signs of sepsis or septic shock, obtaining cultures if suspected, and administering antibiotics after appropriate cultures are obtained. The context discusses monitoring ICU patients for various conditions including sepsis or septic shock, obtaining blood tests to help detect problems early, and treating shock with fluid resuscitation and mechanical ventilation.

The AI generated answer adheres to the metric as it mentions the specific signs of sepsis or septic shock to monitor for, obtaining cultures if suspected, and administering antibiotics after appropriate cultures are obtained, all of which is derived from the context.

Rating:

Based on the evaluation criteria, I would rate the answer as a 5 since it follows the metric completely by deriving the answer only from the information presented in the context.

Steps to evaluate the context as per the relevance metric:

1. Identify the main aspects of the question: managing sepsis in a critical care unit.
2. Determine if the context provides information on these main aspects.
3. Check if all important aspects are contained in the answer and if any irrelevant information is excluded.

The context adheres to the relevance metric considering the question as follows:

1. The context discusses sepsis and septic shock, which are relevant to managing sepsis in a critical care unit.
2. It mentions monitoring for signs of sepsis or septic shock, obtaining cultures, and administering antibiotics, all of which are important aspects of managing sepsis in a critical care unit.
3. The context also includes some irrelevant information about the ICU setting, but it does not significantly detract from the relevance of the answer to the question.

The extent to which the metric is followed:

The context follows the relevance metric mostly as it provides comprehensive information on managing sepsis in a critical care unit and covers all important aspects mentioned in the question. However, some irrelevant information is included but does not significantly impact the overall relevance of the answer.

Rating the context using the evaluation criteria:

Based on the above analysis, I would rate the context as a 4 (The metric is followed mostly) according to the evaluation criteria.

#Observation : Groundedness Evaluation – scored as 5. The judge found that the AI-

*#Observation : Relevance Evaluation – scored as 4. The judge noted that the context
#however one answer is irrelevant about the ICU setting. Hence the score 4*

Query 2: What are the common symptoms for appendicitis, and can it be cured via medicine? If not, what surgical procedure should be followed to treat it?

```
ground,rel = generate_ground_relevance_response(user_input="What are the common sym  
print(ground,end="\n\n")  
print("_____  
print(rel)
```

Llama.generate: prefix-match hit
Llama.generate: prefix-match hit
Llama.generate: prefix-match hit

Steps to evaluate the answer:

1. Identify the information in the context related to common symptoms and treatment for appendicitis.
2. Check if the AI generated answer includes only the information from the context.
3. Evaluate the extent to which the metric is followed.

Explanation:

The AI generated answer includes all the common symptoms for appendicitis mentioned in the context, such as epigastric or periumbilical pain, nausea, vomiting, anorexia, shifting pain to the right lower quadrant, increase in pain with cough and motion, direct and rebound tenderness at McBurney's point, Rovsing sign, psoas sign, obturator sign, and low-grade fever. The answer also mentions that appendicitis cannot be cured via medicine alone and the standard treatment is surgical removal of the appendix, which is consistent with the information in the context.

Therefore, the metric is followed completely as the answer is derived only from the information presented in the context.

Rating:

Based on the evaluation criteria, I would rate the answer a 5 for following the metric completely.

Steps to evaluate the context as per the relevance metric:

1. Identify the main aspects of the question: common symptoms for appendicitis and whether it can be cured via medicine or if surgery is required.
2. Determine if all important aspects are contained in the context: The context provides a detailed explanation of appendicitis, its causes, symptoms, diagnosis, and treatment. It mentions that the standard treatment for appendicitis is surgical removal. However, it does not explicitly state whether appendicitis can be cured via medicine or not.
3. Check if only irrelevant information is missing: The context provides a comprehensive explanation of appendicitis and its symptoms. It also discusses other conditions that can affect the appendix but does not provide information on whether appendicitis can be cured via medicine or not.

The context adheres to the metric to a good extent as it covers most of the important aspects of the question, but it lacks explicit information about whether appendicitis can be cured via medicine or not.

Rating: 3 (Followed to a good extent)

#Observation : Groundedness Evaluation – scored as 5. The judge found that the AI-

#Observation : Relevance Evaluation – scored as 3. While the context provided a det

Query 3: What are the effective treatments or solutions for addressing sudden patchy hair loss, commonly seen as localized bald spots on the scalp, and what could be the possible causes behind it?

```
ground, rel = generate_ground_relevance_response(user_input="What are the effective  
print(ground, end="\n\n")  
print(rel)
```

```
Llama.generate: prefix-match hit  
Llama.generate: prefix-match hit  
Llama.generate: prefix-match hit
```

Steps to evaluate the answer:

1. Identify the main question and the specific information being asked for in the question.
2. Read through the context provided to identify any relevant information related to the question.
3. Determine if the AI generated answer is derived solely from the information presented in the context.

Explanation:

The main question asks about effective treatments or solutions for addressing sudden patchy hair loss, also known as alopecia areata, and possible causes behind it. The context provided discusses various types of alopecia, including androgenetic alopecia and alopecia areata, their causes, and potential treatments.

The AI generated answer includes several treatment options for addressing sudden patchy hair loss (alopecia areata), which are all mentioned in the context. The answer also correctly identifies alopecia areata as an autoimmune disorder and mentions that it affects genetically susceptible people exposed to unclear environmental triggers, which is consistent with the information provided in the context.

Therefore, based on the given metric, the AI generated answer adheres completely to the requirement of being derived only from the information presented in the context.

Rating:

Based on the evaluation criteria and the complete adherence of the AI generated answer to the metric, I would rate the answer as a 5.

Steps to evaluate context as per the relevance metric:

1. Identify the main aspects of the question: effective treatments or solutions for addressing sudden patchy hair loss and possible causes behind it.
2. Determine if the context provides information on these main aspects.
3. Check if all important aspects are contained in the answer when evaluating relevance.

The context adheres to the metric considering the question as follows:

1. The context mentions several causes of hair loss, including alopecia areata, which is a type of sudden patchy hair loss.
2. The context provides information on treatments for alopecia areata, such as topical Minoxidil, Finasteride, corticosteroids, retinoids, or immunosuppressants.
3. The context also mentions the importance of scalp biopsy for definitive diagnosis and other diagnostic tests like fungal and bacterial cultures and immunofluorescence studies.
4. Therefore, the context covers all important aspects of the question regarding possible causes and treatments for sudden patchy hair loss.

The metric is followed mostly as the context provides comprehensive information on both the causes and treatments for sudden patchy hair loss.

Rating: 4 (The metric is followed mostly)

#Observation : Groundedness Evaluation – scored as 5. The judge found that the AI-

#Observation : Relevance Evaluation – scored as 4. While the context provided a de

Query 4: What treatments are recommended for a person who has sustained a physical injury to brain tissue, resulting in temporary or permanent impairment of brain function?

```
ground, rel = generate_ground_relevance_response(user_input="What treatments are recommended for a person with brain damage resulting in impairment of brain function?")
print(ground, end="\n\n")
print(rel)
```

```
Llama.generate: prefix-match hit
Llama.generate: prefix-match hit
Llama.generate: prefix-match hit
```

Steps to evaluate the answer:

1. Identify the key information in the context related to treatments for brain damage.
2. Compare the information identified with the AI generated answer to ensure that the answer is derived only from the context and not any external sources.
3. Evaluate the extent to which the metric is followed.

Explanation:

The AI generated answer mentions all the treatments mentioned in the context, including supportive care and physical therapy to prevent limb contractures, as well as the recommendation for families to seek assistance from support groups and the need for rehabilitation services for prolonged periods. Therefore, the answer is derived entirely from the information presented in the context.

Evaluation:

The metric is followed completely. The AI generated answer includes all the treatments mentioned in the context and does not include any external information.

Rating:

Based on the evaluation criteria, I would rate the answer as a 5, indicating that the metric is followed completely.

Steps to evaluate the context as per the relevance metric:

1. Identify the main aspects of the question: The question asks about treatments recommended for a person with brain damage resulting in impairment of brain function.
2. Determine if all and only the important aspects are contained in the answer: The context mentions that there is no specific treatment for brain damage, but supportive care should be provided. Supportive care includes preventing systemic complications due to immobilization, providing good nutrition, preventing pressure ulcers, and in some cases, physical therapy to prevent limb contractures. There is also a recommendation for families to seek assistance from support groups and rehabilitation services for prolonged periods. All the important aspects of the question are addressed in the context.

The metric is followed completely as all the important aspects of the question are contained in the answer.

Rating: 5 (The metric is followed completely)

#Observation : Groundedness Evaluation – scored as 5. The judge found that the AI-

#Observation : Relevance Evaluation – scored as 5. The answer addressed all key asp

Query 5: What are the necessary precautions and treatment steps for a person who has fractured their leg during a hiking trip, and what should be considered for their care and recovery?

```
ground,rel = generate_ground_relevance_response(user_input="What are the necessary  
print(ground,end="\n\n")  
print(rel)
```

Llama.generate: prefix-match hit
Llama.generate: prefix-match hit
Llama.generate: prefix-match hit

Steps to evaluate the answer:

1. Identify the information in the context related to precautions and treatment steps for a person who has fractured their leg during a hiking trip.
2. Determine if the AI generated answer includes only the information derived from the context.
3. Evaluate the extent to which the metric is followed.

Explanation:

The AI generated answer includes several points that are directly related to the context, such as immobilizing the injured leg, treating pain with opioids, performing reduction (with analgesia or sedation), using RICE, starting rehabilitation as soon as possible, and avoiding heavy lifting or prolonged sitting. These points can be traced back to the information provided in the context.

Therefore, the metric is followed mostly since the answer includes all the necessary precautions and treatment steps for a person who has fractured their leg, derived directly from the context.

Rating:

Based on the evaluation criteria, I would rate the AI generated answer as a 4 (The metric is followed mostly).

Steps to evaluate the context as per the relevance metric:

1. Identify the main aspects of the question: necessary precautions, treatment steps, care, and recovery for a person who has fractured their leg during a hiking trip.
2. Determine if all the important aspects are contained in the context: yes, the context covers necessary precautions (immobilization, pain management), treatment steps (splinting, casting, reduction, RICE), care and recovery (rehabilitation, exercises, avoiding heavy lifting).

The context adheres to the relevance metric as it addresses all the main aspects of the question.

Evaluation:

- 1 – The metric is not followed at all: This rating is not applicable as the context follows the relevance metric.
- 2 – The metric is followed only to a limited extent: This rating is also not applicable as the context follows the relevance metric completely.
- 3 – The metric is followed to a good extent: This rating could be given if some aspects of the question were only partially addressed in the context but most were covered.
- 4 – The metric is followed mostly: This rating could be given if one or two important aspects were missing from the context.
- 5 – The metric is followed completely: This rating is applicable as all the main aspects of the question are contained in the context.

Based on the evaluation, I would rate the context a 5 (The metric is followed completely).

#Observation : Groundedness Evaluation score is 4. The judge noted the AI's response and Identified the main aspects of the question: necessary precautions, treatment. However the judge felt it is mostly derived rather than getting from the context. #Relevance Evaluation score is 5 : The judge have found the answer has followed all

Actionable Insights and Business Recommendations

Following are Actionable Insights and general recommendations:

Vector database creation time increases as the number of pages in the PDF grows.

Retrieval parameter k is very important, since answers can be spread across multiple chunks. Chunk_overlap helps maintain continuity, especially when context spans across chunk boundaries. Max_tokens should depend on how complex the query is – complex queries give more detailed answers. Prompt design and temperature tuning help control both response length and creativity. RAG parameters should be continuously adjusted based on the specific use case for better performance. In evaluation, focus more on groundedness and relevance to ensure the output is reliable.

Business Recommendations:

Having a feedback loop helps fine-tune parameters and improves performance across different scenarios. Using the "LLM-as-a-judge" method to ensure the AI output consistent in healthcare applications.

Power Ahead
