1 LANDING PAGE

AUDITORIUM

CODE

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>one for all</title>
    <link rel="shortcut icon" href="D:\auditorium\img\1_page-0001.jpg"
type="Image/x-icon">
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">
    <link rel="stylesheet" href="D:\auditorium\css\style.css">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.1/dist/js/bootstrap.bundle.min.js
"></script>
  </head>
  <body>
    <nav class="navbar navbar-expand-lg">
        <div class="container">
          <a class="navbar-brand " href="#">
            <img src="D:\auditorium\img\IMG_20230919_121236.jpg" alt="brand"
height="90px" width="100px">
          </a>
          <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-
expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
          </button>
          <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
            <div class="navbar-nav ms-auto">
              <a class="nav-link active" aria-current="page" href="#">HOME</a>
              <a class="nav-link text-dark" href="#">ADMINISTRATOR</a>
              <a class="nav-link text-dark" href="#">AUDITORIUM</a>
              <a class="nav-link text-dark" href="#">USER</a>
            </div>
            <a href="#" class="btn btn-outline-secondary shadow-sm d-sm d-block
text-dark">WORK WITH US</a>
          </div>
```

```html
        </div>
      </nav>


      <section class="hero">
        <div class="bg">
        <div class="container">
          <div class="row">
            <div class="col-md-6">
              <div class="text">
                VESTIBULE
              </div>
              <div class="buttons">
                <a href="#" class="btn btn-primary">SIGN IN</a>
                <a href="#" class="btn btn-outline-secondary ms-3">SIGN UP</a>
              </div>
            </div>
            <div class="col-md-6">
              <img class="rounded" src="D:\auditorium\img\1.jpg" alt="hero.img"
class="w=100">
            </div>
          </div>
        </div>
      </div>
      </section>


      <section class="setup">
        <div class="container">
          <div class="text-header text-center">
            <h3>VESTIBULE</h3>
            <p><H6>TOGETHER IS A BEAUTIFUL PLACE TO BE</H6></p>
          </div>
        </div>
      </section>



      <!-- Carousel -->
<div id="demo" class="carousel slide" data-bs-ride="carousel">

  <!-- Indicators/dots -->
  <div class="carousel-indicators">
    <button type="button" data-bs-target="#demo" data-bs-slide-to="0"
class="active"></button>
    <button type="button" data-bs-target="#demo" data-bs-slide-to="1"></button>
    <button type="button" data-bs-target="#demo" data-bs-slide-to="2"></button>
```

```html
        </div>

        <!-- The slideshow/carousel -->
        <div class="carousel-inner">
            <div class="carousel-item active">
                <img class="img rounded" src="D:\auditorium\img\premium_photo-
1673626579377-8dfda319246b.jpeg" alt="Los Angeles" class="d-block"
style="width:100%">
            </div>
            <div class="carousel-item">
                <img  class="img rounded" src="D:\auditorium\img\photo-1601482441062-
b9f13131f33a.jpeg" alt="Chicago" class="d-block" style="width:100%">
            </div>
            <div class="carousel-item">
                <img  class="img rounded" src="D:\auditorium\img\Night-sky-decor.jpg"
alt="New York" class="d-block" style="width:100%">
            </div>
        </div>

        <!-- Left and right controls/icons -->
        <button class="carousel-control-prev" type="button" data-bs-target="#demo"
data-bs-slide="prev">
            <span class="carousel-control-prev-icon"></span>
        </button>
        <button class="carousel-control-next" type="button" data-bs-target="#demo"
data-bs-slide="next">
            <span class="carousel-control-next-icon"></span>
        </button>
</div>
    </body>
    </html>
```

CSS

```css
@import
url('https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:ital,wght@0,200;0
,300;0,400;0,600;0,700;0,800;1,400&display=swap');

:root{
    --primary:#3155e7;
```

```css
    --primary-dark:#2045d6;
    --black:#010101;
    --gray-1:#788190;
    --gray-2:#d3d4db;
    --white:#ffffff;
    --body:#dcf7fc;

}

body{
    font-family: 'plus jakarta sans', sans-serif;
    background-color: var(--body);
}
.btn{
    border-radius:8px;
}

.btn-primary,
.btn-outline-secondary{
    padding:12px 20px;
    background-color: rgb(75, 197, 245);
}

.btn-primary{
    background-color: var(--primary);
}

.btn-primary:hover{
    background-color: var(--primary-dark);

}

.btn-outline-secondary{
    border: 1px solid var(--gray-2);
    color: var(--black);
}

.btn-outline-secondary:hover{
    background-color: var(--gray-2);
    border: 1px solid var(--gray-2);
    color: var(--black);
}

.btn-outline-secondary:focus{
```

```css
        background-color: var(--gray-2);
        border: 1px solid var(--gray-2);
        color: var(--black);
}

.navbar .btn-outline-secondary {
        border: 1px solid var(--gray-2);
        color: var(--black);
        font-size: 14px;
        font-weight: 500;
        line-height: 20px;
        padding: 10px 16px;
}

.navbar{
        padding: 32px;
}

.nav-link {
        margin-left: 41px;
        font-size:16px;
        color:var(--gray-1);
}

.navbar-nav .nav-link.active{
        font-weight: bold;
        color:var(--black);
}

section.hero{
        padding: 25px 0;
}

section.hero .text{
        font-weight: 800;
        font-size: 48px;
        line-height: 73px;
        color:var(--black);
        padding: 80px 0;
        line-height: 1px;
}
.buttons {
        padding-top: 5px;
}
```

```css
.buttons .btn{
    font-weight: bold;
    font-size: 16px;
    line-height: 24px;
}

section.setup{
    padding: 50px 0;
}

section.setup .text-header h3{
    font-weight: 700;
    font-size: 42px;
    line-height: 1px;
    color:var(--black);
}

section.setup .text-header p{
    font-weight: 400;
    font-size: 18px;
    line-height: 1px;
    color:var(--gray-1);
    padding: 10px 0;
}

section.setup .icons {
    padding: 15px 0;
}

section.setup h5{
    font-weight: 700;
    font-size: 18px;
    line-height: 24px;
    color:var(--black);
    padding-bottom: 18px;
}

section.setup .desc p{
    font-weight: 400;
    font-size: 13px;
    line-height: 22px;
    color:var(--gray-1);
    max-width: 284px;
    margin: 0 auto;
}
```

```css
section.information .text-information {
    padding: 134px 0;
}

section.information h5 {
    font-weight: 700;
    font-size: 42px;
    line-height: 48px;
    color:var(--black);
}

section.information p {
    font-weight: 300;
    font-size: 18px;
    line-height: 28px;
    color:var(--gray-1);
    padding-top: 20px;
}
section.information .info-1 {
    padding: 183px 0;
}

.img{
    padding: 100px 90px;
    padding-left: 50px 50px;
    padding-right: 50px 50px;
    padding-bottom: 50px 50px;

}
.carousel-control-prev .carousel-control-next{
    padding: 100px 100px;
}

.carousel-indicators{
    padding-bottom: 150px;
}
```

CONTACT DETAILS

CODE

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>auditorium booking</title>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">

        <title>Pricing Table</title>
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
giJF6kkoqNQ00vy+HMDP7azOuL0xtbfIcaT9wjKHr8RbDVddVHyTfAAsrekwKmP1"
crossorigin="anonymous">
        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta1/dist/js/bootstrap.bundle.min.js" integrity="sha384-
ygbV9kiqUc6oa4msXn9868pTtWMgiQaeYH7/t7LECLbyPA2x65Kgf80OJFdroafW"
crossorigin="anonymous"></script>
        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.0/font/bootstrap-icons.css">
        <style>
            table{
                background-color:rgb(8, 110, 102);
            }
            .hov1:hover {
                background-color:rgb(247, 160, 200);
            }
        </style>
</head>
<body>
    <div class="container w-50 p-3  mt-5">
     <table class="table table-borderless text-center text-white" >
            <tr>
                <th class="p-5"> BOOKING CHARGES</th>
                <th class="p-5"><h5>WEDDING</h5><i class="bi bi-currency-
rupee"></i>Rs.76,700<br></th>
                <th  class="p-5"><h5>WEDDING&RECEPTION</h5><i class="bi bi-
currency-rupee"></i>Rs.94,400<br></th>
                <th  class="p-5"><h5>RECEPTION</h5><i class="bi bi-currency-
rupee"></i>Rs.35,400<br></th>
```

```html
                    <th  class="p-5"><h5>SMALL FUNCTIONS</h5><i class="bi bi-
currency-rupee"></i>Rs.6000<br></th>
                </tr>
            </thead>
            <tbody class="hov ">
                <tr class="hov1 ">
                <td>Price is inclusive of tax</td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                </tr>
                <tr class="hov1">
                    <td>Hourly rate</td>
                    <td><i class="bi bi-x text-center  "></i></td>
                    <td><i class="bi bi-x text-center  "></i></td>
                    <td><i class="bi bi-x text-center  "></i></td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                </tr>
                <tr class="hov1">
                    <td>A/C charge Rs.1000 per room is extra(required)</td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                </tr>
                <tr class="hov1">
                    <td>Private rooms with bathroom attached</td>
                    <td>3</td>
                    <td>3</td>
                    <td>3</td>
                    <td>2</td>
                </tr>
                <tr class="hov1">
                    <td>Full Generator backup</td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                </tr>
                <tr class="hov1">
                    <td>Parking outside the hall</td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
```

```html
                <td><i class="bi bi-check-lg text-center "></i></td>
            </tr>

            <tr >
                <td></td>
                <td><button class="bg-info rounded border-white text-white
my-3">Book Now</button></td>
                <td><button class="bg-info rounded border-white text-white
my-3">Book Now</button></td>
                <td><button class="bg-info rounded border-white text-white
my-3">B00k Now</button></td>
                <td><button class="bg-info rounded border-white text-white
my-3">B00k Now</button></td>
            </tr>
        </tbody>
    </table>
</div>


</body>
</html>
```

CSS

```css
html {
  box-sizing: border-box;
}

*, *:before, *:after {
  box-sizing: inherit;
}

.column {
  float: left;
  width: 20%;
  margin-bottom: 16px;
  padding: 0 8px;
  padding-left: 100 0px;
  padding-right: 200 0px;
}

@media screen and (max-width: 650px) {
  .column {
    width: 100%;
```

```css
    display: block;
  }
}

.card {
  box-shadow: 0 4px 8px 0  rgb(231, 22, 186);
}

.container {
  padding: 0 16px;
}

.container::after, .row::after {
  content: "";
  clear: both;
  display: table;
}

.title {
  color: rgb(231, 22, 186);
}

.button {
  border: none;
  outline: 0;
  display: inline-block;
  padding: 8px;
  color: white;
  background-color: rgb(250, 166, 232);
  text-align: center;
  cursor: pointer;
  width: 100%;
}

.button:hover {
  background-color: #555;
}
.p{
    color: rgb(231, 22, 186);
}

.h2{
    text-align:left;
    color:  rgb(231, 22, 186);
}
```

OUTPUT

HELP

3 PRICING TABLE

CODE

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>auditorium booking</title>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">

        <title>Pricing Table</title>
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-giJF6kkoqNQ00vy+HMDP7azOuL0xtbfIcaT9wjKHr8RbDVddVHyTfAAsrekwKmP1" crossorigin="anonymous">
        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta1/dist/js/bootstrap.bundle.min.js" integrity="sha384-ygbV9kiqUc6oa4msXn9868pTtWMgiQaeYH7/t7LECLbyPA2x65Kgf80OJFdroafW" crossorigin="anonymous"></script>
```

```html
        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.0/font/bootstrap-icons.css">
        <style>
            table{
                background-color:rgb(8, 110, 102);
            }
            .hov1:hover {
                background-color:rgb(247, 160, 200);
            }
        </style>
</head>
<body>
    <div class="container w-50 p-3  mt-5">
      <table class="table table-borderless text-center text-white" >
                <tr>
                    <th class="p-5"> BOOKING CHARGES</th>
                    <th class="p-5"><h5>WEDDING</h5><i class="bi bi-currency-
rupee"></i>Rs.76,700<br></th>
                    <th  class="p-5"><h5>WEDDING&RECEPTION</h5><i class="bi bi-
currency-rupee"></i>Rs.94,400<br></th>
                    <th  class="p-5"><h5>RECEPTION</h5><i class="bi bi-currency-
rupee"></i>Rs.35,400<br></th>
                    <th  class="p-5"><h5>SMALL FUNCTIONS</h5><i class="bi bi-
currency-rupee"></i>Rs.6000<br></th>
                </tr>
            </thead>
            <tbody class="hov ">
                <tr class="hov1 ">
                <td>Price is inclusive of tax</td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                </tr>
                <tr class="hov1">
                    <td>Hourly rate</td>
                <td><i class="bi bi-x text-center  "></i></td>
                <td><i class="bi bi-x text-center  "></i></td>
                <td><i class="bi bi-x text-center  "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                </tr>
                <tr class="hov1">
                    <td>A/C charge Rs.1000 per room is extra(required)</td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
                    <td><i class="bi bi-check-lg text-center "></i></td>
```

```html
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
            </tr>
            <tr class="hov1">
                <td>Private rooms with bathroom attached</td>
                <td>3</td>
                <td>3</td>
                <td>3</td>
                <td>2</td>
            </tr>
            <tr class="hov1">
                <td>Full Generator backup</td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
            </tr>
            <tr class="hov1">
                <td>Parking outside the hall</td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
                <td><i class="bi bi-check-lg text-center "></i></td>
            </tr>

            <tr >
                <td></td>
                <td><button class="bg-info rounded border-white text-white
my-3">Book Now</button></td>
                <td><button class="bg-info rounded border-white text-white
my-3">Book Now</button></td>
                <td><button class="bg-info rounded border-white text-white
my-3">B00k Now</button></td>
                <td><button class="bg-info rounded border-white text-white
my-3">B00k Now</button></td>
            </tr>
        </tbody>
    </table>
</div>


</body>
</html>
```

OUTPUT

BOOKING CHARGES	WEDDING ₹ Rs.76,700	WEDDING&RECEPTION ₹ Rs.94,400	RECEPTION ₹ Rs.35,400	SMALL FUNCTIONS ₹ Rs.6000
Price is inclusive of tax	✓	✓	✓	✓
Hourly rate	✗	✗	✗	✓
A/C charge Rs.1000 per room is extra(required)	✓	✓	✓	✓
Private rooms with bathroom attached	3	3	3	2
Full Generator backup	✓	✓	✓	✓
Parking outside the hall	✓	✓	✓	✓
	Book Now	Book Now	B00k Now	B00k Now