


ПРАКТИЧЕСКАЯ 25

РОМАНОВ ФЕАТ's ПОЛУДНИЦИН



```
Router0
Physical Config CLI Attributes
IOS Command Line Interface

4 FastEthernet/IEEE 802.3 interface(s)
2 Low-speed serial(sync/async) network interface(s)
32K bytes of non-volatile configuration memory.
63488K bytes of ATA CompactFlash (Read/Write)

--- System Configuration Dialog ---
Would you like to enter the initial configuration dialog? [yes/no]:
Press RETURN to get started!

Router>en
Router#conf t
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#ip dhcp excluded-address 192.168.1.100
Router(config)#ip dhcp pool net1
Router(dhcp-config)#net 192.168.1.0 255.255.255.0
Router(dhcp-config)#default-router 192.168.1.100
Router(dhcp-config)#dns-server 192.168.2.101
Router(dhcp-config)#int fa0/0
Router(config-if)#ip address 192.168.1.100 255.255.255.0
Router(config-if)#no sh

Router(config-if)#
%LINK-5-CHANGED: Interface FastEthernet0/0, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/0, changed state to up

Router(config-if)#int fa 1/0
Router(config-if)#ip address 192.168.3.1 255.255.255.0
Router(config-if)#no sh

Router(config-if)#
%LINK-5-CHANGED: Interface FastEthernet1/0, changed state to up

Router(config-if)#no rip
```

