


WEBSITE DELIVERY WITH CLOUDFRONT - STEP-BY-STEP

DOCUMENTATION




This documentation provides a comprehensive, step-by-step process for deploying a website using Amazon S3 and Amazon CloudFront. It builds on the principles of Content Delivery Networks (CDNs), highlighting how CloudFront improves performance by caching content globally. This guide includes both foundational steps (S3 setup) and advanced tasks (CloudFront distribution and security).

Step 1: Create an S3 Bucket

Set up a storage bucket to hold your website files in Amazon S3.

Actions:

- Log in to AWS Management Console.
- Search for 'S3' in the search bar and select it.
- Click 'Create bucket'.
- Enter a unique bucket name (e.g., nextwork-three-tier-<name-random>).
- Leave all other settings as default.
- Click 'Create bucket'.
- Click into your created bucket.




Step 2: Upload Website Files

Upload your static website files (HTML, CSS, JS) into the S3 bucket.

Actions:

- From the S3 bucket page, click 'Upload'.
- Select 'Add files'.
- Choose index.html, style.css, and script.js from your local machine.
- Click 'Upload'.
- Verify files are uploaded successfully.




Step 3: Set Up a CloudFront Distribution

Configure CloudFront to distribute your website globally.

Actions:

- In the AWS Console, go to 'CloudFront'.
- Click 'Create distribution'.
- Select your S3 bucket as the origin.
- Keep default settings and select 'Create distribution'.
- Wait for the distribution status to become 'Deployed'.



Step 4: Verify CloudFront Distribution

Test if the CloudFront distribution is serving your website content.

Actions:

- Copy the CloudFront distribution domain name.
- Paste it into a browser.
- Initially, you may encounter 'Access Denied' due to bucket permissions.

This XML file does not appear to have any style information associated with it. The document tree is shown below.


```
<?xml version="1.0" encoding="UTF-8" ?>
<Error>
  <Code>AccessDenied</Code>
  <Message>Access Denied</Message>
</Error>
```

Step 5: Update CloudFront Settings

Grant CloudFront the necessary permissions to access your S3 bucket.

Actions:

- Navigate to your CloudFront distribution.
- Select 'Origins' and click 'Edit'.
- Change 'Origin access' from Public to 'Origin Access Control (OAC)'.
- Create a new OAC with default settings.
- Save changes.




Step 6: Update S3 Bucket Policy

Update your S3 bucket policy to allow CloudFront access.

Actions:

- Copy the generated policy from the CloudFront distribution setup.
- Go to your S3 bucket Permissions tab.
- Edit the bucket policy and paste the copied policy.
- Save changes.



Step 7: Test Website Distribution

Verify that your website is now being served successfully through CloudFront.

Actions:

- Refresh the CloudFront distribution URL in your browser.
- Your website should load correctly this time.

