

## Assignment-1a:

Create a responsive web page of ecommerce website using HTML and CSS:

### CSS CODE:

```
* {  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
  font-family: "Poppins", sans-serif;  
}  
  
header {  
  height: 70px;  
  width: 100vw;  
  padding: 0 30px;  
  background-color: var(--background-color1);  
  position: fixed;  
  z-index: 100;  
  box-shadow: 1px 1px 15px rgba(161, 182, 253, 0.825);  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
}  
  
.logo {  
  font-size: 27px;  
  font-weight: 600;  
  color: #5aebc7e6;  
}  
  
.dp {  
  height: 40px;  
  width: 40px;  
  background-color: #626262;  
  border-radius: 50%;
```

```
display: flex;
align-items: center;
justify-content: center;
overflow: hidden;
}


.nav {
min-height: 91vh;
width: 250px;
background-color: var(--background-color2);
position: absolute;
top: 0px;
left: 00;
box-shadow: 1px 1px 10px rgba(198, 189, 248, 0.825);
display: flex;
flex-direction: column;
justify-content: space-between;
}

.navcontainer {
height: calc(100vh - 70px);
width: 250px;
position: relative;
overflow-y: scroll;
overflow-x: hidden;
transition: all 0.5s ease-in-out;
}

.navcontainer::-webkit-scrollbar {
display: none;
}

.navclose {
width: 80px;
}
```

OUTPUT:



Create a responsive web page of ecommerce website using HTML and BOOTSRAP:

CODE:

```
<title>Pranav</title>
```

```
<link rel="stylesheet" href="style.css" />
```

```
<!-- Bootstrap CSS -->
```

```
<!-- <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgplJlIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous"> -->
```

```
<!-- <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css"> -->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6Coli6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous">
```

```
<!-- Optional theme -->
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@3.3.7/dist/css/bootstrap-
theme.min.css" integrity="sha384-
rHyoN1iRsVXV4nD0JutInGaslCJuC7uwjduW9SVrLvRYooPp2bWYgmgJQIXwl/Sp"
crossorigin="anonymous">
```

```
</head>
```

```
// Navbar
```

```
<nav class="navbar navbar-expand-lg bg-body-tertiary bg-black">

  <div class="container-fluid">

    <a class="navbar-brand" href="#">Navbar</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">

      <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">

      <ul class="navbar-nav me-auto mb-2 mb-lg-0">

        <li class="nav-item">

          <a class="nav-link active" aria-current="page" href="#">Home</a>

        </li>

        <li class="nav-item">

          <a class="nav-link" href="#">Link</a>

        </li>

        <li class="nav-item dropdown">

          <a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown"
aria-expanded="false">

            Menu

          </a>

          <ul class="dropdown-menu">
```

```
<li><a class="dropdown-item" href="#">Action</a></li>

<li><a class="dropdown-item" href="#">Another action</a></li>

<li><hr class="dropdown-divider"></li>

<li><a class="dropdown-item" href="#">Something else here</a></li>

</ul>

</li>

<li class="nav-item">
    <a class="nav-link disabled" aria-disabled="true">Disabled</a>
</li>

</ul>

<form class="d-flex" role="search">
    <input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
    <button class="btn btn-outline-success" type="submit">Search</button>
</form>

</div>

</div>

</nav>
```

// Button:

```
<button type="button" class="btn btn-primary">View All</button>
```

OUTPUT :

