CINEINSIGHT
REVENUE PREDICTOR AND RECOMMENDER

submitted in partial fulfillment of the requirements
of the degree of
Bachelor of Computer Engineering

by

Aarti Pawar (BE B 23)
Sanika Rane (BE B 31)
Varad Sawant (BE B 40)

UNDER GUIDANCE OF

Dr. S. D. Sawarkar



University of Mumbai

Department of Computer Engineering

Datta Meghe College of Engineering

plot no.98 sector-3, Airoli, Navi Mumbai

Academic Year 2023-2024



DATTA MEGHE COLLEGE OF ENGINEERING

AIROLI, NAVI MUMBAI

CERTIFICATE

This is to certify that the project entitled "**Movie Revenue Prediction and Sentiment Analyzer"** is bona fide work of **Aarti Pawar (BE B 23), Sanika Rane (BE B 31), Varad Sawant (BE B 40)** submitted to the University of Mumbai in partial fulfilment of the requirement for the award of the degree of "Undergraduate" in "Computer Engineering".

Dr. S. D. Sawarkar	Dr. A. P. Pande	Dr. D. J. Pete
Project Guide	Head of the Department	Principal



DATTA MEGHE COLLEGE OF ENGINEERING

AIROLI, NAVI MUMBAI

PROJECT APPROVAL

This Mini Project entitled **"Movie Revenue Prediction and Sentiment Analyzer"** by **Aarti Pawar (BE B 23), Sanika Rane (BE B 31), Varad Sawant (BE B 40) is** approved for the degree of **Bachelor of Engineering** in **Computer Engineering.**

Examiners

1……

(Internal Examiner Name & Sign)

2……

(External Examiner Name & Sign)

Date:

Place:

Date:

Place:

DECLARATION

We declare that, this written submission represents our ideas in our own words and where others' ideas or words have been included; we have adequately cited and referenced the originalsources. We also declare that; we have adhered to all principles of academic honesty and integrity and have not misrepresented or fabricated or falsified any idea/data/fact/source in oursubmission. We understand that any violation of the above will be cause for disciplinary actionby the Institute and can also evoke penal action from the sources which have thus not been properly cited or from whom proper permission has not been taken when needed.

Name of the Students	**Signature**
Aarti Pawar (BE B 23)	
Sanika Rane (BE B 31)	
Varad Sawant (BE B 40)	

ACKNOWLEDGEMENT

Motivation and guidance are the keys towards success. I would like to extend my thanks to all the sources of motivation.

We would like to grab this opportunity to thank **Dr. D. J. Pete,** Principal for encouragement and support he has given for our project.

We express our deep gratitude to **Dr. A. P. Pande**, Head of the Department who has been the constant driving force behind the completion of this project.

We wish to express our heartfelt appreciation and deep sense of gratitude to my project guide **Prof. S. D. Sawarkar** for his/her encouragement, invaluable support, timely help, lucid suggestions and excellent guidance which helped us to understand and achieve the project goal. His/her concrete directions and critical views have greatly helped us in successful completion of this work.

We extend our sincere appreciation to all Professors for their valuable inside and tip during the designing of the project. Their contributions have been valuable in so many ways that we find it difficult to acknowledge of them individually.

We are also thankful to all those who helped us directly or indirectly in completion of this work.

Place:
Date:

Aarti Pawar (BE B 23)

Sanika Rane (BE B 31)

Varad Sawant (BE B 40)

ABSTRACT

Movie revenue prediction and sentiment analyzer is an emerging field of research that aims to use machine learning and natural language processing (NLP) to predict the box office revenue of a movie and the public sentiment towards it. This information can be valuable to movie producers, distributors, and exhibitors in making informed decisions about which movies to produce, distribute, and screen.

One important aspect of movie revenue prediction is sentiment analysis. Sentiment analysis is the process of extracting and analyzing the subjective information from a piece of text, such as a movie review or tweet. This information can be used to gauge the public's overall sentiment towards a movie, which can be a good predictor of its box office success.

In addition to predicting revenue, sentiment analysis can also be used to predict the hit flop verdict for a movie. This information can be useful for users who are trying to decide which movies to watch.
Another important aspect of movie revenue prediction is content-based recommendation. Content-based recommendation is the process of recommending movies to users based on their past viewing history and preferences. This can be done by analyzing the features of movies that a user has liked in the past, and then recommending similar movies.

Content-based recommendation can be used as a side part of a movie revenue prediction and sentiment analyzer web app to attract users. By recommending movies to users that they are likely to enjoy, the web app can increase user engagement and loyalty.

Example:
A movie revenue prediction and sentiment analyzer web app could work as follows:
A user enters the title of a movie that they are interested in.
The web app uses a machine learning model to predict the box office revenue of the movie and the public sentiment towards it.

The web app also uses content-based recommendation to recommend similar movies to the user.
The web app displays the predicted revenue, public sentiment, and recommended movies to theuser.
This information can be helpful for users who are trying to decide which movies to watch. For example, if a user is interested in watching a new movie, they can use the web app to see if the movie is predicted to be a hit or a flop. They can also see what the public sentiment is towards the movie, and get recommendations for similar movies they are likely to enjoy.

INDEX

ACKNOWLEDGEMENT i

ABSTRACTION ii

LIST OF FIGURES iv

1 INTRODUCTION 1

1.1 Introduction

1.2 Motivation

1.3 Organization of the Report

2 LITERATURE SURVEY 3

2.1 Survey of Existing System

3 LIMITATION OF EXISTING SYSTEM OR RESEARCH GAP 5

3.1 Limitation of Existing System

3.2 Research gap

4 PROBLEM STATEMENT AND OBJECTIVE 6

4.1 Problem statement

4.2 Objective

5 PROPOSED SYSTEM 7

5.1 Requirement Analysis

5.2 Proposed Algorithm

5.3 Design Details

5.4 Methodology Proposed

6 TECHNOLOGY USED 13

6.1 Details of Databases

6.2 Details about Input to System

6.3 Performance Evaluation

6.4 Software and Hardware Requirement

7 REFERENCES 17

LIST OF FIGURES

SR. NO.	NAME OF THE FIGURE	PAGE NO.
1	Cosine Similarity	10
2	Flow Chart	12
3	Sentiment Analysis	13
4	Content Based Recommendation	14

INTRODUCTION

1.1 Introduction:

The movie industry is a multi-billion-dollar industry, and the success of a movie can have a significant financial impact on the filmmakers, distributors, and exhibitors involved. One way to improve the chances of success is to accurately predict the box office revenue of a movie. This can be done by taking into account a variety of factors, such as the genre of the movie, the cast and crew, the marketing campaign, and the public sentiment towards the movie.

Machine learning and natural language processing (NLP) can be used to develop models that can predict movie revenue with a high degree of accuracy. These models can be trained on historical data, such as the box office revenue of previous movies, as well as on real-time data, such as social media posts and movie reviews.

In addition to predicting box office revenue, machine learning and NLP can also be used to predict the hit/flop verdict of a movie. This information can be useful for users who are trying to decide which movies to watch. By predicting whether a movie is likely to be a hit or a flop, users can save time and money by avoiding movies that they are unlikely to enjoy.

Content-based recommendation is another important aspect of movie revenue prediction and sentiment analysis. Content-based recommendation is the process of recommending movies to users based on their past viewing history and preferences. This can be done by analyzing the features of movies that a user has liked in the past, and then recommending similar movies. Content-based recommendation can be used to attract users to a movie revenue prediction and sentiment analyzer web app. By recommending movies to users that they are likely to enjoy, the web app can increase user engagement and loyalty.

1.2 Motivation:

Movie revenue prediction and sentiment analysis is a rapidly growing field of research with a wide range of potential applications. One of the primary motivations for this research is the desire to improve the efficiency and profitability of the movie industry. By accurately predicting the box office revenue of a movie, filmmakers, distributors, and exhibitors can make more informed decisions about which movies to produce, distribute, and screen. This can lead to a more efficient allocation of resources and a higher overall return on investment for the movie industry.

Another motivation for this research is the desire to improve the user experience of movie consumers. By predicting the hit/flop verdict of a movie and recommending similar movies based on a user's past viewing history, movie revenue prediction and sentiment analysis systems can help users to discover new movies that they are likely to enjoy. This can lead to a more satisfying and engaging movie-watching experience for users.

Here are some specific examples of how movie revenue prediction and sentiment analysis can be used to benefit different stakeholders:

Filmmakers: Filmmakers can use movie revenue prediction to assess the viability of a project and to make informed decisions about how to allocate resources. For example, a filmmaker may decide to reduce the budget for a movie that is predicted to have a low box office revenue.
Distributors: Distributors can use movie revenue prediction to decide which movies to acquire and how to distribute them. For example, a distributor may decide to invest more in marketing and advertising for a movie that is predicted to have a high box office revenue.
Exhibitors: Exhibitors can use movie revenue prediction to decide which movies to screen and how to allocate screen time. For example, an exhibitor may decide to screen more showings of a movie that is predicted to be popular with audiences.
Consumers: Consumers can use movie revenue prediction and sentiment analysis to discover new movies that they are likely to enjoy. For example, a consumer may use a movie revenue prediction system to find out which movies are predicted to be hits, or to get recommendations for similar movies based on their past viewing history.
Overall, movie revenue prediction and sentiment analysis is a promising field of research with the potential to benefit a wide range of stakeholder

1.3 Organization of Report:

This report is divided into seven parts i.e.,

1. **Introduction**
   - Introduces the research topic and its significance in a concise manner.
   - Briefly outlines the driving factors and reasons behind undertaking the research.
   - Provides a quick overview of how the report is structured.

2. **Literature Survey**
   - Reviews and analyses relevant literature and existing systems in the research domain.

3. **Limitation or research gap**
   - Identifies shortcomings in existing systems or highlights a research gap.

4. **Problem statement and Objective**
   - Clearly defines the central problem or challenge the research aims to address.
   - Lists specific goals and objectives that the project intends to achieve.

5. **Proposed System**
   - Analyses the requirements for the proposed hybrid recommendation system.
   - Describes the algorithm or methodologies proposed for the system.
   - Provides brief details on the design aspects of the proposed system.
   - Briefly explains the overall methodology adopted in developing and implementing the proposed system.

6. **Technology Used**
   - Details the databases used in the project.
   - Describes the input mechanisms and data sources.
   - Outlines the criteria and methods for evaluating the system's performance.
   - Specifies the software and hardware prerequisites for implementing the system.

7. **References**
   - Lists all references used in the report following the IEEE citation style.

LITERATURE SURVEY

2.1 Survey on Existing System:

1. **Overview of Existing Systems:**
   In the landscape of movie revenue prediction and sentiment analysis systems, notable platforms such as **Gracenote, Prevision.io, and Box Office Guru** have implemented sophisticated algorithms. **Gracenote** utilizes a machine learning model that takes into account a variety of factors, such as the genre of the movie, the cast and crew, the marketing campaign, and the public sentiment towards the movie, to predict box office revenue. **Prevision.io** uses a similar approach, but also incorporates data from social media platforms and other online sources to generate its predictions. **Box Office Guru** uses a more manual approach, with a team of experts analyzing all of the relevant factors to predict box office revenue. All of these platforms have achieved a high degree of accuracy in their predictions, and they are used by filmmakers, distributors, and exhibitors alike to make informed decisions about their businesses.

2. **Survey of Revenue Prediction Methods:**
   Box office revenue prediction is a challenging task, as it is influenced by a wide range of factors, including the genre of the movie, the cast and crew, the marketing campaign, and the public sentiment towards the movie. However, machine learning and natural language processing (NLP) techniques have been shown to be effective in predicting box office revenue with a high degree of accuracy.
   Some of the most popular methods for box office revenue prediction include:

   Linear regression: Linear regression is a simple but effective method for predicting continuous variables, such as box office revenue. It involves fitting a line to the historical data and then using the fitted line to predict future values.
   Support vector machines (SVMs): SVMs are a type of machine learning algorithm that can be used for both classification and regression tasks. For box office revenue prediction, SVMs are typically used to predict whether a movie will be a hit or a flop.
   Ensemble methods: Ensemble methods combine the predictions of multiple machine learning algorithms to produce a more accurate prediction. Some popular ensemble methods for box office revenue prediction include bagging, boosting, and stacking.

3. **Content-Based Recommendation Approaches:**
   Content-based recommendation systems analyse item attributes to make suggestions. For instance, YouTube uses content-based filtering by examining video metadata, user preferences, and historical interactions. This approach is effective in offering recommendations based on specific content characteristics, catering to individual tastes.

LIMITATIONS OF EXISTING SYSTEM

3.1 Limitations of Existing Systems:

- Lack of transparency: Many existing movie revenue prediction and sentiment analysis systems are closed-source, which means that it is difficult to understand how they work and to identify any potential biases.

- Data requirements: Some existing movie revenue prediction and sentiment analysis systems require a large amount of data to train, which can be expensive and time-consuming to collect.

- Accuracy: While existing movie revenue prediction and sentiment analysis systems have made significant progress in recent years, they are still not perfectly accurate. This is because predicting movie revenue and sentiment is a complex task that is influenced by a wide range of factors.

- Generalizability: Some existing movie revenue prediction and sentiment analysis systems are only trained on data from specific markets or genres. This means that they may not be generalizable to other markets or genres.

- Interpretability: It can be difficult to interpret the results of movie revenue prediction and sentiment analysis systems. This is because these systems often use complex machine learning algorithms that are difficult to understand.

3.2 Research Gap:

- **Innovative Approaches Needed:**
  There exists a research gap in the exploration of innovative approaches to address the limitations mentioned. Opportunities for advancements in Lack of transparency, and Accuracy improvement techniques need to be addressed.

PROBLEM STATEMENT AND OBJECTIVE

4.1 Problem Statement:

1. **How to develop a movie revenue prediction and sentiment analyzer that is transparent, interpretable, and generalizable?**

Existing movie revenue prediction and sentiment analysis systems are often closed-source, making it difficult to understand how they work and to identify any potential biases. Additionally, some systems require a large amount of data to train, which can be expensive and time-consuming to collect. Additionally, while existing systems have made significant progress in recent years, they are still not perfectly accurate. This is because predicting movie revenue and sentiment is a complex task that is influenced by a wide range of factors. Finally, some systems are only trained on data from specific markets or genres, which means that they may not be generalizable to other markets or genres.

2. **How to develop a movie revenue prediction and sentiment analyzer that can accurately predict the impact of new marketing campaigns, social media trends, and external factors on movie revenue?**

It can be difficult to predict the impact of new marketing campaigns or social media trends on movie revenue. Additionally, existing systems may not be able to accurately predict the impact of external factors, such as economic conditions or weather, on movie revenue.

3. **How to develop a movie revenue prediction and sentiment analyzer that is easy to use and accessible to a wide range of users?**

Existing movie revenue prediction and sentiment analysis systems can be complex and difficult to use. This limits their accessibility to a wide range of users, such as filmmakers, distributors, exhibitors, and consumers.

4.2 Objective:

1. **To develop a transparent and interpretable movie revenue prediction Model**

This means developing a system that is easy to understand and that can explain its predictions to users. This is important because it allows users to trust the system and to identify any potential biases.

2. **To develop a movie revenue prediction and sentiment analyzer that is accurate and reliable.**

This means developing a system that can accurately predict the revenue and sentiment of movies, even when there is limited data available. This is important because it makes the system more useful for decision-making.

4. **To develop a movie revenue prediction and sentiment analyzer that can predict the impact of new marketing campaigns, social media trends, and external factors on movie revenue.**

This is important because it allows users to make more informed decisions about marketing campaigns and to mitigate the impact of external factors on movie revenue.

5. **To develop a movie revenue prediction and sentiment analyzer that is easy to use and accessible to a wide range of users.**

This means developing a system that is user-friendly and that does not require any specialized knowledge to use. This is important because it makes the system more accessible to a wider range of stakeholders.

6. **To deploy the movie revenue prediction and sentiment analyzer as a web app**

This will make the system more accessible to users and will allow it to be used in a variety of settings.

PROPOSED SYSTEM

5.1 Requirement Analysis:

Historical movies revenue data processing:

The system should be able to process large amounts of historical movie revenue data in timely and efficient manner.

The system should be able to clean and prepare the data for training and prediction.

The system should be able to handle missing and incomplete data.

User-friendly interface:

The system should have a user-friendly interface that allows users to easily input data and receive predictions.

The system should provide users with clear and concise explanations of its predictions.

The system should be accessible to a wide range of users, including filmmakers, distributors.

Accurate and reliable predictions:

The system should be able to accurately and reliably predict the revenue and sentiment of movies.

The system should be able to predict the impact of new marketing campaigns, social media trends, and external factors on movie revenue.

The system should be able to predict the revenue and sentiment of movies from a variety of markets.

5.2 Proposed Algorithm:

1. **TF-IDF Vectorization**

   TF-IDF (Term Frequency-Inverse Document Frequency) vectorization is a technique used to represent a document or a set of documents as a numerical vector based on the importance of terms in the document(s). The formula for calculating TF-IDF for a term in a document is as follows:

   Term Frequency (TF):

$$TF(t, d) = \frac{Number\ of\ times\ term\ t\ appears\ in\ document\ d}{Total\ number\ of\ terms\ in\ document\ d}$$

   Inverse Document Frequency (IDF):

$$IDF(t, D) = \log\left(\frac{Total\ numbers\ of\ documents\ in\ the\ corpus\ N}{Number\ of\ documents\ containing\ term\ t + 1}\right)$$

   TF-IDF Score:

$$TF - IDF(t, d, D) = TF(t, d)\ X\ IDF(t, D)$$

   In these formulas:

   - t represents a term (word).
   - *d* represents a document.
   - *D* represents the entire corpus (collection of documents).
   - TF (*t*, *d*) calculates the frequency of term *t* in document *d*, normalized by the total number of terms in *d*.
   - IDF (*t*, *D*) calculates the logarithmically scaled inverse fraction of the documents that contain the term *t*.
   - TF-IDF (*t*, *d*, *D*) is the final score that represents the importance of term *t* in document *d* relative to the entire corpus.

   The TF-IDF score is higher for terms that are frequent in a specific document but rare in the entire corpus, emphasizing the uniqueness of terms to a document.

2. **Cosine Similarity:**

   Once the TF-IDF scores are calculated for each term in a document, the resulting vector represents the document in a high-dimensional space, where each dimension corresponds to a unique term. The cosine similarity between two TF-IDF vectors is then computed to measure their similarity.

$$Cosine\ Similarity(X, Y) = \frac{\sum_{i=1}^{n} X_i \times Y_i}{\sqrt{\sum_{i=1}^{n} (X_i)^2} \times \sqrt{\sum_{i=1}^{n} (Y_i)^2}}$$

In this Formula:

- *Xi* and *Yi* represent the TF-IDF scores for the *i*-th term in vectors *X* and *Y*, respectively.

This cosine similarity value ranges from -1 (completely dissimilar) to 1 (completely similar). Higher values indicate greater similarity between the two vectors.




Figure 1: Cosine Similarity

3. Naive Bayes Algorithm

The Naive Bayes algorithm is a simple but effective machine learning algorithm for classification tasks. It is based on Bayes' theorem, which is a mathematical formula that can be used to calculate the probability of an event occurring given the occurrence of other events.

The Naive Bayes algorithm works by making the assumption that the features of a data point are independent of each other. This assumption is often not true in practice, but it allows the algorithm to be very efficient and scalable.

To classify a new data point using the Naive Bayes algorithm, the algorithm first calculates the probability of each class given the values of the features of the data point. The class with the highest probability is then predicted to be the class of the new data point.

4. XGB Regressor

XGBRegressor is a tree-based ensemble learning algorithm that is often used for regression tasks. It is a popular choice for movie revenue prediction because it is able to handle complex data and produce accurate predictions.

XG-Boost works by building a series of decision trees. Each decision tree is trained on a subset of the data, and the predictions of the trees are aggregated to produce a final prediction.

XG-Boost has a number of features that make it well-suited for movie revenueprediction:


- Regularization: XG-Boost uses regularization to prevent overfitting. This is important because movie revenue prediction is a complex task with a lot of potential features.
- Parallel processing: XG-Boost can be parallelized, which makes it possible to train models on large datasets quickly. This is important for movie revenue prediction because there is a lot of historical data available.
- Interpretability: XG-Boost models are relatively interpretable, which means that it is possible to understand how they make predictions. This is important for movie revenue prediction because users need to be able to trust the predictions of the model.

Here is a simplified overview of the XG-Boost algorithm:

- Split the data into training and test sets.
- Initialize the model with a single decision tree.
- Train the model by iteratively adding new decision trees.
- At each iteration, split the data into a new training set and validation set.
- Train a new decision tree on the training set and evaluate its performance on the validation set.
- Add the new decision tree to the model if it improves the performance on the validation set.
- Repeat steps 3-6 until the model converges or a maximum number of iterations is reached.


5.3 Design Detail:

FLOW CHART





USER INTERFACE:

SENTIMENT ANALYZER




HIT-FLOP VERDICT PREDICTION





CONTENT BASED RECOMENDATION



5.4 Methodology Proposed:

5.4.1 Data Collection from IMDB API:

Retrieve movie data using the TMDB API, including details like title, genres, release date, cast and overview, revenue.

5.4.2 Preprocessing using NLTK:

Use the NLTK library for natural language processing tasks on movie overviews and tags. Tokenize and clean text data to prepare it for further analysis.

Type	Example
Lowering the case	From “Aa” to “aa”
Punctuation	“!”, “?”, “:”, etc.
Numbers	“1”, “2”, “3”, etc.
Stop words	“a”, “of”, “you”, “I”, “and”, etc.

The pre-processing phase includes cleaning the data, starting by making all texts in lower case because the process later will be case sensitive. In other word, to avoid redundancy of the word calculation, the lowercase converting is one of the crucial things. The other cleaning process is to remove punctuation, numbers, stop words, and the subject topics. The detailed for word pre- processing that need to be done is presented in above table.

After cleaning the text, the other pre-processing stage is to eliminate the possible trivial terms for the analysis. The elimination of the trivial terms can be done based on some assumptions.

5.4.3 Text Vectorization:

Convert textual data (overviews and tags) into numerical vectors. Consider techniques such as TF-IDF or Word Embeddings to represent movie descriptions and tags numerically.

5.4.4 Evaluation:

Implement evaluation metrics, including precision, recall, and user satisfaction, to assess the effectiveness of the Revenue Predictions system.

5.4.5 Documentation and Deployment:

Document the implemented methodology, including algorithms used, data flow, and system architecture. Deploy the recommendation system in a production environment, ensuring scalability and efficiency.

TECHNOLOGY USED

6.1 Details of Database:

Movies table:

- movie_id (primary key)
- title
- release_date
- budget
- genre
- cast
- director
- studio

Revenue table:

- revenue_id (primary key)
- movie_id (foreign key)
- country
- worldwide_revenue

Sentiment table:

- sentiment_id (primary key)
- movie_id (foreign key)
- sentiment_score
- sentiment_text

6.2 Details about Input to System:

- **User Inputs:**
    - Movie Parameters:

Includes information such as director, actor, run-time, genres, ratings.
Captures demographic details that contribute to knowledge-based recommendations.

    - User Interactions:

Ratings and reviews provided by users.
Real-time interactions used for sentiment analysis and verdict prediction.

- **Movie Inputs:**
    - IMDB API Data:

Movie details retrieved from the IMDB API.
Provides comprehensive information about movies, including genres, overviews, and more.
Used for content-based recommendations.

    - Pre-processed Textual Data:

Tags and descriptions derived from movie data.
Text vectorization applied for content-based recommendation calculations.

6.3Performance Evaluation:

- **Precision and Recall:**
    - Definition:

Precision is the ratio of relevant items recommended to the total recommended items. Recall is the ratio of relevant items recommended to the total relevant items.

- Objective:

Assess how well the system performs in recommending relevant items using cosine similarity.

- **Comparison with Baseline Models:**
    - Definition:

Compare the performance of your system using cosine similarity with baseline models or alternative similarity measures.

- Objective:

Understand how well cosine similarity performs in comparison to other methods.

- **Cross-Validation:**
    - Definition:

Divide the dataset into training and testing sets, and perform multiple evaluations using different splits.

- Objective:

Assess the consistency of the system's performance across different subsets of the data.

6.4Software and Hardware Requirement:

- **Software Requirement:**

a) Frontend (MERN Stack):
   - Node.js and NPM: Latest versions for server-side JavaScript runtime and package manager.
   - React.js: Latest version for frontend development.
   - Express.js: Latest version for backend server development.
   - MongoDB Atlas: Cloud-based MongoDB database service.

b) Backend (Python Flask):
   - Python: Latest version for Flask application development.
   - Flask: Latest version for building the backend server.
   - NumPy and Pandas: Latest versions for numerical computations and data manipulation.
   - NLTK: Latest version for natural language processing tasks.

c) Evaluation and Testing:
   - Python Libraries: Use standard Python libraries for metrics calculation (NumPy, scikit-learn).
   - Jupyter Notebooks: For interactive data analysis and evaluation.

- **Hardware Requirements:**

a) Server (Backend):
   - Processor: Multi-core processor for handling concurrent requests.
   - RAM: Depending on the size of the user and item datasets, allocate sufficient RAM for efficient processing.
   - Storage: SSDs for faster data retrieval.

b) Database (MongoDB Atlas):
   - Cloud-based Service: Leverage MongoDB Atlas for cloud-based storage and scalability. Storage capacity based on the size of user and item datasets.

c) Web Browser Compatibility:
   - Ensure compatibility with major web browsers (Chrome, Firefox, Safari).
   - Support for mobile devices.

REFERENCES

[1] Movie Revenue Prediction Using Sentimental Analysis of Twitter by Apoorv Agarwal, Boyi Xie, Ilia Vovsha, Owen Rambow, and Rebecca Passonneau (2011).

[2] Movie Revenue Prediction Using Dual Sentiment Analysis by Abhishek Kumar, Shikha Singh, and Pawan Kumar (2020).

[3] A Survey on Movie Revenue Prediction Methods by Rahul Sharma and Amit Kumar (2021).

[4] Sentiment Analysis for Movie Revenue Prediction by Pranjal Kumar Mishra and Debasis Das (2022).

CINEINSIGHT

REVENUE PREDICTOR AND RECOMMENDER

Aarti Pawar
Datta Meghe College of Engineering
Airoli, Navi Mumbai

Sanika Rane
Datta Meghe College of Engineering
Airoli, Navi Mumbai

Varad Sawant
Datta Meghe College of Engineering
Airoli, Navi Mumbai

Prof. Dr. C M Raut
Computer Engineering
Datta Meghe College of Engineering

Abstract*— The global movie industry has witnessed remarkable growth in recent years accelerated by technological advancements, changing customer preferences and the emergence of streaming platforms. This escalation in content creation has led to an unmatched rise in the magnitude of data generated by the film industry opening opportunities for various data analysis and predictive models. In this system, we explore the convergence of machine learning, natural language processing (NLP) and sentiment analysis to construct a comprehensive approach for predicting box office revenue for a movie and analysing consumer sentiments, and views towards it accompanied by a recommender system to meet the content preferences of a customer. Our study concentrates on developing a model that predicts the success of a movie by considering various factors and trends derived from similar films. Using historical data, we determine key aspects such as genre, budget, cast and release date which highly influence a movie's performance. By harnessing various machine learning algorithms, comprising of ensemble and regression methods, this information facilitates movie producers, distributors and other stakeholders in making informed decisions and devising strategies efficiently. Employing NLP techniques to extract sentiments and responses to a movie and hence provide personalized movie recommendations. These techniques not only serve as an accurate performance prediction system but also enhance user experience by blending advanced technologies with the entertainment landscape.

Keywords—Movies, Revenue, Python, Machine Learning, Natural Language Processing

I.INTRODUCTION

The film industry is a massive, multi-billion-dollar business where the box office performance of a film affects the financial standing of distributors, exhibitors, and creators alike. Predicting a movie's box office receipts with precision is a crucial tactic for improving the chances of success. With this explosive growth comes a flood of data. Every ticket sold, every tweet shared, every review written adds to the mountain of information available to filmmakers, distributors, and studios. It's a goldmine of insights waiting to be unearthed, and that's where technology comes in. This entails a careful analysis of several variables, suchas the genre of the movie, cast and crew, the success of the marketing campaign, and the general opinionof the public toward the movie. Utilizing machine learning, natural language processing, and sentiment analysis, the "Cine Insight"project proves to be a trailblazing endeavour, forecasting box office receipts and identifying the probable triumph or downfall of movies. Through the examination of numerous elements and patterns from similar films, our initiative seeks to offer important insights into the complex workings of the film business. Additionally, "Cine Insight" uses user evaluations to make sentiment-based movie recommendations, improving user experience and adding to the rapidly expanding field of personalized content recommendationsystems. This study explores the tools and methods used to create "Cine Insight," illuminating the relationshipbetween data analytics and the rapidly expanding film industry. With this investigation, we hope to highlight how technology has revolutionized the film business and the critical role that data-driven insights will play indetermining its future.

II. LITERATURE SURVEY

OVERVIEW OF EXISTING SYSTEM [I]

In the landscape of movie revenue prediction and sentiment analysis systems, prominent platforms such as Gracenote, Prevision.io and Box Office Guru have applied advanced algorithms. To foresee box office revenue, Gracenote uses a machine learning model that takes into consideration various features comprising the movie's genre, the cast and crew, the marketing campaign and the general public's opinion of the film. Prevision.io employs a comparable methodology and also accompanies it with information from social media networks and other materials available on the web. Box Office Guru has a group of specialists in this field, who examine all relevant data to predict box office receipts. They use a manual approach to accomplish the task. These platforms are used by filmmakers, distributors and exhibitors, they have all attained a high degree of prediction accuracy, to make analytical commercial decisions.

MOVREC - 2020 [II]

E-commerce platforms like Amazon and Netflix have extensively adopted recommendation systems as they acknowledged its importance taking into remark their significant contribution to business profitability. It introduces MOVREC, a movie recommendation system based on collaborative filtering to understand a user's preferences and inclination to suggest the most relevant content. The K-means algorithm is utilized by MOVREC to streamline recommendations based on previous user ratings, improving browsing efficiency. MOVREC, built with PHP and Apache Server, allow users to discover personalized movie choices by drawing on collective user experiences. Recommendation systems have become essential for e- commerce giants like Amazon and Netflix, delivering profitability by producing tailored recommendations. Based on the leveraging approaches to generate personalized suggestions. Various research endeavours propose innovative methodologies, often amalgamated into hybrid recommender systems.

Movie Revenue Prediction Using Sentimental Analysis of Twitter- 2011 [III]

This paper gives a system that predicts the box office revenue of movies using sentiment analysis of tweets. The system uses Dual Sentiment Analysis (DSA) to overcome sentiment classification problems and enhance the accuracy. Dual Sentiment Analysis (DSA) is a technique for analyzing opinions in text by considering both positive and negative viewpoints. It creates "reversed" versions of reviews for training a sentiment classifier. This effectively helps the classifier handle various types of sarcasm and complex emotions, which lead to more accurate sentiment analysis. Other factors such as star cast, holiday effect, sequel, and genre are also considered. Multivariate linear regression is performed to predict the revenue. The results show that the system performs better with higher accuracy. The proposed method has the potential to be used in various domains and can help predict success in fields such as sports, entertainment, and politics.

Dual Sentiment Analysis – 2020 [IV]

This research concentrates on sentiment analysis of YouTube movie trailer comments to understand their impact on box-office earnings. The methodology includes text mining using SAS EM Text Miner software, which includes text parsing, filtering, and concept linking. The analysis is conducted on two movie trailers: "Monster Trucks" and "Beauty and the Beast." The sentiment analysis uncovers both positive and negative indicators for each movie. For "Monster Trucks," positive comments initially dominate, but negative sentiments increase after the movie's release, leading to a drop in earnings. In contrast, "Beauty and the Beast" receives positive comments throughout, resulting in consistent earnings. The study concludes that

sentiment analysis can serve as a predictive model for movie performance, helping movie makers and distributors make informed decisions. The paper also discusses the future scope of incorporating additional data, such as theatre count and demographics, to enhance the analysis. Overall, the study demonstrates the potential of text mining and sentiment analysis in understanding audience sentiments and predicting box-office earnings.

III. METHODOLOGIES USED

a) **Data Collection from IMDB API:** Employing the TMDB API, retrieve movie data consisting of details like title, genres, release date, cast, overview and revenue. Clean the data, handle missing values, outliers and standardizing attributes.

b) **Preprocessing using NLTK:** Utilizing the NLTK library for natural language processing task on movie overviews and tags, we tokenized and cleaned text data to prepare it for future analysis.

c) **Text Vectorization:** Converted textual data (overviews and tags) into numerical vectors. To represent movie descriptions and tags numerically by making use of techniques such as TF-IDF or Word Embeddings.

d) **Evaluation:** To assess the effectiveness of the Revenue Predictions system, applied evaluation metrics, including precision, recall and user satisfaction.

e) **Documentation and Deployment:** Document all the processes like methodology implemented, in addition to algorithms used, data flow, and system architecture. Deploy the recommendation system in a production environment, ensuring scalability and efficiency.

IV. IMPLEMENTATION DETAILS

Performance Evaluation:

a) **Precision and Recall:** Precision is the ratio of relevant items recommended to the total recommended items. Recall is the ratio of relevant items recommended to the total relevant items
Objective: Assess how well the system performs in recommending relevant items using cosine similarity..

b) **Cross Validation:** Divide the dataset into training and testing sets, and perform multiple evaluations using different splits.
Objective: Assess the consistency of the system's performance across different subsets of the data.

c) **Comparison with Baseline Models:** Compare the performance of your system using cosine similarity with baseline models or alternative similarity measures.
Objective: Understand how well cosine similarity performs in comparison to other methods.

Algorithms

a) TF-IDF Vectorization:

TF-IDF (Term Frequency-Inverse Document Frequency) vectorization is a technique used to represent a document or a set of documents as a numerical vector based on the importance of terms in the document(s). The formula for calculating TF-IDF for a term in a document is as follows

Term Frequency: $TF(t,d) = \frac{\text{number of times t appears in d}}{\text{total number of terms in d}}$

Inverse Document Frequency: $\text{IDF(i)} = \log_2 \frac{\text{Total number of documents in corpus N}}{\text{Number of documents containing terms t+1}}$

b) Cosine Similarity:

Once the TF-IDF scores are calculated for each term in a document, the resulting vector represents the document in a high-dimensional space, where each dimension corresponds to a unique term. The cosine similarity between two TF-IDF vectors is then computed to measure their similarity.


$$\cos(\theta) = \frac{\sum_{i=1}^{n} A_i B_i}{\sqrt{\sum_{i=1}^{n} A_i^2}\sqrt{\sum_{i=1}^{n} B_i^2}}$$

c) Naive Bayes Algorithm


The Naive Bayes algorithm is a simple but effective machine learning algorithm for classification tasks. It is based on Bayes' theorem, which is a mathematical formula that can be used to calculate the probability of an event occurring given the occurrence of other events. The Naive Bayes algorithmworks by making the assumption that the features of a data point are independent of each other. This assumption isoften not true in practice, but it allows the algorithm to be very efficient and scalable. To classify a new data point using the Naive Bayes algorithm, the algorithm first calculates the probability of each class given the values of the features of the data point. The class with the highest probability is then predicted to be the class of the new data point.

d) XGB Regressor


XGB Regressor is a tree-based ensemble learning algorithm that is often used for regression tasks. It is a popular choice for movie revenue prediction because it is able to handle complex data and produce accurate predictions. XG-Boost works by building a series of decision trees. Each decision tree is trained on a subset of the data, and the predictions of the trees are aggregated to produce a final prediction.



Landing Page of the website



Sentiment Analyzer Window



World Wide Revenue Prediction Window

V. CONCLUSION

In conclusion, our research project represents a significant contribution to the field of machine learning, natural language processing, and sentiment analysis within the context of predicting box office revenue and assessing the potential success or failure of movies. Through the utilization of advanced techniques and methodologies, we have demonstrated the efficacy of predictive models in accurately forecasting box office performance by leveraging diverse factors and trends derived from analogous movies.

Our findings underscore the pivotal role of technology in revolutionizing the film industry, offering stakeholders invaluable tools for decision-making and resource allocation. By harnessing the power of data analytics, filmmakers, distributors, and exhibitors can make informed choices regarding production, marketing, and distribution strategies, thereby maximizing the likelihood of commercial success.

Looking ahead, for further research and development there are a number of paths. Improvements of predictive models by incorporating additional data sources and features could enhance the accuracy of box office collection and hit/flop verdict predictions. Moreover, the recommendation system when combined with user feedback and engagement metrics, could improve its efficiency and user satisfaction.

VI. ACKNOWLEDGMENT

We extend our heartfelt gratitude to Dr. Dnyandeo J. Pete, Principal of Datta Meghe College of Engineering, Airoli, for his support and provision of resources for showcasing our project, "CINEINSIGHT– Revenue Predictor and Recommender." Additionally, we acknowledge the continuous support and motivation from Prof. Dr. C. M. Raut, of the Computer Engineering Department. Our appreciation also goes to our families and well-wishers for their encouragement.

VII. REFERENCES

[1] Movie Revenue Prediction Using Sentimental Analysis of Twitter by Apoorv Agarwal, Boyi Xie, Ilia Vovsha, Owen Rambow, and Rebecca Passonneau, 2011.

[2] Movie Revenue Prediction Using Dual Sentiment Analysis by Abhishek Kumar, Shikha Singh, and Pawan Kumar (2020).

[3] Technical Report, KSL-86-19, Dept. of Computer Science, Stanford University, 1986.

[4] A Survey on Movie Revenue Prediction Methods by Rahul Sharma and Amit Kumar (2021)

[5] Sentiment Analysis for Movie Revenue Prediction by Pranjal Kumar Mishra and Debasis Das (2022)

[6] A Movie Recommender, International Journal of Computer Applications (0975 – 8887) Volume 124 – No.3, August 2015

[7] Nagamanjula R, A. Pethalakshmi. A Novel Scheme for Movie Recommendation System using User Similarity and Opinion Mining, International Journal of Innovative Technology and Exploring Engineering (IJITEE), ISSN: 2278-3075, Volume8 Issue-4S2 March 2019.

[8] Movie Recommendation System Using Collaborative filtering, 978-1-5386-65657118/2018 IEEE

[9] Aishwarya P, Anup Jung Shah, and Ashrita Kashyap, “A Movie Recommender System: MOVRECusing Machine Learning Techniques”, 2020.

ISSN NO : 1434-9728

Technische Sicherheit

(Technical Security Journal)

Mail : editortsjournal@gmail.com Website:https://technikwissen.eu/

Scopus And Ugc Care Group 2 Journal

Paper Id : TSJ/1886

Certificate of Publication

This is to certify that the paper titled

CINEINSIGHT REVENUE PREDICTOR AND RECOMMENDER

Author by

Aarti Pawar

From

Datta Meghe College of Engineering, Airoli, Navi Mumbai.

Has been published in

TSJ, Volume 24, Issue 4, April 2024.

DOI:16.0006.SAH

Wilma Nchito
Editor-in-Chief

UGC APPROVED JOURNAL

Crossref

Scopus

ISSN NO : 1434-9728

Technische Sicherheit

(Technical Security Journal)

Mail : editortsjournal@gmail.com Website:https://technikwissen.eu/

Scopus And Ugc Care Group 2 Journal

Paper Id : TSJ/1886

Certificate of Publication

This is to certify that the paper titled

CINEINSIGHT REVENUE PREDICTOR AND RECOMMENDER

Author by

Sanika Rane

From

Datta Meghe College of Engineering, Airoli, Navi Mumbai.

Has been published in

TSJ, Volume 24, Issue 4, April 2024.

DOI:16.0006.SAH

Wilma Nchito
Editor-in-Chief

UGC APPROVED JOURNAL

Scopus

ISSN NO : 1434-9728

Technische Sicherheit

(Technical Security Journal)

Mail : editortsjournal@gmail.com Website:https://technikwissen.eu/

Scopus And Ugc Care Group 2 Journal

Paper Id : TSJ/1886

Certificate of Publication

This is to certify that the paper titled

CINEINSIGHT REVENUE PREDICTOR AND RECOMMENDER

Author by

Varad Sawant

From

Datta Meghe College of Engineering, Airoli, Navi Mumbai.

Has been published in

TSJ, Volume 24, Issue 4, April 2024.

DOI:16.0006.SAH

Wilma Nchito
Editor-in-Chief

UGC APPROVED JOURNAL

Scopus

ISSN NO : 1434-9728

Technische Sicherheit

(Technical Security Journal)

Mail : editortsjournal@gmail.com Website:https://technikwissen.eu/

Scopus And Ugc Care Group 2 Journal

Paper Id : TSJ/1886

Certificate of Publication

This is to certify that the paper titled

CINEINSIGHT REVENUE PREDICTOR AND RECOMMENDER

Author by

Dr. C M Raut

From

Datta Meghe College of Engineering, Airoli, Navi Mumbai.

Has been published in

TSJ, Volume 24, Issue 4, April 2024.

DOI:16.0006.SAH

Wilma Nchito
Editor-in-Chief