




Command: LINE

Specify first point: 0,0

Specify next point or [Undo]: @1<90

Specify next point or [Undo]: @3<0

Specify next point or [Close/Undo]: @0.5<90

Specify next point or [Close/Undo]: @4.5<0

Specify next point or [Close/Undo]: @1.5<-90

Specify next point or [Close/Undo]: @1.5<180

Specify next point or [Close/Undo]: @0.5<90

Specify next point or [Close/Undo]: @4<180

Specify next point or [Close/Undo]: @0.5<-90

Specify next point or [Close/Undo]: C

Command: Regenerating model.

Command:

Command:

Sanika M. Sajwani (24k-6079)

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 1.0000

Command:

Command:

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 2.0000

Command:

Command:

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 4.0000

Command:

Command:

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 1.5000

Command:

Command:

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 1.5000

Command:

Command:

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 4.5000

Command:

Command:

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 0.5000

Command: LINE

Specify first point: 0,3

Specify next point or [Undo]: @1.5<90

Specify next point or [Undo]: @7.5<0

Specify next point or [Close/Undo]: @1.5<-90

Specify next point or [Close/Undo]: @7.5<180

Specify next point or [Close/Undo]:

Command: _dim

Select objects or specify first extension line origin or
[Angular/Baseline/Continue/Ordinate/align/Distribute/Layer/Undo]:

Specify first extension line origin or
[Angular/Baseline/Continue/Ordinate/align/Distribute/Layer/Undo]:

Specify second extension line origin or [Undo]:

Specify dimension line location or second line for angle [Mtext/Text/text angle/Undo]:

Select objects or specify first extension line origin or
[Angular/Baseline/Continue/Ordinate/align/Distribute/Layer/Undo]:

Specify first extension line origin or
[Angular/Baseline/Continue/Ordinate/align/Distribute/Layer/Undo]:

Specify second extension line origin or [Undo]:

Specify dimension line location or second line for angle [Mtext/Text/text angle/Undo]:

Select objects or specify first extension line origin or
[Angular/Baseline/Continue/Ordinate/align/Distribute/Layer/Undo]:

Command: _line

Specify first point: 2,3

Specify next point or [Undo]: @1.5<90

Sanika M. Sajwani (24k-6079)

Specify next point or [Undo]:

Command: LINE

Specify first point: 3.5,3

Specify next point or [Undo]: @1.5<90


Specify next point or [Undo]:

Command: LINE

Specify first point: 6,3

Specify next point or [Undo]: @1.5<90

Specify next point or [Undo]:



Command: CIRCLE

Specify center point for circle or [3P/2P/Ttr (tan tan radius)]: 0,0

Specify radius of circle or [Diameter]: 0.5

Command: Regenerating model.

Command: LINE

Sanika M. Sajwani (24k-6079)

Specify first point: 0.25,0

Specify next point or [Undo]: @0.25<0

Specify next point or [Undo]: @2.75<0

Specify next point or [Close/Undo]: @0.7<-135

Command: _line

Specify first point:

Specify next point or [Undo]:

Specify next point or [Undo]: Command: _mirror

Select objects: 1 found

Select objects: 1 found, 2 total

Select objects: 1 found, 3 total

Select objects:

Specify first point of mirror line:

Specify second point of mirror line:

Erase source objects? [Yes/No] <No>: N

Command: ARRAYPOLAR

Select objects: 1 found

Select objects: 1 found, 2 total

Select objects: 1 found, 3 total

Select objects: 1 found, 4 total

Select objects: 1 found, 5 total

Select objects: 1 found, 6 total

Select objects:

Type = Polar Associative = Yes


Specify center point of array or [Base point/Axis of rotation]: 0,0

Select grip to edit array or [ASsociative/Base point/Items/Angle between/Fill angle/ROWs/Levels/ROTate items/eXit]<eXit>: I

Enter number of items in array or [Expression] <6>: 3

Select grip to edit array or [ASsociative/Base point/Items/Angle between/Fill angle/ROWs/Levels/ROTate items/eXit]<eXit>:

Command: Regenerating model.



Command: LINE

Specify first point: 0,0

Specify next point or [Undo]: @4<90

Specify next point or [Undo]: @2<0

Specify next point or [Close/Undo]: @4<-90

Specify next point or [Close/Undo]: C

Command: LINE

Specify first point: 2,4

Sanika M. Sajwani (24k-6079)

Specify next point or [Undo]: @2<0

Specify next point or [Undo]: @4<-90

Specify next point or [Close/Undo]: C

Command: _u LINE

Command: LINE

Specify first point: 2,4

Specify next point or [Undo]: @2<0

Specify next point or [Undo]: @4<-90

Specify next point or [Close/Undo]: @2<180

Specify next point or [Close/Undo]:

Command: LINE

Specify first point: 4,4

Specify next point or [Undo]: @2<90

Specify next point or [Undo]: @2<0

Specify next point or [Close/Undo]: @6<-90

Specify next point or [Close/Undo]: @2<180

Specify next point or [Close/Undo]:

Command: LINE

Specify first point: 6,0

Specify next point or [Undo]: @3<0

Specify next point or [Undo]: @3<90

Specify next point or [Close/Undo]: @3<180

Specify next point or [Close/Undo]:

Command: Regenerating model.

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 4.0000

Command:

Command:

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 2.0000

Command:

Command:

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 2.0000

Command:

Command:

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 2.0000

Command:

Command:

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or

[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 3.0000

Command: HATCH

Pick internal point or [Select objects/Draw/Undo/seTtings]: _S

Select objects or [pickK internal point/Draw/Undo/seTtings]:1 found

Select objects or [pickK internal point/Draw/Undo/seTtings]:1 found, 2 total

Select objects or [pickK internal point/Draw/Undo/seTtings]:1 found, 3 total

Select objects or [pickK internal point/Draw/Undo/seTtings]:1 found, 4 total

Select objects or [pickK internal point/Draw/Undo/seTtings]:'_-hatchedit_pANGLE

Command: '_-hatchedit

>>Enter hatch option [Disassociate/Style/Properties/DRAW order/ADd boundaries/Remove boundaries/recreate Boundary/ASsociate/separate Hatches/Origin/ANnotative/hatch COlor/LAyer/Transparency] <Properties>: _p

>>Enter a pattern name or [?/Solid/User defined/Gradient] <ANSI31>: ANSI31

>>Specify a scale for the pattern <1.0000>:

>>Specify an angle for the pattern <0>:

Command: '_-hatchedit_pSOLID

Command: '_-hatchedit

>>Enter hatch option [Disassociate/Style/Properties/Draw order/Add boundaries/Remove boundaries/recreate Boundary/Associate/separate Hatches/Origin/Annotative/hatch Color/Layer/Transparency] <Properties>: _p

>>Enter a pattern name or [/?/Solid/User defined/Gradient] <ANSI31>: SOLID

Command: '._hatchedit_pANSI31'._hatchedit_pANSI32

Command: '._hatchedit

>>Enter hatch option [Disassociate/Style/Properties/Draw order/Add boundaries/Remove boundaries/recreate Boundary/Associate/separate Hatches/Origin/Annotative/hatch Color/Layer/Transparency] <Properties>: _p

>>Enter a pattern name or [/?/Solid/User defined/Gradient] <SOLID>: ANSI32

>>Specify a scale for the pattern <1.0000>:

>>Specify an angle for the pattern <0>:

Command:

Command: '._hatchedit

>>Enter hatch option [Disassociate/Style/Properties/Draw order/Add boundaries/Remove boundaries/recreate Boundary/Associate/separate Hatches/Origin/Annotative/hatch Color/Layer/Transparency] <Properties>: _p

>>Enter a pattern name or [/?/Solid/User defined/Gradient] <ANSI32>: ANSI32

>>Specify a scale for the pattern <1.0000>:

>>Specify an angle for the pattern <0>:

Command: _S

Select objects or [pick internal point/Draw/Undo/settings]:1 found

Select objects or [pick internal point/Draw/Undo/settings]:1 found, 2 total

Select objects or [pick internal point/Draw/Undo/settings]:1 found, 3 total

Select objects or [pick internal point/Draw/Undo/settings]:'._hatchedit_pSOLID

Command: '._hatchedit

>>Enter hatch option [Disassociate/Style/Properties/Draw order/Add boundaries/Remove boundaries/recreate Boundary/Associate/separate Hatches/Origin/Annotative/hatch Color/Layer/Transparency] <Properties>: _p

>>Enter a pattern name or [?/Solid/User defined/Gradient] <ANSI32>: SOLID

Command: '_-hatchedit_pANSI31

Command: '_-hatchedit

>>Enter hatch option [Disassociate/Style/Properties/Draw order/Add boundaries/Remove boundaries/recreate Boundary/Associate/separate Hatches/Origin/Annotative/hatch Color/Layer/Transparency] <Properties>: _p

>>Enter a pattern name or [?/Solid/User defined/Gradient] <SOLID>: ANSI31

>>Specify a scale for the pattern <1.0000>:

>>Specify an angle for the pattern <0>:

Command: *Cancel*

Command: HATCH

Select objects or [pick internal point/Draw/Undo/settings]: _S

Select objects or [pick internal point/Draw/Undo/settings]: 1 found

Select objects or [pick internal point/Draw/Undo/settings]: 1 found, 2 total

Select objects or [pick internal point/Draw/Undo/settings]: 1 found, 3 total

Select objects or [pick internal point/Draw/Undo/settings]: 1 found, 4 total

Select objects or [pick internal point/Draw/Undo/settings]: '_-hatchedit_pANGLE'_-hatchedit_pSOLID

Command: '_-hatchedit

>>Enter hatch option [Disassociate/Style/Properties/Draw order/Add boundaries/Remove boundaries/recreate Boundary/Associate/separate Hatches/Origin/Annotative/hatch Color/Layer/Transparency] <Properties>: _p

>>Enter a pattern name or [?/Solid/User defined/Gradient] <ANSI31>: SOLID

Command: '_-hatchedit_p_G

Command: '_-hatchedit

>>Enter hatch option [Disassociate/Style/Properties/Draw order/Add boundaries/Remove boundaries/recreate Boundary/Associate/separate Hatches/Origin/Annotative/hatch Color/Layer/Transparency] <Properties>: _p

>>Enter a pattern name or [?/Solid/User defined/Gradient] <SOLID>: _G

>>Enter a gradient name or [?/Single color/Two color] <GR_LINEAR>:

>>Specify an angle for the gradient <0>:

>>Center the gradient [Yes/No] <Yes>:

Command:

Command: _line

Specify first point: 7.5,0

Specify next point or [Undo]: @3<45

Specify next point or [Undo]: @2<45

Specify next point or [Undo]: @2<135

Specify next point or [Close/Undo]: @2<-135

Specify next point or [Close/Undo]: @2<315