ADVANCED DBMS LAB

Name: Sanio Luke Sebastian

Roll No: 35

Batch: B

Date: 06-05-2022

Experiment No.: 6

Aim

To familiarize with join or Cartesian product

Questions:

Using the lab cycle 06 database, perform the following queries.

1. Give name of customers having living city BOMBAY and branch city NAGPUR
2. Give names of customers having the same living city as their branch city
3. Give names of customers who are borrowers as well as depositors and having city NAGPUR.
4. Give names of borrowers having deposit amount greater than 1000 and loan amount greater than 2000.
5. Give names of depositors having the same branch as the branch of Sunil
6. Give names of borrowers having loan amount greater than the loan amount of Pramod
7. Give the name of the customer living in the city where branch of depositor Sunil is located.
8. Give branch city and living city of Pramod
9. Give branch city of Sunil and branch city of Anil
10. Give the living city of Anil and the living city of Sunil

Procedure & Outputs

```
create database lab_cycle_six;
use lab_cycle_six;
```

1. select d1.cname from deposit d1,customer c1,branch b1 where c1.city = 'Bombay' and b1.city = 'Nagpur' and d1.cname = c1.cname and d1.bname = b1.bname;

Result Grid | Filter Ro

cname
Anil

2. select distinct(customer.cname), branch.city FROM branch, customer where branch.city = customer.city;

Result Grid | Filter Rows:

cname	city
Anil	Bombay
Kranti	Bombay
Madhuri	Nagpur
Naren	Bombay
Pramod	Nagpur
Shivani	Bombay
Sunil	Delhi

3. select c1.cname from customer c1,deposit d1,borrow b1 where c1.city='Nagpur' and c1.cname=d1.cname and d1.cname = b1.cname;

Result Grid | Filter Row

cname
Madhuri
Pramod

4. select br1.cname, br1.amount, d1.cname, d1.amount from borrow br1,deposit d1 where d1.cname = br1.cname and d1.amount > 1000 and br1.amount > 2000;

Result Grid | Filter Rows:

cname	amount	cname	amount
Pramod	3000.00	Pramod	3000
Mehul	5000.00	Mehul	3500
Sunil	3000.00	Sunil	5000
Kranti	5000.00	Kranti	5000

5. select d1.cname from deposit d1 where d1.bname in (select d2.bname from deposit d2 where d2.cname = 'Sunil');

Result Grid | Filter Rows:

cname
Sunil

6. select br1.cname,br1.amount from borrow br1 where br1.amount > all (select br2.amount from borrow br2 where br2.cname = 'Pramod');

Result Grid | Filter Row

cname	amount
Mehul	5000.00
Kranti	5000.00

7. select c.cname from customer c where c.city in (select b.city from branch b where b.bname in (select d.bname from deposit d where d.cname='Sunil'));

Result Grid | Filter Rc

cname
Madhuri
Pramod
NULL

8. select b1.city , c1.city from branch b1,customer c1, deposit d1 where c1.cname = 'Pramod' and c1.cname = d1.cname and d1.bname = b1.bname;

Result Grid Filter Rows:

city	city
Bangalore	Nagpur

9. select d1.cname, b1.city from deposit d1, branch b1 where d1.bname = b1.bname and d1.cname in ('Sunil' ,'Anil');

Result Grid Filter Rows:

cname	city
Anil	Nagpur
Sunil	Nagpur

10. select c1.cname, c1.city from customer c1 where c1.cname = 'Anil' or c1.cname = 'Sunil';

Result Grid Filter Row

cname	city
Anil	Bombay
Sunil	Delhi
NULL	NULL