This document contains all 26 different input types in HTML5, along with their unique and common attributes, syntax, and examples. It also includes other important HTML form elements.

Common Attributes (Applicable to Most Input Types)

- type: Specifies the type of input.
- name: Name of the input (used in form submission).
- id: Unique identifier for the input.
- value: Default value.
- placeholder: Hint displayed in input.
- required: Makes the field mandatory.
- readonly: Input cannot be changed.
- disabled: Input is unselectable and unsubmitted.
- maxlength: Maximum characters allowed.
- autocomplete: Enables/disables autocomplete.
- autofocus: Focuses on input when page loads.
- form: Associates the input with a specific form by ID.

Input Types (1-26)

1. text

Description: Single-line text input

Syntax:

<input type="text" name="username" placeholder="Enter your name">

Unique Attributes: maxlength, pattern

2. password

Description: Obscures entered text

Syntax:

<input type="password" name="pwd">

```
3. email
```

Description: Validates email address format

Syntax:

<input type="email" name="user email" required>

Unique Attributes: multiple, pattern

4. number

Description: Accepts numeric values

Syntax:

<input type="number" name="quantity" min="1" max="10">

Unique Attributes: min, max, step

5. <u>tel</u>

Description: Phone number input

Syntax:

<input type="tel" name="phone" pattern="[0-9]{10}">

6. <u>url</u>

Description: Validates URL format

Syntax:

<input type="url" name="website">

7. <u>search</u>

Description: Search field

Syntax:

<input type="search" name="query">

8. <u>date</u>

Description: Date picker

Syntax:

<input type="date" name="dob">

Unique Attributes: min, max

```
9. <u>time</u>
```

Description: Time picker

Syntax:

<input type="time" name="appt">

10. datetime-local

Description: Date and time (local)

Syntax:

<input type="datetime-local" name="meeting">

11. month

Description: Month picker

Syntax:

<input type="month" name="bmonth">

12. <u>week</u>

Description: Week picker

Syntax:

<input type="week" name="bweek">

13. <u>range</u>

Description: Slider for number range

Syntax:

<input type="range" name="volume" min="0" max="100">

Unique Attributes: min, max, step

14. <u>color</u>

Description: Color picker

Syntax:

<input type="color" name="favcolor">

15. checkbox

Description: Multiple selections

```
Syntax:
```

<input type="checkbox" name="subscribe" checked>

Unique Attributes: checked

16. radio

Description: Single selection from group

Syntax:

<input type="radio" name="gender" value="male"> Male

<input type="radio" name="gender" value="female"> Female

17. <u>file</u>

Description: File upload

Syntax:

<input type="file" name="upload" multiple>

Unique Attributes: multiple, accept

18. hidden

Description: Hidden data

Syntax:

<input type="hidden" name="userid" value="123">

19. <u>submit</u>

Description: Submits the form

Syntax:

<input type="submit" value="Submit">

20. <u>reset</u>

Description: Resets form fields

Syntax:

<input type="reset" value="Clear">

21. button

Description: Generic button (used with JS)

```
Syntax:
```

<input type="button" value="Click Me" onclick="alert('Clicked!')">

22. <u>image</u>

Description: Image as submit button

Syntax:

<input type="image" src="submit.png" alt="Submit">

HTML Form Elements (Beyond <input>)

```
<form>
```

Defines the HTML form.

<form action="/submit" method="post">

<!-- form inputs here -->

</form>

<label>

Label for input.

<label for="email">Email:</label>

<input type="email" id="email" name="email">

<fieldset> and <legend>

Groups related fields.

<fieldset>

<legend>Personal Info</legend>

<input type="text" name="fname">

</fieldset>

<textarea>

Multi-line input.

<textarea name="message" rows="4" cols="50"></textarea>

<select> and <option>

```
Drop-down menu.

<select name="country">

<option value="india">India</option>

<option value="usa">USA</option>

</select>

<datalist>

Auto-complete suggestions.

<input list="browsers" name="browser">

<datalist id="browsers">

<option value="Chrome">

<option value="Chrome">

<option value="Firefox">

</datalist>
```