WEB PROGRAMIRANJE 1

Dokumentacija

URL:

https://sanja14pavlovic.github.io/JSsite.github.io/contact.html

12/21

Sanja Pavlovic

Sadrzaj

Sadržaj

Uvod:	3
Korišćeni jezici :	3
Opis funkcionalnosti:	4
Template	
Organizacija:	11
Mapa sajta:	11
Organizaciona sema:	12
Sadrzaj	12
Kod:	16
index.html	16
kontakt.html	24
custom.js	31

Uvod:

Korišćeni jezici:

- HTML
- CSS
- JavaScript
- XML
- JQuery
- Bootstrap 5.0.2

Opis funkcionalnosti:

- Strelica za povratak na vrh stranice
- Dinamicki ispisan meni
- Dinamicki ispisan about me
- Provera forme
- JQery u about us
- Dinamicki ispisan footer
- Filtriranje menija

Template:

Preuzet sa sajta:

https://www.free-css.com/free-css-

templates/page287/cakezone

Zelenom bojom oznaceno dinamicki odradjeno i preradjeno, crvenom prekopirano sa templejta

Dinamicki ispisan meni, izmena teskta i obradjen button




Dinamicki ispis, promena teksta i jQuery za sliku



Dinamicki ispisano + promena teksta



Filter, dinamicki ispis, izmena teksta, izmena slika



Dinamicki doradjeno + izmena teksta



Dinamicki odradjeno, izmena teksta, izmena celog delovanja kartica



Dinamicki ispis i izmene teksta



Dinamicki ispis, izmena teksta, izmena ikonica, izmena putanji



Dodate forme i provera




Organizacija:

2 stranice -> index.html, contact.html

Mapa sajta:

```
This XML file does not appear to have any style information associated with it. The document tree is shown
```

Organizaciona sema:



Sadrzaj


Pocetna stranica sadrzi meni, logo i button kojim se dolazi do vise informacija



About us sadrzi ukratko o sajtu, cime se bavi, ocene, nagrade




Meni sadrzi filter i dostupne prozivode za kupovinu




"Reklama" koja sadrzi jos "primamljivih" stvari o tortama




Utisci klijenta i futer koji sadrzi brze linkove kao i linkove ka dokumentaciji, sitemap-u i robots-u



Kontakt stranica takodje sadrzi futer kao index, kao I formu i proveru forme



About me sadrzi podatke o autoru



Futer kontakta sadrzi sve sto i futer indexa



Kod:

index.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="utf-8">
    <title>CakeZone</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="Free HTML Templates" name="keywords">
    <meta content="Free HTML Templates" name="description">
    <!-- Favicon -->
    <link href="img/hero.jpg" rel="icon">
    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Oswa
ld:wght@500;600;700&family=Pacifico&display=swap" rel="stylesheet">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.10.0/css/all.min.css" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
    <script src="https://kit.fontawesome.com/c6cc280292.js"</pre>
crossorigin="anonymous"></script>
    <!-- Libraries Stylesheet -->
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
```

```
<link href="css/style.css" rel="stylesheet">
</head>
    <!-- Topbar Start -->
    <div class="container-fluid px-0 d-none d-lg-block">
        <div class="row gx-0">
            <div class="col-lg-4 text-center bg-secondary py-3">
                 <div class="d-inline-flex align-items-center justify-content-</pre>
center">
                     <i class="bi bi-envelope fs-1 text-primary me-3"></i>
                     <div class="text-start">
                         <h6 class="text-uppercase mb-1">Email Us</h6>
                         <span>info@example.com</span>
                     </div>
                 </div>
            </div>
            <div class="col-lg-4 text-center bg-primary border-inner py-3">
                 <div class="d-inline-flex align-items-center justify-content-</pre>
center">
                     <a href="index.html" class="navbar-brand">
                         <h1 class="m-0 text-uppercase text-white"><i class="fa</pre>
fa-birthday-cake fs-1 text-dark me-3"></i>CakeZone</h1>
                     </a>
                 </div>
            </div>
            <div class="col-lg-4 text-center bg-secondary py-3">
                 <div class="d-inline-flex align-items-center justify-content-</pre>
center">
                     <i class="bi bi-phone-vibrate fs-1 text-primary me-3"></i></i></or>
                     <div class="text-start">
                         <h6 class="text-uppercase mb-1">Call Us</h6>
                         <span>+012 345 6789</span>
                     </div>
                </div>
            </div>
        </div>
    </div>
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand-lg bg-dark navbar-dark shadow-sm py-3 py-lg-</pre>
0 \text{ px-3 px-lg-0"}
```

```
<a href="index.html" class="navbar-brand d-block d-lg-none">
            <h1 class="m-0 text-uppercase text-white"><i class="fa fa-birthday-</pre>
cake fs-1 text-primary me-3"></i>CakeZone</h1>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
data-bs-target="#navbarCollapse">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarCollapse">
        </div>
    </nav>
    <!-- Hero Start -->
    <div class="container-fluid bg-primary py-5 mb-5 hero-header">
        <div class="container py-5">
            <div class="row justify-content-start">
                <div class="col-lg-8 text-center text-lg-start">
                     <h1 class="font-secondary text-primary mb-4">Super
Crispy</h1>
                    <h1 class="display-1 text-uppercase text-white mb-
4">CakeZone</h1>
                    <h1 class="text-uppercase text-white">The Best Cake In
London</h1>
                    <div class="d-flex align-items-center justify-content-center</pre>
justify-content-lg-start pt-5">
                        <a href="#more" class="btn btn-primary border-inner py-3</pre>
px-5 me-5">Read More</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- Hero End -->
    <!-- Video Modal Start -->
    <div class="modal fade" id="videoModal" tabindex="-1" aria-</pre>
labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog">
            <div class="modal-content rounded-0">
                <div class="modal-header">
                    <h5 class="modal-title" id="exampleModalLabel">Youtube
Video</h5>
```

```
<button type="button" class="btn-close" data-bs-</pre>
dismiss="modal" aria-label="Close"></button>
                </div>
                <div class="modal-body">
                    <div class="ratio ratio-16x9">
                        <iframe class="embed-responsive-item" src="" id="video"</pre>
allowfullscreen allowscriptaccess="always"
                            allow="autoplay"></iframe>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- About Start -->
    <div class="container-fluid pt-5" id="aboutUs">
        <div class="container">
            <div class="section-title position-relative text-center mx-auto mb-5</pre>
pb-3" style="max-width: 600px;">
                <h2 class="text-primary font-secondary">About Us</h2>
                <h1 class="display-4 text-uppercase">Welcome To CakeZone</h1>
            </div>
            <div class="row gx-5">
                <div class="col-lg-5 mb-5 mb-lg-0" style="min-height: 400px;">
                    <div class="position-relative h-100" id="aboutImageHover">
                        <img class="position-absolute w-100 h-100"</pre>
src="img/about.jpg" style="object-fit: cover;">
                    </div>
                </div>
                <div class="col-lg-6 pb-5">
                    <h4 class="mb-4">Come to us and try the best cakes in London!
</h4>
                    We have some of the best chefes on the
planet. You should come and test them by yourself. Come and have fun and some
delightfull cakes with us! 
                    <div class="row g-5" id="abouticons">
                    </div>
                </div>
            </div>
        </div>
    </div>
```

```
<!-- Facts Start -->
   <div class="container-fluid bg-img py-5 mb-5">
      <div class="container py-5">
          <div class="row gx-5 gy-4" id="customerExp">
          </div>
      </div>
   </div>
   <!-- Facts End -->
   <!-- Products Start -->
   <div class="container-fluid about py-5">
      <div class="container" id="products">
          <div class="section-title position-relative text-center mx-auto mb-5</pre>
pb-3" style="max-width: 600px;">
             <h2 class="text-primary font-secondary">Menu</h2>
             <h1 class="display-4 text-uppercase">Explore Our Cakes</h1>
          </div>
          <div class="tab-class text-center" id="cakeList">
             dark text-uppercase border-inner p-4 mb-5" id="cakeBar">
                Birthday
                Wedding
                Other
                All
             <div class="row g-3 item" id="cardCakes">
             </div>
          </div>
      </div>
   </div>
   <!-- Offer Start -->
   <div class="container-fluid bg-offer my-5 py-5">
      <div class="container py-5">
          <div class="row gx-5 justify-content-center">
             <div class="col-lg-7 text-center">
                <div class="section-title position-relative text-center mx-</pre>
auto mb-4 pb-3" id="more" style="max-width: 600px;">
                    <h2 class="text-primary font-secondary">Special Kombo
Pack</h2>
                    <h1 class="display-4 text-uppercase text-white">Super
Crispy Cakes</h1>
```

```
</div>
                   We're glad that you're hear to see
out special crispy cakes and talk with us! So let's start!
                   <strong>What we
do?</strong> We create genuine connections, and turn milestones and everyday
occasions into memorable celebrations.
                                                     </br> <strong>How we do
it?</strong> We bake the best-testing, timeless verions of your most-loved trears
- all with simple, back to basics ingredients.
                   <a class="btn btn-dark border-inner py-3 px-5"</pre>
id="btnRead">Read More</a>
               </div>
           </div>
       </div>
    </div>
    <!-- Offer End -->
    <!-- Testimonial Start -->
    <div class="container-fluid py-5">
       <div class="section-title position-relative text-center mx-auto mb-5 pb-</pre>
3" style="max-width: 600px;">
           <h2 class="text-primary font-secondary">Costumers expirience</h2>
           <h1 class="display-4 text-uppercase">Our customer Said:</h1>
       <div class="container" id="cardClients">
       </div>
    </div>
    <!-- Testimonial End -->
<!-- Footer Start -->
<div class="container-fluid bg-dark bg-img text-secondary" style="margin-top:</pre>
135px">
    <div class="container">
       <div class="row gx-5">
           <div class="col-lg-4 col-md-6 mt-lg-n5">
               <div class="d-flex flex-column align-items-center justify-</pre>
content-center text-center h-100 bg-primary border-inner p-4">
                   <a href="index.html" class="navbar-brand">
                       <h1 class="m-0 text-uppercase text-white"><i class="fa</pre>
fa-birthday-cake fs-1 text-dark me-3"></i>CakeZone</h1>
                   </a>
                   Get in touch with us becaouse a party without
cake is just a meeting and every cake have a story to tell.
```

```
</div>
            </div>
            <div class="col-lg-8 col-md-6">
                <div class="row gx-5">
                    <div class="col-lg-4 col-md-12 pt-5 mb-5">
                        <h4 class="text-primary text-uppercase mb-4" ">Links</h4>
                            <div id="footerContact">
                            </div>
                    </div>
                    <div class="col-lg-4 col-md-12 pt-0 pt-lg-5 mb-5">
                        <h4 class="text-primary text-uppercase mb-4">Quick
Links</h4>
                        <div class="d-flex flex-column justify-content-start"</pre>
id="footMenu">
                        </div>
                    </div>
                    <div class="col-lg-4 col-md-12 pt-0 pt-lg-5 mb-5">
                        <h4 class="text-primary text-uppercase mb-
4">Newsletter</h4>
                        >Put your e-mail here so we could update you when there
are news!
                        <form action="">
                            <div class="input-group">
                                <input type="text" class="form-control border-</pre>
white p-3" placeholder="Your Email">
                                <button class="btn btn-primary">Sign Up</button>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="container-fluid text-secondary py-4" style="background: #111111;">
    <div class="container text-center">
        © <a class="text-white border-bottom" href="#">Your
Site Name</a>. All Rights Reserved. Designed by <a class="text-white border-
bottom" href="https://htmlcodex.com">HTML Codex</a>
    </div>
</div>
```

```
<a href="#" class="btn btn-primary border-inner py-3 fs-4 back-to-top"><i</pre>
class="bi bi-arrow-up"></i></a>
    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js
"></script>
    <script src="lib/easing/easing.min.js"></script>
    <script src="lib/waypoints/waypoints.min.js"></script>
    <script src="lib/counterup/counterup.min.js"></script>
    <script src="lib/owlcarousel/owl.carousel.min.js"></script>
    <script src="js/main.js"></script>
    <!-- jQuery -->
    <script src="https://code.jquery.com/jquery-3.6.0.min.js" integrity="sha256-</pre>
/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4=" crossorigin="anonymous"></script>
    <script src="js/custom.js" type="text/javascript"></script>
</body>
</html>
```

kontakt.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="utf-8">
    <title>CakeZone - Cake Shop Website Template</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="Free HTML Templates" name="keywords">
    <meta content="Free HTML Templates" name="description">
    <!-- Favicon -->
    <link href="img/hero.jpg" rel="icon">
    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Oswa
ld:wght@500;600;700&family=Pacifico&display=swap" rel="stylesheet">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.10.0/css/all.min.css" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
    <script src="https://kit.fontawesome.com/c6cc280292.js"</pre>
crossorigin="anonymous"></script>
    <!-- Libraries Stylesheet -->
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/style.css" rel="stylesheet">
</head>
<body>
    <!-- Topbar Start -->
    <div class="container-fluid px-0 d-none d-lg-block">
        <div class="row gx-0">
```

```
<div class="col-lg-4 text-center bg-secondary py-3">
                 <div class="d-inline-flex align-items-center justify-content-</pre>
center">
                     <i class="bi bi-envelope fs-1 text-primary me-3"></i></i></or>
                     <div class="text-start">
                         <h6 class="text-uppercase mb-1">Email Us</h6>
                         <span>info@example.com</span>
                     </div>
                </div>
            </div>
            <div class="col-lg-4 text-center bg-primary border-inner py-3">
                 <div class="d-inline-flex align-items-center justify-content-</pre>
center">
                     <a href="index.html" class="navbar-brand">
                         <h1 class="m-0 text-uppercase text-white"><i class="fa</pre>
fa-birthday-cake fs-1 text-dark me-3"></i>CakeZone</h1>
                     </a>
                 </div>
            </div>
            <div class="col-lg-4 text-center bg-secondary py-3">
                 <div class="d-inline-flex align-items-center justify-content-</pre>
center">
                     <i class="bi bi-phone-vibrate fs-1 text-primary me-3"></i></i></or>
                     <div class="text-start">
                         <h6 class="text-uppercase mb-1">Call Us</h6>
                         <span>+012 345 6789</span>
                     </div>
                </div>
            </div>
        </div>
    </div>
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand-lg bg-dark navbar-dark shadow-sm py-3 py-lg-</pre>
0 px-3 px-lg-0">
        <a href="index.html" class="navbar-brand d-block d-lg-none">
            <h1 class="m-0 text-uppercase text-white"><i class="fa fa-birthday-</pre>
cake fs-1 text-primary me-3"></i>CakeZone</h1>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarCollapse">
            <span class="navbar-toggler-icon"></span>
        </button>
```

```
<div class="collapse navbar-collapse" id="navbarCollapse">
            <div class="navbar-nav ms-auto mx-lg-auto py-0">
                <div class="nav-item dropdown">
                    <a href="#" class="nav-link dropdown-toggle" data-bs-</pre>
toggle="dropdown">Pages</a>
                    <div class="dropdown-menu m-0">
                         <a href="service.html" class="dropdown-item">Our
Service</a>
                        <a href="testimonial.html" class="dropdown-</pre>
item">Testimonial</a>
                    </div>
                </div>
                <a href="contact.html" class="nav-item nav-link active">Contact
Us</a>
            </div>
        </div>
    </nav>
    <div class="container-fluid bg-dark bg-img p-5 mb-5">
        <div class="row">
            <div class="col-12 text-center">
                <h1 class="display-4 text-uppercase text-white">Contact Us</h1>
                <a href="index.html">Home</a>
                <i class="far fa-square text-primary px-2"></i></i>
                <a href="contact.html">Contact</a>
            </div>
        </div>
    </div>
    <!-- Page Header End -->
    <!-- Contact Start -->
    <div class="container-fluid contact position-relative px-5" style="margin-</pre>
top: 90px;">
        <div class="container">
            <div class="row g-5 mb-5" id="iconsContacts">
            </div>
            <div class="row justify-content-center">
                <div class="col-lg-6">
                    <form>
                         <div class="row g-3">
                             <div class="col-sm-6 formspace">
```

```
<input type="text" id="addName" class="form-</pre>
control bg-light border-0 px-4" placeholder="Name Surname" style="height: 55px;">
                              Name must start with
upper letter like: Anna Cirus
                          </div>
                          <div class="col-sm-6 formspace">
                              <input type="email" id="addMail"class="form-</pre>
control bg-light border-0 px-4" placeholder="Email" style="height: 55px;">
                              Incorect sintax, should
be like alexmathew@gmail.com
                          </div>
                          <div class="col-sm-6 msgtype formspace">
                              <select id="addType">
                                  <option value = 0 selected>Choose message
type</option>
                                  <option value = 1>Question</option>
                                  <option value = 2>Sugesstion</option>
                                  <option value = 3>Other</option>
                              </select>
                              U must chose what type of
message you want to sent
                          </div>
                          <div class="col-sm-6 formspace" id="radiotype">
                              <div>
                                  <input type="radio" id="noturgent"</pre>
name="fast" value="Not Urgent"/>
                                  <label for="noturgent">Not Urgent</label>
                              </div>
                              <div>
                                  <input type="radio" id="urgent" name="fast"</pre>
value="Urgent"/>
                                  <label for="urgent">Urgent</label>
                              </div>
                              U need to chose
urgent/not urgent
                          </div>
                          <div class="col-sm-12 formspace">
                              <textarea id="addMsg" class="form-control bg-</pre>
light border-0 px-4 py-3" rows="4" placeholder="Message"></textarea>
                              Message must have at
least 10 characters
                          </div>
                          <div class="col-sm-12 msgtype formspace">
                              <input type="checkbox" id="agree" name="confirm"</pre>
value="confirm"/>
```

```
<label for="agree">I agree with privacy
policy</label>
                               You must aggre on privacy
policy
                           </div>
                            <div class="col-sm-12 formspace">
                               <input type="button" id="send" class="btn btn-</pre>
primary border-inner w-100 py-3" value="Send Message"/>
                                Done!
                            </div>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
    <!-- Contact End -->
    <!-- About me start -->
        <div class="container-fluid contact position-relative px-2"</pre>
style="margin-top: 90px;">
            <div class="container">
                <div class="row g-5 mb-6">
                    <div class="col-lg-6 col-md-6">
                        <div class="bg-primary border-inner text-center text-</pre>
white p-5" style="margin-top:70%;">
                           <h6 class="text-uppercase my-2">About me</h6>
                           <span>Hi, I'm Sanja, creator of this web-site. I'm
studying in ICT, 2nd year, I'm 20 and I love what I'm doing, I'm deducated to
learn more and more! </span>
                        </div>
                    </div>
                    <div class="col-lg-6 col-md-6">
                        <div class="bg-primary border-inner text-center text-</pre>
white p-5" style="margin-top: 30%;">
                           <h6 class="text-uppercase my-2">Author: Sanja
Pavlovic 12/21</h6>
                           <span><img class="img-fluid flex-shrink-0"</pre>
src="img/autor.jpg" style="width: 400px; height: 400px;"></span>
                       </div>
                    </div>
                </div>
            </div>
        </div>
```

```
<!-- Footer Start -->
    <div class="container-fluid bg-dark bg-img text-secondary" style="margin-top:</pre>
235px">
        <div class="container">
            <div class="row gx-5">
                <div class="col-lg-4 col-md-6 mt-lg-n5">
                    <div class="d-flex flex-column align-items-center justify-</pre>
content-center text-center h-100 bg-primary border-inner p-4">
                        <a href="index.html" class="navbar-brand">
                            <h1 class="m-0 text-uppercase text-white"><i
class="fa fa-birthday-cake fs-1 text-dark me-3"></i>CakeZone</h1>
                        </a>
                        Get in touch with us becaouse a party
without cake is just a meeting and every cake have a story to tell.
                    </div>
                </div>
                <div class="col-lg-8 col-md-6">
                    <div class="row gx-5">
                        <div class="col-lg-4 col-md-12 pt-5 mb-5">
                            <h4 class="text-primary text-uppercase mb-4"</pre>
">Links</h4>
                                 <div id="footerContact">
                                 </div>
                        </div>
                        <div class="col-lg-4 col-md-12 pt-0 pt-lg-5 mb-5">
                            <h4 class="text-primary text-uppercase mb-4">Quick
Links</h4>
                            <div class="d-flex flex-column justify-content-start"</pre>
id="footMenu">
                            </div>
                        </div>
                        <div class="col-lg-4 col-md-12 pt-0 pt-lg-5 mb-5">
                             <h4 class="text-primary text-uppercase mb-</pre>
4">Newsletter</h4>
                            >Put your e-mail here so we could update you when
there are news!
                            <form action="">
                                 <div class="input-group">
                                     <input type="text" class="form-control</pre>
border-white p-3" placeholder="Your Email">
                                     <button class="btn btn-primary">Sign
Up</button>
                                </div>
                            </form>
                        </div>
```

```
</div>
                </div>
            </div>
        </div>
    </div>
    <div class="container-fluid text-secondary py-4" style="background:</pre>
#111111;">
        <div class="container text-center">
            © <a class="text-white border-bottom"</pre>
href="#">Your Site Name</a>. All Rights Reserved. Designed by <a class="text-</pre>
white border-bottom" href="https://htmlcodex.com">HTML Codex</a>
        </div>
    </div>
    <!-- Footer End -->
    <a href="#" class="btn btn-primary border-inner py-3 fs-4 back-to-top"><i</pre>
class="bi bi-arrow-up"></i></a>
    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js
'></script>
    <script src="lib/easing/easing.min.js"></script>
   <script src="lib/waypoints/waypoints.min.js"></script>
    <script src="lib/counterup/counterup.min.js"></script>
    <script src="lib/owlcarousel/owl.carousel.min.js"></script>
    <script src="js/main.js"></script>
    <!-- jQuery -->
    <script src="https://code.jquery.com/jquery-3.6.0.min.js" integrity="sha256-</pre>
/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4=" crossorigin="anonymous"></script>
    <script src="js/custom.js" type="text/javascript"></script>
</body>
</html>
```

custom.js

```
//Globalno
var path = window.location.pathname.split("/").pop();
let links = ["index.html", "#aboutUs", "#products", "contact.html"];
let pageNames = ["Home", "About Us", "Menu", "Contact Us And About Me"];
var writeMenu = `<div class="navbar-nav ms-auto mx-lg-auto py-0">`
for(let i=0; i<links.length; i++){</pre>
    writeMenu += `<a href="${links[i]}" class="nav-item nav-link</pre>
active">${pageNames[i]}</a>`;
writeMenu += `</div>`;
document.querySelector("#navbarCollapse").innerHTML = writeMenu;
    let footerMenuText= ["Home", "About Us", "Menu", "Contact Us And About Me"];
    let footerMenuLink= ["index.html","#aboutUs", "#products", "contact.html"];
    let footerMenuWrite="";
    for(let i=0; i<footerMenuLink.length; i++){</pre>
        footerMenuWrite+= `<a class="text-secondary mb-2"</pre>
href="${footerMenuLink[i]}"><i class="bi bi-arrow-right text-primary me-</pre>
2"></i>${footerMenuText[i]}</a>`
    document.querySelector("#footMenu").innerHTML=footerMenuWrite;
    let footerIcons= ["<i class='fa fa-sitemap'></i>", "<i class='fa-solid fa-
robot'></i>", "<i class='fa-solid fa-file'></i>"];
    let footerLinksIcon= ["sitemap.xml","robots.txt","dokumentacija.pdf"];
    var writeFooter= "";
    for(let i=0;i<footerIcons.length; i++){</pre>
        writeFooter+= `<a class="btn btn-lg btn-primary btn-lg-square border-
inner rounded-0 me-2" href="${footerLinksIcon[i]}">${footerIcons[i]}</a>`
    document.querySelector("#footerContact").innerHTML= writeFooter;
if(path =="index.html" || path == ""){
    //Promena slike
```

```
$("#aboutImageHover img").hover(function(){
        $(this).fadeOut(function(){
            $(this).attr("src","img/cake-for-about.jpg").fadeIn();
        })
    function(){
        $(this).fadeOut(function(){
            $(this).attr("src","img/about.jpg").fadeIn();
        })
    })
    //Promocija
    let aboutIconsText = ["100% Healthy", "Award Winning"];
    let aboutTextIcons = ["We're using only 100% healty ingrediant", "Some of the
most famous people in England enjoying our cakes"];
    var aboutIcons = "";
    for (let i =0; i<aboutIconsText.length; i++){</pre>
        aboutIcons += `<div class="col-sm-6">
                        <div class="d-flex align-items-center justify-content-</pre>
center bg-primary border-inner mb-4" style="width: 90px; height: 90px;">
                             <i class="fa fa-heartbeat fa-2x text-white"></i></i>
                         </div>
                             <h4 class="text-uppercase">${aboutIconsText[i]}</h4>
                             ${aboutTextIcons[i]}
                    </div>`
    document.querySelector("#abouticons").innerHTML = aboutIcons;
    //Statistika
    let customerText= ["OUR EXPIRIENCE", "CAKE SPECALIST", "COMPLETE PROJECT",
"HAPPY CLIENTS"]
    let customerCounter = ["9.5", "100", "4500", "5000"]
    let customerIcon= ["bi bi-star", "bi bi-arrow-up", "bi bi-skip-start-
circle", "bi bi-star-fill"]
    for(let i=0; i<customerText.length; i++){</pre>
        customersExpirience += `<div class="col-lg-3 col-md-6">
                                 <div class="d-flex">
                                 <div class="bg-primary border-inner d-flex align-</pre>
items-center justify-content-center mb-3" style="width: 60px; height: 60px;">
                                     <i class="${customerIcon[i]}"></i></i></or>
                                 </div>
                                 <div class="ps-4">
                                     <h6 class="text-primary text-</pre>
uppercase">${customerText[i]}</h6>
```

```
<h1 class="display-5 text-white mb-0" data-
toggle="counter-up counter"">${customerCounter[i]}</h1>
                                </div>
                            </div>
                        </div>`
    document.querySelector("#customerExp").innerHTML = customersExpirience;
    //counter
    // $('[data-toggle="counter-up counter"]').counterUp({
    //Filter
    $("#cakeList ul li").click(function(){
        var iteClass = $(this).attr("class").substring(0,3);
        console.log(iteClass);
        $(".item .all").hide();
        $(".item ." + iteClass).show();
        $(this).siblings(".activeCard").removeClass("activeCard");
        $(this).addClass("activeCard");
    })
    var cakeImg = ["cake-1.jpg","bcake1.jpg","bcake2.jpg","bcake3.jpg","cake-
2.jpg","wcake2.jpg","wcake3.jpg","cake-
3.jpg","ccake1.jpg","ccake2.jpg","ccake3.jpg","ccake4.jpg"];
    var cakePrice =
["$99.99","$85.99","$58.99","$100","$55.90","$78.99","$79.99","$89.99","$100.00",
"$109.99","$90.99","$59.99"];
    var cakeType = ["Birthrday on 3 floor", "Birthrday cace rose", "Birthrday cake
flowers", "Birthrday cake chill", "Wedding cake od 3 floor", "Wedding cake od 2
floor", "small wedding cake", "Custom cake chocolate", "Custom cake
grafit","Custom cake city","Custom cake fruits","Custom cake like pancakes"];
    var cakeClass=["bir","bir", "bir","bir", "wed", "wed", "wed", "oth", "oth",
"oth", "oth", "oth"]
   var cakeText =
["9/10","7/10","8.5/10","7.3/10","8.8/10","5.9/10","10/10","9.9/10","9.5/10","7.9
/10","8.3/10","7.8/10"];
    for(let i=0; i < cakeImg.length; i++){</pre>
        cakeWrite += `<div class="col-lg-6 ${cakeClass[i]} all">
                             <div class="d-flex h-100">
                                 <div class="flex-shrink-0">
```

```
<img class="img-fluid"</pre>
src="img/${cakeImg[i]}" alt="" style="width: 150px; height: 85px;">
                                     <h4 class="bg-dark text-primary p-2 m-
0">${cakePrice[i]}</h4>
                                 </div>
                                 <div class="d-flex flex-column justify-content-</pre>
center text-start bg-secondary border-inner px-4">
                                     <h5 class="text-
uppercase">${cakeType[i]}</h5>
                                     <span>Customer expirience:
</br>${cakeText[i]}</span>
                                 </div>
                             </div>
                         </div>`
    document.querySelector("#cardCakes").innerHTML = cakeWrite;
    var clientImg = ["testimonial-1.jpg", "testimonial-2.jpg","testimonial-
3.jpg","testimonial-4.jpg"];
    var clientName = ["Sarah","John","Dave","Anna"];
    var clientProf = ["Artist","Chrief","Photographer","Athelitics"];
    var clientText = ["This place is awesome, I love food, I love people there
it's really quiet and relaxing, u could even study there!", "I won't say u
anything, u should go and see by yourself! 10/10!!", "This is the place where I
love to come to have good snack!","I love this place, this cakes are like haven
for real!", "This place is awesome, I love food, I love people there it's really
quiet and relaxing, u could even study there!"];
    var clientWrite = '<div class="row clientText clientActive">';
    for(let i=0; i<clientImg.length; i++){</pre>
        clientWrite += `<div class="col-5 bg-dark text-white border-inner p-4">
                         <div class="d-flex align-items-center mb-3">
                             <img class="img-fluid flex-shrink-0"</pre>
src="img/${clientImg[i]}" style="width: 60px; height: 60px;">
                             <div class="ps-3">
                                 <h4 class="text-primary text-uppercase mb-
1">${clientName[i]}</h4>
                                 <span>${clientProf[i]}</span>
                             </div>
                         </div>
                         ${clientText[i]}
                     </div>`;
        if(i == 1){
            clientWrite += `</div>
                     <div class="row clientText">`
```

```
clientWrite += "</div>";
    document.querySelector("#cardClients").innerHTML = clientWrite;
   $("#btnRead").click(function(){
        if($("#moreText").is(":visible")){
            $("#moreText").fadeOut().hide();
       else{
            $("#moreText").fadeIn().show();
    })
    //Klijenti
   $(document).ready(function(){
        changeCients();
    });
    function changeCients(){
        var curClients = $(".clientActive");
        if(curClients.next().length){
            var nextClients = curClients.next()
        else{
            var nextClients = curClients.parent().children(":first");
        curClients.hide().removeClass("clientActive");
        nextClients.fadeIn(2500).addClass("clientActive");
        setTimeout(changeCients,5000);
if(path == "contact.html"){
    //card contact
    let cardContactText=["Out office", "Email Us", "Call Us"];
    let cardSpan=["15 Street, New York, USA", "chessecake@gmail.com", "+381
648579725"];
    let cardIcon=["bi bi-geo-alt fs-1 text-white", "bi bi-envelope-open fs-1
text-white", "bi bi-phone-vibrate fs-1 text-white" ];
   var cardWrite = "";
    for(let i=0; i<cardIcon.length; i++){</pre>
       cardWrite += `<div class="col-lg-4 col-md-6">
```

```
<div class="bg-primary border-inner text-center text-</pre>
white p-5">
                           <h6 class="text-uppercase my-</pre>
2">${cardContactText[i]}</h6>
                          <span>${cardSpan[i]}</span>
                       </div>
                    </div>
   document.querySelector("#iconsContacts").innerHTML=cardWrite;
   //Regularni izrazi
   z[{2,3})+$/
   var regName = /^{([A-Z][a-z]{2,10})}s([A-Z][a-z]{3,15})$/
   var regMsg = /(.{10})+/
   //Provera forme
   var conName = document.querySelector("#addName");
   conName.addEventListener("blur",function(){
       formCheck(regName, conName);
   })
   var conMail = document.querySelector("#addMail");
   conMail.addEventListener("blur",function(){
       formCheck(regMail,conMail);
   })
   var conMsg = document.querySelector("#addMsg");
   conMsg.addEventListener("blur",function(){
       formCheck(regMsg,conMsg);
   })
   var conSel = document.querySelector("#addType");
   conSel.addEventListener("change", function(){
       var conSelected = conSel.options[conSel.selectedIndex].value;
       if(conSelected == 0){
           conSel.nextElementSibling.classList.remove("eHide");
           conSel.nextElementSibling.classList.add("eShow");
       else{
           conSel.nextElementSibling.classList.remove("eShow");
           conSel.nextElementSibling.classList.add("eHide");
```

```
var conRadio = document.getElementsByName("fast");
    conRadio.forEach(element => element.addEventListener("change", function(){
        for(let i= 0; i <conRadio.length; i++){</pre>
            if(conRadio[i].checked){
                conRadio[1].parentElement.nextElementSibling.classList.remove("eS
how");
                conRadio[1].parentElement.nextElementSibling.classList.add("eHide
');
                break;
            else{
                conRadio[1].parentElement.nextElementSibling.classList.remove("eH
ide");
                conRadio[1].parentElement.nextElementSibling.classList.add("eShow
");
    }))
    var conCheck = document.querySelector("#agree");
    conCheck.addEventListener("change",function(){
        if(conCheck.checked){
            conCheck.nextElementSibling.nextElementSibling.classList.remove("eSho
w");
            conCheck.nextElementSibling.nextElementSibling.classList.add("eHide")
        else{
            conCheck.nextElementSibling.nextElementSibling.classList.remove("eHid
e");
            conCheck.nextElementSibling.nextElementSibling.classList.add("eShow")
    })
    var conBtn = document.querySelector("#send");
    conBtn.addEventListener("click",function(){
        var eBr = 0;
        var p = 1;
        var conSelected = conSel.options[conSel.selectedIndex].value;
        if(conSelected == 0){
            conSel.nextElementSibling.classList.remove("eHide");
            conSel.nextElementSibling.classList.add("eShow");
```

```
p=1;
        else{
            conSel.nextElementSibling.classList.remove("eShow");
            conSel.nextElementSibling.classList.add("eHide");
            p=0;
        eBr += p;
        p=1;
        for(let i= 0; i <conRadio.length; i++){</pre>
            if(conRadio[i].checked){
                conRadio[1].parentElement.nextElementSibling.classList.remove("eS
how");
                conRadio[1].parentElement.nextElementSibling.classList.add("eHide
");
                p=0;
                break;
            else{
                conRadio[1].parentElement.nextElementSibling.classList.remove("eH
ide");
                conRadio[1].parentElement.nextElementSibling.classList.add("eShow
");
                p=1;
        eBr += p;
        p=1;
        if(conCheck.checked){
            conCheck.nextElementSibling.nextElementSibling.classList.remove("eSho
w");
            conCheck.nextElementSibling.nextElementSibling.classList.add("eHide")
            p=0;
        else{
            conCheck.nextElementSibling.nextElementSibling.classList.remove("eHid
e");
            conCheck.nextElementSibling.nextElementSibling.classList.add("eShow")
            p=1;
        eBr += p;;
        eBr += formCheck(regName,conName);
        eBr += formCheck(regMail,conMail);
```