


GOVERNMENT COLLEGE OF ENGINEERING

ERODE – 638 316



RECORD NOTE BOOK

Register Number:

Certified that this is the bonafide record of work done by Selvan/Selvi

_____ of Sixth Semester B.Tech.

Information Technology branch during the academic year 2025 - 2026 in the

CCS370 - UI and UX Design Laboratory.

Staff Incharge

Head of the Department

Submitted for the university practical examination on _____

at Government College of Engineering, Erode

Internal Examiner

External Examiner

INDEX

Ex. No	Date	Title	Page No.	Faculty Sign.
1		Design a Responsive layout for an societal application		
2		Explore various UI Interaction Patterns		
3		Develop an interface with proper UI Style Guides		
4		Develop Wireflow diagram for application using open source software		
5		Explore various open source collaborative interface Platform		
6		Hands on Design Thinking Process for a new product		
7		Brainstorming feature for proposed product		
8		Defining look and feel for a new product		
9		Create a sample pattern library for a product		
10		Identify a customer to solve a problem		
11		Conduct end-to-end user research		
12		Sketch, design with popular tool and build a prototype and perform usability testing and identify improvements		

Ex. No : 1	
Date:	Designing a Responsive layout for an societal application

AIM:

To Design a Responsive layout for an societal application

ALGORITHM:

Step 1: Define the Layout Structure

Step 2: Use Fluid Grid Layout

Step 3: Implement Responsive CSS

Step 4: Test and Iterate

Step 5: Performance Optimization

Step 6: Accessibility and Usability

Step 7: Regular Maintenance and Updates

PROGRAM:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Societal Application</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial, sans-serif;
```

```
      margin: 0;
```

```
      padding: 0;
```

```
      box-sizing: border-box;
```

```
    }
```

```
    .header {
```

```
      background-color: #4CAF50;
```

```
      color: white;
```

```
      text-align: center;
```

```
      padding: 1em 0;
```

```
    }
```

```
    .navbar {
```

```
      background-color: #f2f2f2;
```

```
      padding: 1em 0;
```

```

        text-align: center;
    }

    .content {
        padding: 1em;
    }

    .footer {
        background-color: #4CAF50;
        color: white;
        text-align: center;
        padding: 1em 0;
        position: fixed;
        bottom: 0;
        width: 100%;
    }

    @media (max-width: 768px) {
        .navbar {
            flex-direction: column;
        }
    }
</style>
</head>

<body>
    <div class="header">

```

```
<h1>Societal Application</h1>

</div>

<div class="navbar">

  <a href="#">Home</a>

  <a href="#">Profile</a>

  <a href="#">Friends</a>

  <a href="#">Settings</a>

</div>

<div class="content">

  <h2>Welcome to our Societal Application!</h2>

  <p>This is the main content area. Here you can display various features and
information related to your societal application.</p>

</div>

<div class="footer">


  <p>&copy; 2023 Societal Application. All rights reserved.</p>

</div>

</body>

</html>
```

OUTPUT:



RESULT:

Thus the output for Designing a Responsive layout for an societal application is executed and verified successfully

Ex. No : 2	Exploring various UI Interaction Patterns
Date :	

AIM:

To Explore various UI Interaction Patterns

ALGORITHM :

Step 1: Define Goals and Objectives

Determine the goals of your application or website.

Step 2: Research Existing Patterns

Research common UI interaction patterns used in similar applications or

Step 3: Ideation and Prototyping

Step 4: User Testing and Feedback

Analyze user feedback and iterate on the interaction patterns based on their responses.

Step 5: Implement and Integrate

Step 6: A/B Testing and Analytics

Conduct A/B testing to compare the performance of different interaction patterns. Identify patterns and trends related to user interactions.

Step 7: Document and Share Learnings

Step 8: Continuous Improvement

PROGRAM:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>UI Interaction Patterns</title>
```

```
<style>
```

```
body {
```

```
    font-family: Arial, sans-serif;
```

```
    padding: 20px;
```

```
}
```

```
.button {
```

```
    display: inline-block;
```

```
    padding: 10px 20px;
```

```
    background-color: #4CAF50;
```

```
    color: white;
```

```
    text-decoration:
```

```
    none; border-radius:
```

```
    5px; margin: 10px;
```

```
}
```

```
.form-input {
```

```
margin-bottom: 10px;  
}
```

```
.modal {  
  display:  
  none;  
  position: fixed;  
  z-index: 1;  
  left: 0;  
  top: 0;  
  width: 100%;  
  height: 100%;  
  overflow:  
  auto;  
  background-color: rgba(0, 0, 0, 0.5);  
  padding-top: 60px;  
}
```

```
.modal-content {  
  background-color: #fefefe;  
  margin: 5% auto;  
  padding: 20px;  
  border: 1px solid #888;  
  width: 80%;  
}
```

```
.close {  
  color: #aaa;
```

```

float: right;

font-size:

28px;

font-weight:

bold;

}

.close:hover,

.close:focus {

color: black;

text-decoration:

none; cursor: pointer;

}

</style>

</head>

<body>

<h1>UI Interaction Patterns</h1>

<h2>Buttons</h2>

<button class="button">Primary Button</button>

<button class="button">Secondary Button</button>

<h2>Forms</h2>

<div class="form-input">

<label for="username">Username:</label>

<input type="text" id="username" name="username">

</div>

<div class="form-input">

```

```

    <label for="password">Password:</label><input type="password" id="password"
    name="password">

</div>

<button class="button">Submit</button>


<h2>Modal</h2>

<button class="button" id="openModalBtn">Open Modal</button>


<div class="modal" id="myModal">

    <div class="modal-content">

        <span class="close" id="closeModalBtn">&times;</span>

        <p>This is a modal. Click outside this box to close it.</p>

    </div>

</div>


<script>

    // Get the modal

    var modal = document.getElementById('myModal');


    // Get the button that opens the modal

    var btn = document.getElementById("openModalBtn");


    // Get the <span> element that closes the modal

    var span = document.getElementById("closeModalBtn");


    // When the user clicks the button, open the modal

    btn.onclick = function() {

        modal.style.display = "block";

```

```
}
```

```
// When the user clicks on <span> (x), close the modal
```

```
span.onclick = function() {  
    modal.style.display = "none";  
}
```

```
// When the user clicks anywhere outside of the modal, close it
```

```
window.onclick = function(event) {  
    if (event.target == modal) {  
        modal.style.display = "none";  
    }  
}
```

```
</script>
```

```
</body>
```

```
</html>
```

OUTPUT:

UI Interaction Patterns

Buttons



Forms

Username:

Password:



Modal



RESULT:

Thus the output for Exploring various UI Interaction Pattern is executed and verified successfully

Ex. No : 3	
Date :	Developing an interface with proper UI Style Guides

AIM:

To Develop an interface with proper UI Style Guides

ALGORITHM:

Step1: Understand the Style Guide

Step 2:Plan Your Layout. Plan the placement of elements, navigation menus, and interactive components.

Step 3: Organize Your Components:

Step 4:Implement the HTML Structure.

Step 5:Apply CSS Styling

Step 6 : Responsive Design.Test the interface on different devices to ensure responsiveness.

Step 7:Apply font styles and sizes as per the style guide.

Ensure line height and letter spacing for readability.

Step 8: Color Scheme

Use the specified color palette for text, backgrounds, buttons, and other elements.

Step 9:Interactive Elements

Step 10: Testing and Feedback

Step 11:Documentation

Step12 :Ensure the interface is accessible to users with disabilities

Step 13: Performance Optimization

Step 14: User Testing

PROGRAM:

```
<!DOCTYPE html>

<html lang="en">
<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="styles.css">

  <title>UI Style Guide</title>

</head>
<body>

  <header>

    <h1>My App</h1>

  </header>
  <nav>

    <ul>

      <li><a href="#">Home</a></li>

      <li><a href="#">About</a></li>

      <li><a href="#">Services</a></li>

      <li><a href="#">Contact</a></li>

    </ul>

  </nav>
```



```
<main>

  <section class="container">

    <h2>Welcome to My App!</h2>

    <p>This is a simple example of a user interface following UI style guides.</p>

    <button class="primary-button">Get Started</button>

  </section>

</main>
<footer>

  <p>&copy; 2023 My App. All rights reserved.</p>

</footer>

</body>
</html>
```

OUTPUT:

My App

- [Home](#)
- [About](#)
- [Services](#)
- [Contact](#)

Welcome to My App!

This is a simple example of a user interface following UI style guides.

Get Started

RESULT:

Thus the output for Developing an interface with proper UI Style Guides is executed and verified successfully

Ex. No : 4	Developing Wireflow diagram for application using
Date:	open source software

AIM:

To Develop Wireflow diagram for application using open source software

ALGORITHM:

Step 1: Include Wire flow Library

First, you need to include the Wireflow library in your HTML file. You can include it from a CDN (Content Delivery Network)

step 2: Create Wireflow Markup

Next, you need to create the markup for your wireflow diagram. Wire flow uses a specific structure to define the diagram.

Step 3: Initialize Wireflow

Finally, you need to initialize Wireflow to make it interactive. Add the following JavaScript code after your markup

PROGRAM:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Wireflow Diagram</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial, sans-serif;
```

```
}
```

```
.container {  
    display: flex;  
    justify-content:  
    space-around; margin-top:  
    50px;  
}
```

```
.box {  
    width: 200px;  
    height:  
    100px;  
    border: 1px solid #000;  
    display: flex;  
    justify-content:  
    center; align-items:  
    center; margin: 10px;}
```

```
.arrow {  
    width: 0;  
    height: 0;  
    border-left: 10px solid transparent;  
    border-right: 10px solid  
    transparent; margin-left: 10px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<div class="box">Step 1</div>
<div class="arrow">&rarr;</div>
<div class="box">Step 2</div>
<div class="arrow">&rarr;</div>
<div class="box">Step 3</div>
</div>
</body>

</html>
```

OUTPUT:



RESULT:

Thus the output for Developing Wireflow diagram for application using open source software is executed and verified successfully

Ex. No : 5	Exploring various open source collaborative
Date :	interface Platform

AIM:

To Explore various open source collaborative interface Platform

ALGORITHM:

Step 1: List down the specific requirements for your collaborative project (e.g., real-time collaboration, document sharing, chat functionality, version control, etc.).

Step 2: Explore popular open-source collaborative platforms online.

Step3 : Create a feature checklist based on your requirements.

Step 4: Ensure the platform complies with necessary data protection regulations.

Step 5: Explore the official documentation to see how well the platform is .

Step 6: Once a platform is selected, plan the implementation process carefully

PROGRAM:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Open Source Collaborative Platforms</title>
```

```
<style>
```

```
body {
```

```
font-family: Arial, sans-serif;
```

```

        margin: 20px;
    }

    .platform {
        margin-bottom: 20px;
    }

    .platform h2 {
        margin-bottom: 10px;
    }
</style>
</head>

<body>

    <h1>Explore Open Source Collaborative Platforms</h1><div class="platform">
        <h2>Platform Name 1</h2>
        <p>Description of the first open-source collaborative platform.</p>
        <a href="https://platform1.example.com" target="_blank">Explore Platform</a>
    </div>

    <div class="platform">
        <h2>Platform Name 2</h2>
        <p>Description of the second open-source collaborative platform.</p>
        <a href="https://platform2.example.com" target="_blank">Explore Platform</a>
    </div>

    <!-- Add more platform sections as needed -->
</body>
</html>

```

OUTPUT:

Explore Open Source Collaborative Platforms

Platform Name 1

Description of the first open-source collaborative platform.

[Explore Platform](#)

Platform Name 2

Description of the second open-source collaborative platform.

[Explore Platform](#)

RESULT:

Thus the output for Explore various open source collaborative interface Platform is executed and verified successfully

Ex. No : 6 Date :	Hands on Design Thinking Process for a new product
------------------------------------	---

AIM:

To Hands on Design Thinking Process for a new product

ALGORITHM:

Step 1: The Design Thinking steps (Empathize, Define, Ideate, Prototype, Test, Implementation) are displayed as sections.

Step 2: A simple form is included to gather user feedback about the features they would like to see in the new product.

Step 3: When the user submits feedback, it is displayed below the form.

Step 4: Implement feedback mechanisms (surveys, user reviews, analytics) to collect user feedback post-launch.

Step 5: Apply the Design Thinking process iteratively for continuous product improvement.

PROGRAM:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Design Thinking Process</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial, sans-serif;
```

```
      margin: 20px;
```

```
    }
```

```
    .form-input {
```

```
      margin-bottom: 10px;
```

```
    }
```

```
  </style>
```

```
</head>
```

```
<body>
```

```
  <div class="step">
```

```
    <h2>Empathize</h2>
```

```
    <p>Understand your users. Gather information about your users' needs and  
    problems.</p>
```

```
  </div>
```

```
  <div class="step">
```

```
    <h2>Define</h2>
```

<p>Define the problem based on user needs. Clearly articulate the problem statement.</p>

</div>

<div class="step">

<h2>Prototype</h2>

<p>Build a prototype of your solution. It can be a basic model or representation.</p>

</div>

<div class="step">

<h2>Test</h2>

<p>Test the prototype with users. Gather feedback and iterate if necessary.</p></div>

<div class="step">

<h2>Implementation</h2>

<p>Implement the final product based on the tested prototype.</p>

</div>

<!-- Form for user input (simplified for demonstration) -->

<div class="step">

<h2>Get User Input</h2>

<div class="form-input">

<label for="user-feedback">What features would you like to see in the new product?</label>

<textarea id="user-feedback" rows="4" cols="50"></textarea>

</div>

<button onclick="submitFeedback()">Submit</button>

</div>

<script>

function submitFeedback() {

var feedback = document.getElementById("user-feedback").value

```
        document.getElementById("feedback-text").textContent = feedback;
        document.getElementById("user-feedback-display").style.display = "block";
    }

</script>

</body>

</html>
```

OUTPUT:

Empathize

Understand your users. Gather information about your users' needs and problems.

Define

Define the problem based on user needs. Clearly articulate the problem statement.

Ideate

Generate creative ideas to solve the defined problem.

Prototype

Build a prototype of your solution. It can be a basic model or representation.

Test

Test the prototype with users. Gather feedback and iterate if necessary.

Implementation

Implement the final product based on the tested prototype.

Get User Input

What features would you like to see in the new product?

RESULT:

Thus the output To Hands on Design Thinking Process for a new product is executed and verified successfully

Ex. No : 7 Date :	Brainstorming feature for proposed product
------------------------------------	---

AIM:

To Brainstorming feature for proposed product

ALGORITHM :

Step 1: Create a user interface that includes input fields for users to submit their ideas.

Step 2: Idea Submission Algorithm

Step 3: Check if the entered idea is not empty or just whitespace.

Step 4: Store the ideas in a data

Step 5: Update the user interface to display the submitted ideas.

Step 6: Implement real-time updates if multiple users are collaborating simultaneously.

Step 7: Ensure that the user interface is accessible to users with disabilities.

Step 8: Thoroughly test the feature to identify and fix any bugs or usability issues.

Step 9: Document the functionality

Step 10: Collect user feedback and iterate on the feature to improve its usability

PROGRAM:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Brainstorming Feature</title>
```

```
  <style>
```

```

#ideaList {
    list-style-type:
        none; padding: 0;
}

#ideaList li {
    margin-bottom: 10px;
}

</style>
</head>
<body>
    <h1>Brainstorming Feature for Proposed Product</h1>

    <label for="ideaInput">Enter your ideas:</label>
    <input type="text" id="ideaInput" placeholder="Type your idea...">
    <button onclick="addIdea()">Submit</button>

    <ul id="ideaList"></ul> <script>
function addIdea() {
    var ideaInput = document.getElementById('ideaInput');
    var ideaList = document.getElementById('ideaList');

    // Get the value from the input
    var ideaText = ideaInput.value;

    // Check if the input is not empty
    if (ideaText.trim() !== "") {
        // Create a new list item
        var listItem = document.createElement('li');

```

```
// Set the text content of the list item to the entered idea
listItem.textContent = ideaText;

// Append the list item to the idea list
ideaList.appendChild(listItem);

// Clear the input field
ideaInput.value = "";
}
}
</script>
</body>
</html>
```

OUTPUT:

Brainstorming Feature for Proposed Product

Enter your ideas:

RESULT:

Thus the output for the Brainstorming feature for proposed product is executed and verified successfully

Ex. No : 8

Date :

Defining the Look and Feel of the new Project

AIM:

To Define the Look and Feel of the new Project

ALGORITHM :

Step1: Define the project's purpose, target audience, and key features.

Step2: Explore existing designs for inspiration.

Step3: Collect visual elements, color schemes, and typography that align with the project's theme.

Step4: Create simple sketches or wireframes to plan the layout and structure of key pages.

Step5: Define Color Scheme

Step6: Choose fonts for headings, subheadings, and body text.

Step7: Fix any issues related to layout, colors, or responsiveness.

Step8: Document the styles, color codes, and fonts used in the project.

Step9: Collect user feedback after the project is live.

PROGRAM:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Your Project Title</title>
```

```

<style>
  body {
    font-family: Arial,
    sans-serif;
    background-color: #f0f0f0;
    color: #333;
    margin: 0;
    padding: 0;
  }
  header {
    background-color:
    #007bff; color: #fff;
    padding: 10px;
    text-align:
    center;
  }

  main {
    padding: 20px;
  }
  footer {
background-color: #007bff; color: #fff;
padding: 10px;
text-align:
center; position:
fixed; bottom: 0;
width: 100%;
  }
</style>
</head>

```



```
<body>

  <header>

    <h1>Your Project Title</h1>

  </header>

  <main>

    <p>Welcome to your new project! This is the main content area.</p>

    <!-- Add your project content here -->

  </main>

  <footer>


    <p>&copy; 2023 Your Project Name</p>

  </footer>

</body>

</html>
```

OUTPUT:



RESULT:

Thus the output for Defining the Look and Feel of the new Project is executed and verified successfully

Ex. No : 9	Create a Sample Pattern Library for a product
Date :	

AIM:

To Create a Sample Pattern Library for that product

ALGORITHM :

Step1: Identify the purpose and goals of the Pattern Library.

Step2: Collect visual inspirations, images, and design elements that represent the desired mood and style.

Step3: Choose fonts that align with the brand or product identity.

Step4: Ensure responsiveness for different screen sizes.

Step5: Add Images to Mood Board

Step6: Consider adding interactive elements, such as tooltips or modals, to provide more details about each item in the Pattern Library.

Step7: Test the Pattern Library on different devices and browsers to ensure compatibility.

PROGRAM:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Product Pattern Library</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      margin: 20px;

    }

    section {

      margin-bottom: 40px;

    }

    h2 {

      color: #333;

    }

    .mood-board {

      display: flex;

      justify-content:

      space-around; align-items:

      center;
```

```
}
```

```
.color-sample {  
    width: 50px;  
    height: 50px;  
    margin: 0 10px;  
    border-radius: 50%;  
}
```

```
.fonts {  
    font-size: 18px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<section>
```

```
<h2>Mood Board</h2>
```

```
<div class="mood-board">
```

```
<!-- Add mood board images or descriptions here -->
```

```
<div>Image 1</div>
```

```
<div>Image 2</div>
```

```
<div>Image 3</div>
```

```
</div>
```

```
</section>
```

```
<section>
```

```
<h2>Fonts</h2>

<p class="fonts">Sample text with the selected font.</p>

<!-- Add information about the chosen fonts -->

</section>


<section>

  <h2>Colors</h2>

  <div class="color-sample" style="background-color: #3498db;"></div>

  <div class="color-sample" style="background-color: #2ecc71;"></div>

  <div class="color-sample" style="background-color: #e74c3c;"></div>

  <!-- Add information about the chosen color palette -->

</section>


</body>

</html>
```

OUTPUT:

Mood Board

Image 1


Image 2

Image 3

Fonts

Sample text with the selected font.

Colors



RESULT:

Thus the output for Creating a Sample Pattern Library for that product is executed and verified successfully.

Ex. No : 10 Date :	Identify a customer problem to solve
-------------------------------------	---

AIM:

To Identify a customer problem to solve

ALGORITHM :

Step 1: Define your target audience and market.

Step 2: Gather data on customer behavior, preferences, and pain points.

Step 3: Analyze competitors to identify gaps in the market.

Step 4: Continuously gather customer feedback on your products or services.

Step 5: Regularly reassess the market and customer needs.

Step 6: Iterate on your solutions to stay aligned with evolving customer problems.

PROGRAM:

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Customer Problem Identification</title>

</head>

<body>
    <h1>Customer Problem Identification</h1>
    <form action="submit_form.php" method="post">

        <label for="customerName">Your Name:</label>

        <input type="text" id="customerName" name="customerName" required><br>


        <label for="customerEmail">Your Email:</label>

        <input type="email" id="customerEmail" name="customerEmail" required>
        <br>
        <label for="problemDescription">Describe the problem you are facing:</label>
        <textarea id="problemDescription" name="problemDescription" rows="4" required>
        </textarea>
        <br>
        <input type="submit" value="Submit">

    </form>

</body>

</html>
```


OUTPUT:

Customer Problem Identification

Your Name:

Your Email:

Describe the problem you are facing:

RESULT:

Thus the output for Identifying a customer problem to solve is executed and verified successfully

Ex. No : 11 Date :	Conduct end-to-end user research
---	---

AIM:

To Conduct end-to-end user research - User research, creating personas, Ideation process (User stories, Scenarios), Flow diagrams, Flow Mapping

ALGORITHM

Step 1: Define Research Objectives

Step 2: Plan and Design Research

Step 3: Recruit Participants

Step 4: Conduct Research

Step 5: Synthesize Findings

PROGRAM:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>User Research Documentation</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial,
```

```
      sans-serif; line-height: 1.6;
```

```
      margin: 20px;
```

```
    }
```

```
    code {
```

```
      background-color: #f4f4f4;
```

```
      padding: 2px 6px; border-radius: 4px;
```

```
    }
```

```
  </style>
```

```
</head>
```

```
<body>
```

```
  <header>
```

```
    <h1>End-to-End User Research Documentation</h1>
```

```
  </header>
```

<section>

<h2>User Research</h2>

<p>

Describe the methods and findings of the user research conducted. Include relevant data, insights, and

observations.

</p>

</section>

<section>

<h2>Creating Personas</h2>

<p>

Outline the personas developed based on user research. Include key characteristics, goals, and behaviors

for each persona.

</p></section>

<section>

<h2>Ideation</h2>

<p>

Detail the ideation process, including brainstorming sessions and the generation of creative ideas to

address user needs.

</p>

</section>

<section>

<h2>User Stories and Scenarios</h2>

<p>

List user stories and scenarios that capture the interaction between users and the product or service.

Use the `As a [user type], I want [an action] so that [benefit/goal]` format for user stories.

</p>

</section>

<section>

<h2>Flow Diagrams</h2>

<p>

Create flow diagrams to illustrate the user journey, showcasing the various steps and decision points

within the system.

</p>

</section>

<section>

<h2>Flow Mapping</h2>

<p>

Provide detailed flow maps that visually represent the user's path through the product or service,

including different touchpoints and interactions.

</p>

</section>

</body>

</html>

OUTPUT:

End-to-End User Research Documentation

User Research

Describe the methods and findings of the user research conducted. Include relevant data, insights, and observations.

Creating Personas

Outline the personas developed based on user research. Include key characteristics, goals, and behaviors for each persona.

Ideation

Detail the ideation process, including brainstorming sessions and the generation of creative ideas to address user needs.

User Stories and Scenarios

List user stories and scenarios that capture the interaction between users and the product or service. Use the `As a [user type], I want [an action] so that [benefit/goal]` format for user stories.

Flow Diagrams

Create flow diagrams to illustrate the user journey, showcasing the various steps and decision points within the system.

Flow Mapping

Provide detailed flow maps that visually represent the user's path through the product or service, including different touchpoints and interactions.

RESULT:

Thus the output to Conduct end-to-end user research - User research, creating personas, Ideation process (User stories, Scenarios), Flow diagrams, Flow Mapping is executed and verified successfully.

Ex. No : 12	Sketch, design with popular tool and build a prototype and perform usability testing and identify improvements
Date :	

AIM:

To Sketch, design with popular tool and build a prototype and perform usability testing and identify improvements

ALGORITHM :

Step1: Provide details on the initial sketching phase.

Step2: Include rough sketches, wireframes, and any key concepts
considered during this phase.

Step3: Designing with a Popular Tool

Step4: Include interactive elements and functionalities.

Step5: Usability Testing

Step6: Summarize the findings from usability testing and identify improvements or
refinements to the design.

Step7: Discuss how user feedback influenced design changes.

PROGRAM:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Design and Usability Testing Documentation</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial,
```

```
      sans-serif; line-height: 1.6;
```

```
      margin: 20px;
```

```
    }
```

```
    h1, h2, h3 {
```

```
      color: #333;
```

```
    }
```

```
    section {
```

```
      margin-bottom: 30px;
```

```
    }
```

```
    code {
```

```
      background-color: #f4f4f4;
```



```
padding: 2px 6px;
border-radius: 4px;
}
</style>
</head>

<body>

<header>
  <h1>Sketch, Design, and Usability Testing Documentation</h1>
</header>
```

```
<section>
  <h2>Sketching</h2>
  <p>
```

Provide details on the initial sketching phase. Include rough sketches, wireframes, and any key concepts considered during this phase.

```
</p>
</section>
```

```
<section>
  <h2>Designing with a Popular Tool</h2>
  <p>
```

Describe the design process using a popular design tool (e.g., Adobe XD, Figma, Sketch). Include screenshots or images of the design iterations.

```
</p>
</section>
```

<section>

<h2>Building a Prototype</h2>

<p>

Outline the steps taken to build a prototype based on the finalized design. Include interactive elements and functionalities.

</p>

</section>

<section>

<h2>Usability Testing</h2>

<p>

Detail the usability testing process, including the test plan, participant recruitment, tasks assigned, and observations made during testing.

</p>

</section>

<section>

<h2>Identifying Improvements</h2>

<p>

Summarize the findings from usability testing and identify improvements or refinements to the design.

Discuss how user feedback influenced design changes.

</p>

</section>

</body>

</html>

OUTPUT:

Sketch, Design, and Usability Testing Documentation

Sketching

Provide details on the initial sketching phase. Include rough sketches, wireframes, and any key concepts considered during this phase.

Designing with a Popular Tool

Describe the design process using a popular design tool (e.g., Adobe XD, Figma, Sketch). Include screenshots or images of the design iterations.

Building a Prototype

Outline the steps taken to build a prototype based on the finalized design. Include interactive elements and functionalities.

Usability Testing

Detail the usability testing process, including the test plan, participant recruitment,

RESULT:

Thus the output to Sketch, design with popular tool and build a prototype and perform usability testing and identify improvements is executed and verified successfully.