

```
def inverse():
    f=open('san.txt','w+')
    f.write('\n-----inverse-----\n')
    for i in range(1,6):
        for j in range(0,i):
            f.write(str(i))
        f.write('\n')
    f.close()
inverse()
```

```
def inverse():
    f=open('san.txt','a+')
    for i in range(4,0,-1):
        for j in range(0,i):
            f.write(str(i))
        f.write('\n')
    f.close()
inverse()
```

```
def inverserat():
    f=open('san.txt','a+')
    f.write('\n-----inverserat-----\n')
    f.write('\n')
    for i in range(5,0,-1):
        for j in range(0,i):
            f.write(str(i))
        f.write('\n')
    f.close()
inverserat()

def rat():
    f=open('san.txt','a+')
    f.write('\n-----rightangletriangle-----\n')
    f.write('\n')
    for i in range(1,6):
        for j in range(0,i):
            f.write(str(i))
        f.write('\n')
    f.close()
rat()
```

```
def pyramid():
    f=open('san.txt','a+')
    f.write('\n-----pyramid-----\n')
    for i in range(1,6):
        for j in range(5,i,-1):
            f.write(' ')
        for k in range(0,i):
            f.write(str(i)+' ')
        f.write('\n')
    f.close()
pyramid()
```

-----inverse-----

1
22
333
4444
55555
4444
333
22
1

-----inverserat-----

55555
4444
333
22
1

-----rightangletriangle-----

1
22
333
4444
55555

-----pyramid-----

1
2 2
3 3 3
4 4 4 4
5 5 5 5 5