




So

$$S_1$$
$$S_2$$
 S_3

-0.5

-0.5

 S_4

S5

 S_6

S7

-0.5

S₈

Sg

 S_{10}

S. 11

GOAL

5

 S_{12}

S_{13}

$$S_{14}$$
 S_{15}

$$Q(s_a, w) \leftarrow 0 + 0.5(+10 + \gamma \max_a Q(s_b, a) - 0)$$

← 5

[illegible]

$$Q(S_4, S) \leftarrow 0 + 0.5(+10 + 0.8(0) - 0)$$

S_0	$-S$		S_1		S_2		S_3		
-5	$\triangle$	-0.75							
	-0.5			-0.75					
S_4			S_5		S_6		S_7		
			$\leftarrow$						
			1.5						
	7.5			-0.5					
S_8			S_9		S_{10}		S_{11}		
GOAL			5						
S_{12}			S_{13}		S_{14}		S_{15}		

$$Q(S_4, S) \leq 5 + 0.5(+10 + 0 - 5) \\ \leq 7.5$$

$$Q(S_5, N) \leq 0 + 0.5[-1 + 0.8(5) - 0] \\ \leq 1.5$$

S ₀	-S	S ₁	S ₂	S ₃
-S	△			
	-0.75			
	2.25	-0.75		
S ₄		S ₅	S ₆	S ₇
		1.S		
	8.75	-0.5		
S ₈		S ₉	S ₁₀	S ₁₁
GOAL		S		
S ₁₂		S ₁₃	S ₁₄	S ₁₅

Q(S₄, S) ← 7.5 + 0.5(10 + 0.8(0) - 7.5)

← 8.75