

```
Anaconda Prompt (Anaconda3)

>>> numpy.__version__
'1.21.5'
>>> keras.__version__
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
NameError: name 'keras' is not defined
>>> keras.__version__
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
NameError: name 'keras' is not defined
>>> quit()

(base) C:\Users\boomeshwaran>pip install flask
Defaulting to user installation because normal site-packages is not writeable
Requirement already satisfied: flask in c:\programdata\anaconda3\lib\site-packages (1.1.2)
Requirement already satisfied: Jinja2>=2.10.1 in c:\programdata\anaconda3\lib\site-packages (from flask) (2.11.3)
Requirement already satisfied: click>=5.1 in c:\programdata\anaconda3\lib\site-packages (from flask) (8.0.4)
Requirement already satisfied: Werkzeug>=0.15 in c:\programdata\anaconda3\lib\site-packages (from flask) (2.0.3)
Requirement already satisfied: itsdangerous>=0.24 in c:\programdata\anaconda3\lib\site-packages (from flask) (2.0.1)
Requirement already satisfied: colorama in c:\programdata\anaconda3\lib\site-packages (from click>=5.1->flask) (0.4.5)
Requirement already satisfied: MarkupSafe>=0.23 in c:\programdata\anaconda3\lib\site-packages (from Jinja2>=2.10.1->flask) (2.0.1)

(base) C:\Users\boomeshwaran>site-packages
```

```
Anaconda Prompt (Anaconda3)
Collecting sklearn
  Downloading sklearn-0.0.post1.tar.gz (3.6 kB)
  Preparing metadata (setup.py) ... done
Building wheels for collected packages: sklearn
  Building wheel for sklearn (setup.py) ... done
  Created wheel for sklearn: filename=sklearn-0.0.post1-py3-none-any.whl size=2936 sha256=e8375723a4f3cff57aa7972d3eb4970e48d4d275fbd20ef131f158c88c7a9c3d
  Stored in directory: c:\users\boomeshwaran\appdata\local\pip\cache\wheels\f8\e0\3d\9d0c2020c44a519b9f02ab4fa6d2a4a996c98d79ab2f569fa1
Successfully built sklearn
Installing collected packages: sklearn
Successfully installed sklearn-0.0.post1

(base) C:\Users\boomeshwaran>pip install numpy
Defaulting to user installation because normal site-packages is not writeable
Requirement already satisfied: numpy in c:\programdata\anaconda3\lib\site-packages (1.21.5)

(base) C:\Users\boomeshwaran>pip install pandas
Defaulting to user installation because normal site-packages is not writeable
Requirement already satisfied: pandas in c:\programdata\anaconda3\lib\site-packages (1.4.4)
Requirement already satisfied: python-dateutil>=2.8.1 in c:\programdata\anaconda3\lib\site-packages (from pandas) (2.8.2)
Requirement already satisfied: numpy>=1.18.5 in c:\programdata\anaconda3\lib\site-packages (from pandas) (1.21.5)
Requirement already satisfied: pytz>=2020.1 in c:\programdata\anaconda3\lib\site-packages (from pandas) (2022.1)
Requirement already satisfied: six>=1.5 in c:\programdata\anaconda3\lib\site-packages (from python-dateutil>=2.8.1->pandas) (1.16.0)

(base) C:\Users\boomeshwaran>
```


Select Anaconda Prompt (Anaconda3)

```
(base) C:\Users\boomeshwaran>pip install sklearn
Defaulting to user installation because normal site-packages is not writeable
Collecting sklearn
  Downloading sklearn-0.0.post1.tar.gz (3.6 kB)
  Preparing metadata (setup.py) ... done
Building wheels for collected packages: sklearn
  Building wheel for sklearn (setup.py) ... done
  Created wheel for sklearn: filename=sklearn-0.0.post1-py3-none-any.whl size=2936 sha256=e8375723a4f3cff57aa7972d3eb4970e48d4d275fbd20ef131f158c88c7a9c3d
  Stored in directory: c:\users\boomeshwaran\appdata\local\pip\cache\wheels\f8\e0\3d\9d0c2020c44a519b9f02ab4fa6d2a4a996c98d79ab2f569fa1
Successfully built sklearn
Installing collected packages: sklearn
Successfully installed sklearn-0.0.post1

(base) C:\Users\boomeshwaran>pip install numpy
Defaulting to user installation because normal site-packages is not writeable
Requirement already satisfied: numpy in c:\programdata\anaconda3\lib\site-packages (1.21.5)

(base) C:\Users\boomeshwaran>pip install pandas
Defaulting to user installation because normal site-packages is not writeable
Requirement already satisfied: pandas in c:\programdata\anaconda3\lib\site-packages (1.4.4)
Requirement already satisfied: python-dateutil>=2.8.1 in c:\programdata\anaconda3\lib\site-packages (from pandas) (2.8.2)
Requirement already satisfied: numpy>=1.18.5 in c:\programdata\anaconda3\lib\site-packages (from pandas) (1.21.5)
Requirement already satisfied: pytz>=2020.1 in c:\programdata\anaconda3\lib\site-packages (from pandas) (2022.1)
Requirement already satisfied: six>=1.5 in c:\programdata\anaconda3\lib\site-packages (from python-dateutil
```

```
Select Anaconda Prompt (Anaconda3)

Requirement already satisfied: six>=1.5 in c:\programdata\anaconda3\lib\site-packages (from python-dateutil>=2.7->matplotlib>=2.2->seaborn) (1.16.0)

(base) C:\Users\boomeshwaran>pip install flask
Defaulting to user installation because normal site-packages is not writeable
Requirement already satisfied: flask in c:\programdata\anaconda3\lib\site-packages (1.1.2)
Requirement already satisfied: Jinja2>=2.10.1 in c:\programdata\anaconda3\lib\site-packages (from flask) (2.11.3)
Requirement already satisfied: Werkzeug>=0.15 in c:\programdata\anaconda3\lib\site-packages (from flask) (2.0.3)
Requirement already satisfied: itsdangerous>=0.24 in c:\programdata\anaconda3\lib\site-packages (from flask) (2.0.1)
Requirement already satisfied: click>=5.1 in c:\programdata\anaconda3\lib\site-packages (from flask) (8.0.4)
Requirement already satisfied: colorama in c:\programdata\anaconda3\lib\site-packages (from click>=5.1->flask) (0.4.5)
Requirement already satisfied: MarkupSafe>=0.23 in c:\programdata\anaconda3\lib\site-packages (from Jinja2>=2.10.1->flask) (2.0.1)

(base) C:\Users\boomeshwaran>python
Python 3.9.13 (main, Aug 25 2022, 23:51:50) [MSC v.1916 64 bit (AMD64)] :: Anaconda, Inc. on win32
Type "help", "copyright", "credits" or "license" for more information.
>>> import numpy
>>> import pandas
>>> import matplotlib
>>> import seaborn
>>> import flask
>>> quit()

(base) C:\Users\boomeshwaran>pip install tensorflow==1.14.0
```



```
Anaconda Prompt (Anaconda3)
(base) C:\Users\boomeshwaran>pip install keras==2.2.4
Defaulting to user installation because normal site-packages is not writeable
Collecting keras==2.2.4
  Downloading Keras-2.2.4-py2.py3-none-any.whl (312 kB)
    ----- 312.5/312.5 kB 4.9 MB/s eta 0:00:00
Requirement already satisfied: scipy>=0.14 in c:\programdata\anaconda3\lib\site-packages (from keras==2.2.4) (1.9.1)
Collecting keras-applications>=1.0.6
  Downloading Keras_Applications-1.0.8-py3-none-any.whl (50 kB)
    ----- 50.7/50.7 kB ? eta 0:00:00
Requirement already satisfied: h5py in c:\programdata\anaconda3\lib\site-packages (from keras==2.2.4) (3.7.0)
Requirement already satisfied: pyyaml in c:\programdata\anaconda3\lib\site-packages (from keras==2.2.4) (6.0)
Collecting keras-preprocessing>=1.0.5
  Downloading Keras_Preprocessing-1.1.2-py2.py3-none-any.whl (42 kB)
    ----- 42.6/42.6 kB 2.0 MB/s eta 0:00:00
Requirement already satisfied: numpy>=1.9.1 in c:\programdata\anaconda3\lib\site-packages (from keras==2.2.4) (1.21.5)
Requirement already satisfied: six>=1.9.0 in c:\programdata\anaconda3\lib\site-packages (from keras==2.2.4) (1.16.0)
Installing collected packages: keras-preprocessing, keras-applications, keras
Successfully installed keras-2.2.4 keras-applications-1.0.8 keras-preprocessing-1.1.2

(base) C:\Users\boomeshwaran>pip install opencv-python
Defaulting to user installation because normal site-packages is not writeable
Collecting opencv-python
  Downloading opencv_python-4.6.0.66-cp36-abi3-win_amd64.whl (35.6 MB)
    ----- 35.6/35.6 MB 4.3 MB/s eta 0:00:00
Requirement already satisfied: numpy>=1.17.3 in c:\programdata\anaconda3\lib\site-packages (from opencv-pyt
```

```
Anaconda Prompt (Anaconda3)
(base) C:\Users\boomeshwaran>pip install keras==2.2.4
Defaulting to user installation because normal site-packages is not writeable
Collecting keras==2.2.4
  Downloading Keras-2.2.4-py2.py3-none-any.whl (312 kB)
    ----- 312.5/312.5 kB 4.9 MB/s eta 0:00:00
Requirement already satisfied: scipy>=0.14 in c:\programdata\anaconda3\lib\site-packages (from keras==2.2.4) (1.9.1)
Collecting keras-applications>=1.0.6
  Downloading Keras_Applications-1.0.8-py3-none-any.whl (50 kB)
    ----- 50.7/50.7 kB ? eta 0:00:00
Requirement already satisfied: h5py in c:\programdata\anaconda3\lib\site-packages (from keras==2.2.4) (3.7.0)
Requirement already satisfied: pyyaml in c:\programdata\anaconda3\lib\site-packages (from keras==2.2.4) (6.0)
Collecting keras-preprocessing>=1.0.5
  Downloading Keras_Preprocessing-1.1.2-py2.py3-none-any.whl (42 kB)
    ----- 42.6/42.6 kB 2.0 MB/s eta 0:00:00
Requirement already satisfied: numpy>=1.9.1 in c:\programdata\anaconda3\lib\site-packages (from keras==2.2.4) (1.21.5)
Requirement already satisfied: six>=1.9.0 in c:\programdata\anaconda3\lib\site-packages (from keras==2.2.4) (1.16.0)
Installing collected packages: keras-preprocessing, keras-applications, keras
Successfully installed keras-2.2.4 keras-applications-1.0.8 keras-preprocessing-1.1.2

(base) C:\Users\boomeshwaran>pip install opencv-python
Defaulting to user installation because normal site-packages is not writeable
Collecting opencv-python
  Downloading opencv_python-4.6.0.66-cp36-abi3-win_amd64.whl (35.6 MB)
    ----- 35.6/35.6 MB 4.3 MB/s eta 0:00:00
Requirement already satisfied: numpy>=1.17.3 in c:\programdata\anaconda3\lib\site-packages (from opencv-pyt
```


Anaconda Prompt (Anaconda3)

```
(base) C:\Users\boomeshwaran>python
Python 3.9.13 (main, Aug 25 2022, 23:51:50) [MSC v.1916 64 bit (AMD64)] :: Anaconda, Inc. on win32
Type "help", "copyright", "credits" or "license" for more information.
>>> import tensorflow
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
ModuleNotFoundError: No module named 'tensorflow'
>>> import keras
Using TensorFlow backend.
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
  File "C:\Users\boomeshwaran\AppData\Roaming\Python\Python39\site-packages\keras\__init__.py", line 3, in
<module>
    from . import utils
  File "C:\Users\boomeshwaran\AppData\Roaming\Python\Python39\site-packages\keras\utils\__init__.py", line
6, in <module>
    from . import conv_utils
  File "C:\Users\boomeshwaran\AppData\Roaming\Python\Python39\site-packages\keras\utils\conv_utils.py", lin
e 9, in <module>
    from .. import backend as K
  File "C:\Users\boomeshwaran\AppData\Roaming\Python\Python39\site-packages\keras\backend\__init__.py", lin
e 89, in <module>
    from .tensorflow_backend import *
  File "C:\Users\boomeshwaran\AppData\Roaming\Python\Python39\site-packages\keras\backend\tensorflow_backen
d.py", line 5, in <module>
    import tensorflow as tf
ModuleNotFoundError: No module named 'tensorflow'
>>> import cv2
>>> cv2.__version__
Traceback (most recent call last):
```

```
Anaconda Prompt (Anaconda3)
(base) C:\Users\boomeshwaran>python
Python 3.9.13 (main, Aug 25 2022, 23:51:50) [MSC v.1916 64 bit (AMD64)] :: Anaconda, Inc. on win32
Type "help", "copyright", "credits" or "license" for more information.
>>> import tensorflow
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
ModuleNotFoundError: No module named 'tensorflow'
>>> import keras
Using TensorFlow backend.
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
  File "C:\Users\boomeshwaran\AppData\Roaming\Python\Python39\site-packages\keras\__init__.py", line 3, in
<module>
    from . import utils
  File "C:\Users\boomeshwaran\AppData\Roaming\Python\Python39\site-packages\keras\utils\__init__.py", line
6, in <module>
    from . import conv_utils
  File "C:\Users\boomeshwaran\AppData\Roaming\Python\Python39\site-packages\keras\utils\conv_utils.py", lin
e 9, in <module>
    from .. import backend as K
  File "C:\Users\boomeshwaran\AppData\Roaming\Python\Python39\site-packages\keras\backend\__init__.py", lin
e 89, in <module>
    from .tensorflow_backend import *
  File "C:\Users\boomeshwaran\AppData\Roaming\Python\Python39\site-packages\keras\backend\tensorflow_backen
d.py", line 5, in <module>
    import tensorflow as tf
ModuleNotFoundError: No module named 'tensorflow'
>>> import cv2
>>> cv2.__version__
Traceback (most recent call last):
```