"TELEDERMATOLOGY HEALTHCARE PORTAL"

PROJECT REPORT

Submitted for CAL in B.Tech Internet and Web Programming (CSE3002)

By

SANJANA D - 17BCE1068 MUKKESH G - 17BCE1128 AMRIT KRISHNA O - 17BCE1133

Slot: D1

Name of faculty: PROF. SIVAGAMI M.

(SCHOOL OF COMPUTER SCIENCE ENGINEERING: SCSE)



April 2019

1. ABSTRACT

Medical technology and healthcare is an ever advancing field in today's world. However, a common problem which exists is that the outreach and availability of healthcare facilities to every individual is quite limited. Therefore, we aim to provide a technological solution which could make a difference in this world.

Diagnosing neonatal and pediatric skin conditions does not require face-to-face communication and can be done remotely. A software application can be developed where users (patients/care-takers) can access a web portal to communicate with medical personnel. The application will have separate portals for patients and physicians offering the necessary features for each. The physician will be able to receive images from patients, tag the diagnosis, automatically store the image for research use and respond to the sender. The patient will be able to get an online consultation from a physician by reporting his symptoms, and attaching any images which would aid in the diagnostic process. A centralised database connection will be established with the application to where data will be efficiently stored and retrieved from.

A MediCare ChatBot instantly interacts, assists and tend to your needs. Further machine learning and image processing techniques could be integrated to automate and enhance this remote digital healthcare application.

2. TECHNOLOGY STACK

The architecture that we have used in our project is a three tier architecture.

Tier 1- Client side

Tier 2- Server Side

Tier 3- Database

Front end:



HTML also known as Hyper Text Markup language was the main part of the front end of our project. Raising from the early 90's HTML is the most widely used language for web

development. The main function of HTML is to display the web pages. This does not use any logic by itself.



Css(Cascading Style Sheets) was used for adding aesthetic effect to the contents that are displayed using HTML. CSS is generally used side by side with HTML to give our web page a clean -cut beautiful look.



HTML and CSS are only used to define and beautify web pages. They add no logic as such to the web pages. JavaScript was introduced as a client side scripting language to bring the web pages to life. We have made used of DOM(Document Object Model) concepts to dynamically load content to our web pages. Basic checks and verifications are being done in the client side using JavaScript in our project.

Back end:



PHP(Hypertext Preprocessor) is originally a general purpose programming language that is generally used for server side scripting. We have mainly used PHP for our server side code. The connection to the SQL database are done using the php's object oriented sqli functions. Data was passed between HTML/Javascript and php through AJAX. There were places where we had to store the images uploaded by a user. For this,MMDB had to be implemented in our project. The

MMDB is being implemented by php . The images uploaded by the user are stored in the local directory of the server and their paths are being stored in the SQL database.



Asynchronous JavaScipt and XML is a method of silent communication between the client and the server. This communication is achieved by sending HTTP requests as XML. All the data that is being passed between the client and the server and vice-versa are being done through AJAX. AJAX had made the complete framework of our project to be faster and secure.



Asynchronous transfer of files could only be achieved by POST requests via jQuery. The transfer of images from the client and the server are done through this . jQuery was an integral factor in the implementation of MMDB.



Python was used for a very small part in our project. The emails that are sent to the email id of the customer care were sent through the SMTP server that was set by python. The only place where we have used python in our project is to integrate the emailing facility.

Database:



The database management system that we have used is MySQL. We set up a local MySQL server and stored all our data in it. We had four tables:

- Credentials- These were used for the login verification process. Each of the user was given an uid that was unique to each account.
- Patients; This was used for storing the details of the patients their patient id(pid) and the uid which was linked as a foreign key to the uid column of the credentials table.
- Doctors- All the details of the doctor such as the doctorid(did) and the uid which was again linked as a foreign key to credentials.uid.
- Images- This stored the details of every single response of the patient for 'my diagnostics'. This had the patient id of the patient and the doctor id of the doctor who attend his case. Pid and Did were linked as foreign keys to the primary keys of patients and doctors, i.e pid and did respectively.

3. FEATURES

3.1 SECURE LOGIN

The secure login facility allows users to access their personal accounts upon validation and verification of entered credentials with the centralised MySQL database. Depending on the entered credentials the user is diverted either to the patients' or doctors' portal accordingly and given privilege of the appropriate features. A captcha is integrated in this login process to make the verification process more secure.

3.2 SYMPTOMS DIAGNOSIS

The diagnostics form takes input from patients about their symptoms, in a user friendly manner, through radio buttons and checkboxes. These answers are sent to the doctor where he/she analyzes them and gives a diagnostics report in response to the patient. The doctor is able to keep track of pending consultations and those already attended to by the use of a status feature.

Along with the symptoms form the user is allowed to upload a supporting image for the doctor to view which helps ease the process of diagnosis and increase accuracy and reliability of results. These images are stored in a multimedia database (MMDB) which was implemented using php as described previously.

3.3 APPOINTMENTS SCHEDULING

This feature allows patients to schedule and book appointments with a particular doctor. Patients can select which doctor they would like to consult and choose their preferred date. The available time slots will then be displayed to them from which they can choose a slot and confirm their appointment. Accordingly the database would be updated and the doctors would be notified of their upcoming appointments.

3.4 GEOLOCATIONING

For informative purposes and ease of access, a geolocationing feature is available where the location of each doctor is shown on an inbuilt map. Users can use this to know where doctors and their medical centers are located in case of planning to book a physical appointment or even just for background knowledge of their practitioner

3.5 DIAGNOSTICS HISTORY

Patients can view their entire history of consultations and the diagnostics they have received till date. If a diagnostics report is yet to come for a recently submitted symptoms form then the status would be displayed as such. Doctors can also view their previous consultations and keep a record of their patients and derma cases.

3.6 EDIT PROFILE

Users are given the privilege to update their account information. A few data items such as name and DOB are restricted and cannot be edited once your account has been made. This is due to security and integrity reasons. Information such as contact details and account password can be edited in the edit profile section available in the side menu bar.

4. SAMPLE CODE

```
4.1 proj_derm_login.html
<!DOCTYPE html>
<head>
```

```
if (this.readyState == 4 && this.status == 200) {
             window.check=this.responseText;
          }
        }
        xmlhttp.open("GET",
 "proj login.php?u="+document.fl.u.value+"&p="+document.fl.p.value, true);
        xmlhttp.send();
    function abc()
         yes();
         setTimeout(ayy, 4000);
    function ayy()
    {
         if(window.check=="Yes#patient"){
                if(ValidCaptcha())
                window.location="proj derm.html";
                else
                        alert("Incorrect captcha,please try again")
         else if(window.check=="Yes#doctor"){
                if(ValidCaptcha())
                window.location="proj doc.html";
         else
                alert("Incorrect captcha,please try again")
         }
         else
                alert("Incorrect credentials!Please try again!")
 </script>
 <body onload="Captcha();">
 <div class="container">
 <div class="show box">
      <div class="show" id="login">
<h2 align="center">Login</h2>
  <div style="text-align:center">
 <form name="f1">
        Username: <br>
 <input type="text" id="l1" name="u"><br><br>>
```

```
Password:<br>
<input type="password" id="l2" name="p"><br><br>
<div align="center">
Captcha<br/>
    <input type="text" id="mainCaptcha" readOnly/>
     >
     <input type="button" id="refresh" value="Refresh" onclick="Captcha();" />

    <input type="text" id="txtInput"/>
    <input type="button" id="l3" value="Login" onclick="abc();" style="width:100px;">
</div>
Forgot Password?
</form>
</div>
</div>
</div>
</body>
</html>
4.2 proj derm login.php
     <?php
error reporting(0);
$servername = "localhost";
$username = "root";
$password = "rootpassword";
$dbname = "iwp";
$conn = new mysqli($servername, $username,$password, $dbname);
if ($conn->connect error) {
```

```
}
       $query= $conn->prepare("select username,password,uid,type from credentials");
       $query->execute();
       $arr=$query->get result();
       $user=$ GET["u"];
       $pass=$_GET["p"];
       $hash=password hash($pass,PASSWORD BCRYPT,["cost"=>8]);
       $flag=0;
       while($row=$arr->fetch assoc())
          if($row["username"]==$user && password verify($row["password"],$hash))
            session start();
            $ SESSION['username'] =$user;
            $ SESSION['uid']=$row["uid"];
            $ SESSION['password']=$pass;
            if(\text{srow}["type"]==1)
            echo "Yes#doctor";
            else
              echo "Yes#patient";
            $flag=1;
          }
       if(flag==0)
          echo "No";
       $conn->close();
       ?>
4.3 proj_derm.html
               <!DOCTYPE html>
<html>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js">
</script>
  <meta charset="utf-8"/>
  <title>DermaPatient</title>
 link rel="stylesheet" type="text/css" href="MarvelTabs.css">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.7.2/css/all.css">
```

die("Connection failed: " . \$conn->connect error);

```
<script
src="http://maps.google.com/maps/api/js?key=AIzaSyAqbuzbro7C6uQ31aLjrP0kxPQvxLRBX2s"
type="text/javascript"></script>
</head>
<script>
function e()
{
        alert("wp");
  var file data = $('#sortpicture').prop('files')[0];
  var form data = new FormData();
  form data.append('file', file data);
  alert(form data);
  $.ajax({
    url: 'proj main.php', // point to server-side PHP script
    dataType: 'text', // what to expect back from the PHP script, if anything
    cache: false,
    contentType: false,
    processData: false,
    data: form data,
    type: 'post',
    success: function(php script response){
       alert("gg"); // display response from the PHP script, if any
    }
   });
</script>
<script>
function s()
{
        var xmlhttp = new XMLHttpRequest();
        xmlhttp.onreadystatechange = function() {
          if (this.readyState == 4 && this.status == 200) {
            sym check=this.responseText;
          }
        }
        consult=document.getElementById("sf")
        var items=document.getElementsByName('c');
        var mycheckb="";
        for(var i=0; i<items.length; i++){
               if(items[i].type=='checkbox' && items[i].checked==true)
                        mycheckb+=items[i].value+" ";
        }
```

```
yes send="proj main.php?u=symptoms&r1="+consult.r1.value+"&r2="+consult.r2.value+"&r3="+cons
ult.r3.value+"&r4="+consult.r4.value+"&r5="+consult.r5.value+"&r6="+consult.r6.value+"&r7="+consult.r6.value+"
lt.r7.value+"&r8="+consult.r8.value+"&r9="+consult.r9.value+"&r10="+consult.r10.value+"&r11="+consult.r10.value+"&r8="+consult.r10.value+"&r8="+consult.r10.value+"&r8="+consult.r10.value+"&r8="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consult.r10.value+"&r10="+consul
nsult.r11.value+"&r12="+consult.r12.value+"&r13="+consult.r13.value+"&r14="+consult.r14.value+"&r
15="+consult.r15.value+"&r16="+consult.r16.value+"&r17="+consult.r17.value+"&r18="+consult.r18.value+"
alue+"&r19="+consult.r19.value+"&r20="+consult.r20.value+"&r21="+consult.r21.value+"&c="+mych
eckb+"&r22="+consult.r22.value+"&f1="+consult.f1
                  xmlhttp.open("GET", yes send, true);
                  xmlhttp.send();
                  alert("Details registered successfully");
}
var flag=1
var values="";
function abc(ans)
{
                  alert("HI");
var xmlhttp = new XMLHttpRequest();
xmlhttp.onreadystatechange = function() {
     if (this.readyState == 4 && this.status == 200) {
           values=values+this.responseText;
     }
xmlhttp.open("GET", "proj main.php?u=editprof", true);
xmlhttp.send();
var xmlhttp = new XMLHttpRequest();
xmlhttp.onreadystatechange = function() {
     if (this.readyState == 4 && this.status == 200) {
          diagnos=this.responseText;
     }
xmlhttp.open("GET", "proj_main.php?u=init", true);
xmlhttp.send();
var xmlhttp = new XMLHttpRequest();
xmlhttp.onreadystatechange = function() {
     if (this.readyState == 4 && this.status == 200) {
           appointments=this.responseText;
     }
xmlhttp.open("GET", "proj main.php?u=app", true);
xmlhttp.send();
```

```
function pyemail()
{
       long ans=document.getElementById("emailpy").value;
       var xmlhttp = new XMLHttpRequest();
       xmlhttp.onreadystatechange = function() {
          if (this.readyState == 4 && this.status == 200) {
            sym check=this.responseText;
          }
url="proj main.php?u=pyemail&tosend="+long ans;
xmlhttp.open("GET",url, true);
xmlhttp.send();
alert("Email sent!You will get a response from us shortly")
}
all slots=["9-9:30AM","9:30-10AM","10-10:30AM","10:30-11AM","3-3:30PM","3:30-4PM","4-4:30P
M","4:30-5PM"];
index=0;
function app()
       for(i=0;i<all slots.length;i++)
               document.getElementById(all slots[i]).disabled=false;
       dr="":
       index=0;
       if(document.getElementById("aa1").checked)
               dr="Dr.Kumar";
       if(document.getElementById("aa2").checked)
               dr="Dr.Anand";
       if(document.getElementById("aa3").checked)
               dr="Dr.Mukkesh";
       date=document.getElementById("bab").value;
       checker=window.appointments.split("@");
       if(dr=="Dr.Kumar")
               window.index=1;
       if(dr=="Dr.Anand")
               window.index=2;
       if(dr=="Dr.Mukkesh")
               window.index=3;
       slot date=checker[window.index].split("#");
       if(slot date[1].includes(date)){
               slots=slot_date[2].split("!")
```

```
for(i=0; i \le slots.length; i++)
                     document.getElementById(slots[i]).disabled=true;
              }
              }}
</script>
<body>
<div class="container">
 <div class="vertical tabs">
<div class="tab" onclick="tabFunction(event, 'spider')" id="defaultOpen"> Home </div>
<div class="tab" onclick="tabFunction(event, 'captian')">Consult Doctor</div>
 <div class="tab" onclick="tabFunction(event, 'hulk')">My Diagnostics</div>
<div class="tab" onclick="tabFunction(event, 'appoint')">Appointments</div>
 <div class="tab" onclick="tabFunction(event, 'thor')">Our Doctors</div>
<div class="tab" onclick="tabFunction(event, 'ironMan')"> DermoBot </div>
<div class="tab" onclick="tabFunction(event, 'antMan')">Edit Profile</div>
<div class="tab" onclick="tabFunction(event, 'blackPanther')">Help</div>
 </div>
<div class="show box">
 <div class="show" id="captian" style="display:none;">
    <h2>Consult Doctor</h2>
  < div>
<form method="post" name="sym form" id="sf" enctype="multipart/form-data" >
Symptoms Diagnosis: <br>
Skin type?<br>
Dry:<input type="radio" name="r1" value="dry"><br>
Oily:<input type="radio" name="r1" value="oily"><br><br>
Were you recently exposed to any allergens?<br/>
<br/>
input type="radio" name="r2"
value="yes1">Yes<input type="radio" name="r2" value="no1">No<br><br>
Size of spots/bumps/rashes/patches:<br/>
<input type="radio" name="r15" value="small">Small &nbsp<input type="radio" name="r15"</pre>
value="med">Medium &nbsp<input type="radio" name="r15" value="big">Big<br/>br><br/>br>
Which parts of your body are affected? <br
Face:<input type="checkbox" name="c" value="face"><br>
Chest:<input type="checkbox" name="c" value="chest"><br>
Arms:<input type="checkbox" name="c" value="arms"><br>
Legs:<input type="checkbox" name="c" value="legs"><br>
Back:<input type="checkbox" name="c" value="back"><br>
Abdomen:<input type="checkbox" name="c" value="abs"><br><br><br/>>
Sore throat: <input type="radio" name="r20" value="yes20">Yes<input type="radio" name="r20"
value="no20">No<br><br>
```

```
Loss of appetite: <input type="radio" name="r21" value="yes21">Yes<input type="radio" name="r21"
value="no21">No<br><br>
Body aches: <input type="radio" name="r22" value="yes22">Yes<input type="radio" name="r22"
value="no22">No<br><br>
<input type="button" value="Submit" onclick="s()" id="fil">
</form>
Upload image of affected area of skin:<input type="file" name="sortpic" id="sortpicture"><br><br><br/>br><br/><br/>
<input type="button" value="Upload" onclick="e()" id="upload">
</div>
    </div>
    <h2>Help</h2>
    Customer care: +91 9841045580<br><br>
<form action="" method="post">
Send email: <br>
<textarea name="message" id="emailpy" rows="10" cols="30">Type your message here.</textarea>
<br><input type="button" value="Send" onclick=pyemail()>
</form> </div> </div>
</body>
<script language="javascript">
function yup()
{
               window.check="";
       var xmlhttp = new XMLHttpRequest();
       xmlhttp.onreadystatechange = function() {
         if (this.readyState == 4 && this.status == 200) {
            window.check=this.responseText;
         }
}
       xmlhttp.open("GET",
"proj main.php?u=profcheck&pass="+document.getElementById("p2").value, true);
       xmlhttp.send();
       return this.responseText;
}
function edit prof_check()
       if(window.check=="No")
         {alert("Please enter the right password")
        return;}
else if(window.check=="Yes")
```

```
alert("Yass in edit");
         let i,info,tab;
         superHero='profile';
  show = document.getElementsByClassName("show");
  for(i=0; i < \text{show.length}; i++){
   show[i].style.display = "none";
  }
  tab = document.getElementsByClassName("tab");
  for(i=0; i < tab.length; i++){
   tab[i].className = tab[i].className.replace(" active","");
  }
  document.getElementById(superHero).style.display = "block";
                if(flag==1)
                                setTimeout(abc(),5000);
                                editinit();
                        }
         }}
function tabFunction(evt,superHero){
                                         if(superHero=='profile')
                 alert("In proile");
                 check=yup();
                 setTimeout(edit prof check,4000)
                 return;
   let i,info,tab;
   show = document.getElementsByClassName("show");
   for(i=0; i < \text{show.length}; i++){
    show[i].style.display = "none";
```

```
}
   tab = document.getElementsByClassName("tab");
   for(i=0; i < tab.length; i++){
    tab[i].className = tab[i].className.replace(" active","");
   }
   document.getElementById(superHero).style.display = "block";
   evt.currentTarget.className += " active";
               if(flag==1)
                               setTimeout(abc(),5000);
                               editinit();
               if(superHero=="hulk")
                       diaginit();
  }
</script>
</html>
4.4 proj main.php
               <?php
       session_start();
       $servername = "localhost";
       $username = "root";
       $password = "rootpassword";
       $dbname = "iwp";
       $conn = new mysqli($servername, $username, $password, $dbname);
       if ($conn->connect error) {
          die("Connection failed: " . $conn->connect error);
       $uname=$_SESSION['username'];
        $uid=$ SESSION['uid'];
        $pass=$_SESSION['password'];
```

```
$query="select * from patients where uid=".$uid;
$ans=$conn->query($query)->fetch assoc();
$patient id=$ans["pid"];
$patient name=$ans["pname"];
$patient DOB=$ans["dob"];
$patient email=$ans["email"];
$patient number=$ans["contactno"];
$patient address=$ans["addr"];
function editprof(){
$str=$GLOBALS["uname"].'#'.$GLOBALS["uid"].'#'.$GLOBALS["patient id"].'#'.$GLOBALS
["patient name"].'#'.$GLOBALS["patient DOB"].'#'.$GLOBALS["patient email"].'#'.$GLOBA
LS["patient number"].'#'.$GLOBALS["patient address"];
  echo $str;
function sym()
  $servername = "localhost";
  $username = "root";
  $password = "rootpassword";
  $dbname = "iwp";
  $conn = new mysqli($servername, $username,$password, $dbname);
  if ($conn->connect error) {
    die("Connection failed: " . $conn->connect_error);
  $final str="";
  $rad="r";
  for($i=1;$i<=22;$i++)
    $temp=$rad.$i;
    $final str=$final str.htmlspecialchars($_GET[$temp])."@";
  $arr check=htmlspecialchars($ GET["c"]);
  $final str=$final str.$arr check;
  $a="select * from doctors";
  $ans=$conn->query($a);
  $arr=$conn->query($a)->fetch assoc();
  $dir="C:\\xampp\\htdocs\\iwp proj\\images iwp\\";
  $a="select max(mid) as mid from images";
  $arr=$conn->query($a)->fetch assoc();
  $new mid=$arr["mid"]+1;
```

```
$dummy pid=1;
  $str=(string)$new mid.$dummy pid;
  $new dir=$dir.$str.".png";
  $newsql dir=\$str.".png";
  $sql = "INSERT INTO images (mid,path,status,pid,did,answers,date)
VALUES(".\$new mid.\",\"\.\$newsql dir.\"\,0,\".\$dummy pid.\"\,1,\"\\\\$final str.\"\,\"\date(\"Y-m-d\").
  $arr=$conn->query($sql);
  $conn->close();
function profcheck(){
  if(htmlspecialchars($ GET["pass"])==$GLOBALS["pass"])
    echo "Yes";
  else {
    echo "No"; }
function sav det(){
  $servername = "localhost";
  $username = "root";
  $password = "rootpassword";
  $dbname = "iwp";
  $conn = new mysqli($servername, $username,$password, $dbname);
  if ($conn->connect error) {
    die("Connection failed: " . $conn->connect_error);
  if(htmlspecialchars($ GET["email"])!="No")
    $query="update patients set email=".htmlspecialchars($ GET["email"])." where
pid=".$GLOBALS["patient id"];
    $arr=$conn->query($query);
  if(htmlspecialchars($ GET["phno"])!="No")
  {
    $query="update patients set contactno=".htmlspecialchars($ GET["phno"])." where
pid=".$GLOBALS["patient id"];
    $arr=$conn->query($query);
  if(htmlspecialchars($ GET["add"])!="No")
    $query="update patients set addr="".htmlspecialchars($ GET["add"])."" where
pid=".$GLOBALS["patient id"];
    $arr=$conn->query($query);
```

```
if(htmlspecialchars($ GET["pswd"])!="No")
    $query="update credentials set password="".htmlspecialchars($ GET["pswd"])."" where
uid=".$GLOBALS["uid"];
    $arr=$conn->query($query);
  mysqli commit($conn);
  mysqli close($conn);
function pyemail()
$str=$GLOBALS["patient id"]."#".$GLOBALS["patient name"]."#".$GLOBALS["patient_num
ber"]."#".$GLOBALS["patient email"]."#".htmlspecialchars($ GET["tosend"]);
  data = array(
    tag' => "iwp",
    'value' => $str
  );
  # Create a connection
  $url = 'http://www.smartdb123.appspot.com/storeavalue';
  ch = curl init(surl);
  # Form data string
  $postString = http build query($data, ", '&');
  # Setting our options
  curl setopt($ch, CURLOPT POST, 1);
  curl setopt($ch, CURLOPT POSTFIELDS, $postString);
  curl setopt($ch, CURLOPT RETURNTRANSFER, true);
  # Get the response
  response = curl exec($ch);
  curl close($ch);
function fileup()
  $servername = "localhost";
  $username = "root";
  $password = "rootpassword";
  $dbname = "iwp";
  $conn = new mysqli($servername, $username,$password, $dbname);
  if ($conn->connect error) {
    die("Connection failed: " . $conn->connect error);
  }
```

```
$ans=$conn->query($a);
  $arr=$conn->query($a)->fetch assoc();
  $dir="C:\\xampp\\htdocs\\iwp proj\\images iwp\\";
  $a="select max(mid) as mid from images";
  $arr=$conn->query($a)->fetch assoc();
  $new mid=$arr["mid"];
  $dummy pid=1;
  $str=(string)$new mid.$dummy pid;
  $new dir=$str.".PNG";
  move uploaded file($ FILES["file"]["tmp name"],$new dir);
  $conn->close();
4.5 proj doc.html
<html>
<script language="javascript">
mid=0:
var xmlhttp = new XMLHttpRequest();
xmlhttp.onreadystatechange = function() {
  if (this.readyState == 4 \&\& this.status == 200) {
    consult=this.responseText;
  }
xmlhttp.open("GET", "proj_main_doc.php?u=consult",true);
xmlhttp.send();
var xmlhttp = new XMLHttpRequest();
xmlhttp.onreadystatechange = function() {
  if (this.readyState == 4 && this.status == 200) {
    edit det=this.responseText;
  }
xmlhttp.open("GET", "proj_main_doc.php?u=init",true);
xmlhttp.send();
var xmlhttp = new XMLHttpRequest();
xmlhttp.onreadystatechange = function() {
  if (this.readyState == 4 && this.status == 200) {
    history1=this.responseText;
  }
}
```

\$a="select * from doctors";

}


```
xmlhttp.open("GET", "proj main doc.php?u=init history",true);
xmlhttp.send();
var xmlhttp = new XMLHttpRequest();
xmlhttp.onreadystatechange = function() {
  if (this.readyState == 4 \&\& this.status == 200) {
    apps=this.responseText;
  }
xmlhttp.open("GET", "proj main doc.php?u=init app",true);
xmlhttp.send();
<div class="container">
  <div class="vertical tabs">
    <div class="tab" onclick="tabFunction(event, 'home')" id="defaultOpen"> Home </div>
    <div class="tab" onclick="tabFunction(event, 'doc')">Consultations</div>
       <div class="tab" onclick="tabFunction(event, 'appoint')"> Appointments </div>
    <div class="tab" onclick="tabFunction(event, 'hist')"> History </div>
    <div class="tab" onclick="tabFunction(event, 'prof')">Edit Profile</div>
    <div class="tab" onclick="tabFunction(event, 'help')">Help</div>
  </div>
  <div class="show box">
    <div class="show" id="view" style="display:none;">
    <h2>Consultation</h2>
       <div id="v0" class="image"></div>
       <textarea id ="t1" name="response" rows="10" cols="30"></textarea><br>
    <h5>Patient ID: <span id="y1">pid</span>
       <h5>Patient Name: <span id="y2">pname</span>
       <h5>Email: <span id="y30">email</span>
       <h5>DOB: <span id="y3">dob</span>
      <h5>Skin type: <span id="y4">skintype</span>
      <h5>Exposure to any allergens: <span id="y5">allergens</span>
      <h5>Exposure to Sunlight: <span id="y6">sun</span>
       <h5>Stress: <span id="y7">stress</span>
       <h5>Spots: <span id="y8">spots</span>
       <h5>Bumps: <span id="y9">bumps</span>
       <h5>Rashes: <span id="v10">rashes</span>
      <h5>Breakouts: <span id="y11">breakouts</span>
</div>
    <div class="show" id="prof" style="display:none;">
     <h2>Edit Profile</h2>
     <form method="post" name="f2">
Username
```


```
Enter your password: <input type="password" name="p2" id="payy"> <br>
<input type="button" name="b2" id="b2" onclick="tabFunction(event, 'profile')" value="OK">
</div>
    <!-- BOX 8 -->
    <div class="show" id="profile" style="display:none;">
           <h2>Edit Profile</h2>
     <form method="post" name="f3">
<label for="did">Docter ID:</label> <input type="text" id="pid" value=""</pre>
readonly="readonly"><br><br>
<label for="pname">Name:</label> <input type="text" id="pname" value=""
readonly="readonly"><br><br>
<label for="email">E-mail: </label><input type="text" id="email" value=""><input</pre>
type="button" id="e1" onclick=editoo("email") value="Edit"><br><br>
<label for="phno">Phone Number: </label><input type="text" id="phno" value="" ><input</pre>
type="button" id="e2" onclick=editoo("phno") value="Edit"><br>
<label for="add">Address: </label><input type="text" id="add" value="" ><input type="button"</pre>
id="e3" onclick=editoo("add") value="Edit"><br><br>
<label for="pswd">Password:</label> <input type="password" id="pswd" value="" ><input</pre>
<input type="button" value="Save" onclick=det save()>
</form>
       </div>
4.6 proj main doc.php
       <?php
session start();
$servername = "localhost";
$username = "root";
$password = "rootpassword";
$dbname = "iwp";
$conn = new mysqli($servername, $username,$password, $dbname);
if ($conn->connect error) {
  die("Connection failed: " . $conn->connect error);
}
```


```
$uname=$ SESSION['username'];
$uid=$ SESSION['uid'];
$pass=$ SESSION['password'];
$query="select * from doctors where uid=".$uid;
$ans=$conn->query($query)->fetch assoc();
$doctor id=$ans["did"];
$doctor name=$ans["dname"];
$doctor email=$ans["email"];
$doctor number=$ans["contactno"];
$doctor address=$ans["addr"];
function consult(){
  $servername = "localhost";
  $username = "root";
  $password = "rootpassword";
  $dbname = "iwp";
  $conn = new mysqli($servername, $username,$password, $dbname);
  if ($conn->connect error) {
    die("Connection failed: " . $conn->connect error);
  $a="select * from images where status=0";
  $ans=$conn->query($a);
  $fstr="";
  while($row=$ans->fetch assoc()){
    $str="";
    $a="select pname,pid,email,dob from patients where pid=".$row["pid"];
    $ans1=$conn->query($a)->fetch assoc();
$str=$str.$row["date"]."*".$ans1["pname"]."*".$row["mid"]."1"."*".$row["answers"]."*".$ans1["
pid"]."*".$ans1["email"]."*".$ans1["dob"];
    $fstr=$fstr.$str."^";
  $conn->close();
  echo $fstr;
function sendconsult()
  $val=htmlspecialchars($ GET["ans"]);
  $mm=rtrim(htmlspecialchars($ GET["mid"]),"1");
  $servername = "localhost";
  $username = "root";
```


```
$password = "rootpassword";
$dbname = "iwp";
$conn = new mysqli($servername, $username,$password, $dbname);
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);}
    $query="update images set status=1,did=".$GLOBALS["doctor_id"].", diagnostic="".$val."'
where mid=".$mm;
    $ans=$conn->query($query);
$conn->close();
if($ans)
    echo "yes";
else
    echo "nyet";
}
```


5. SAMPLE SCREENSHOTS











6. CONCLUSION AND SCOPE OF IMPROVEMENT

The developed website is capable of handling multiple users while providing them all the aforementioned functionalities. Dynamic image loading, real-time email, password hashing, SQL Injection prevention, dynamic profile editing, scheduling appointments and silent AJAX driven client-server communications were all tested, debugged and implemented. A basic MMDB which stores the paths of the uploaded images was created. This MMDB also takes care of consistency by using the patient IDs as foreign keys. The scope of this project could be extended far more to integrate more advanced and sophisticated features such as data analytics. Machine Learning and image processing techniques could be implemented to automate the process of diagnosis and assist doctors. Apart from this, the process of scheduling appointments could also be augmented to give the patient valid suggestions based on his/her requirements. MongoDB can also be used to store the static images, so that it can be accessed faster by the website. Natural Language Processing and Natural Language Generation can be used in python to create our own chatbot, instead of using tools which build the same.