

FRA Atlas: A WebGIS-Based Intelligent Frontier for Forest Rights Decision Support

A Report

*Submitted in partial fulfilment of the
Requirements for the completion of*

THEME BASED PROJECT

BACHELOR OF ENGINEERING

IN

INFORMATION TECHNOLOGY

By

D. Sanjana 1602-23-737-044

B. Shiva Sai 1602-23-737-049

P. Kowshika 1602-23-737-022

Under the guidance of

DRL Prasanna

Assistant Professor



Department of Information Technology

Vasavi College of Engineering (Autonomous)

ACCREDITED BY NAAC WITH 'A++' GRADE.

(Affiliated to Osmania University and Approved by AICTE)

Ibrahim Bagh, Hyderabad-31

Vasavi College of Engineering (Autonomous)
ACCREDITED BY NAAC WITH 'A++' GRADE
(Affiliated to Osmania University and Approved by AICTE)
Ibrahim Bagh, Hyderabad-31
Department of Information Technology



DECLARATION BY CANDIDATES

We, **D. Sanjana , B.Shiva Sai , P.Kowshika**, bearing hall ticket number, **1602-23-737-044,1602-23-737-049, 1602-23-737-022**, hereby declare that the project report entitled "**FRA Atlas: A WebGIS-Based Intelligent Frontier for Forest Rights Decision Support** " under the guidance of DRL Prasanna, Assistant Professor, Department of Information Technology, Vasavi College of Engineering, Hyderabad, is submitted in partial fulfilment of the requirement for the completion of Theme-based project, VI semester, Bachelor of Engineering in Information Technology.

This is a record of bonafide work carried out by us and the results embodied in this project report have not been submitted to any other institutes.

D. Sanjana (1602-23-737-044),
B. Shiva Sai (1602-23-737-049),
P. Kowshika (1602-23-737-022)

Vasavi College of Engineering (Autonomous)

ACCREDITED BY NAAC WITH 'A++' GRADE

(Affiliated to Osmania University and Approved by AICTE)

Ibrahim Bagh, Hyderabad-31

Department of Information Technology



BONAFIDE CERTIFICATE

This is to certify that the project entitled " **FRA Atlas: A WebGIS-Based Intelligent Frontier for Forest Rights Decision Support** " being submitted by **D. Sanjana, B.Shiva Sai, P.Kowshika** bearing **1602-23-737-044, 1602-23-737-049, 1602-23-737-022**, in partial fulfilment of the requirements for the completion of Theme-based project of Bachelor of Engineering in Information Technology is a record of bonafide work carried out by them under my guidance.

DRL Prasanna

Assistant Professor

External Examiner

Dr. K. Ram Mohan Rao

Professor, HOD IT

ACKNOWLEDGEMENT

The satisfaction that accompanies the successful completion of the project would not have been possible without the kind support and help of many individuals. We would like to extend our sincere thanks to all of them.

It is with immense pleasure that we would like to take the opportunity to express our humble gratitude to **DRL Prasanna, Assistant Professor, Information Technology** under whom we executed this project. Her constant guidance and willingness to share vast knowledge made us understand this project and its manifestations in great depths and helped us to complete the assigned tasks.

We are very much thankful to **Dr. K. Ram Mohan Rao, Professor and HOD, Information Technology**, for his kind support and for providing necessary facilities to carry out the work.

We wish to convey our special thanks to **Dr. S. V. Ramana, Principal of Vasavi College of Engineering** for giving the required information in doing this project work. Not to forget, we thank all other faculty and non-teaching staff, and our friends who had directly or indirectly helped and supported us in completing our project in time.

We also express our sincere thanks to the Management for providing excellent facilities. Finally, we wish to convey our gratitude to our families who fostered all the facilities that we needed.

D. Sanjana

B. Shiva Sai

P. Kowshika

ABSTRACT

FRA Atlas - A WebGIS-Based Intelligent Frontier for Forest Rights Decision, is an intelligent Forest Rights Act monitoring and decision support platform developed to digitize, verify, and analyse FRA claim records through an integrated web-based system. The project addresses key challenges in the existing claim management process, including manual document verification, fragmented records, limited geospatial visibility, and the lack of structured support for linking beneficiaries with relevant government schemes.

The system enables users to upload FRA claim documents or enter claim details manually. Uploaded documents are processed using OCR, and the extracted information is cleaned and structured with AI assistance before being reviewed and stored in a PostgreSQL database. To improve accountability, the platform maintains audit logs and a hash-based integrity mechanism for tracking record creation, updates, and deletion.

FRA Atlas also provides geospatial intelligence through an interactive Atlas map that visualizes claim locations, filters records, and supports administrative monitoring. Satellite imagery from Google Earth Engine is analysed using a TensorFlow-based land-cover classification model to identify land characteristics such as agricultural, forest, urban, or water-related terrain. In addition, the Decision Support System recommends suitable government schemes for FRA applicants using stored claim data, land attributes, asset information, and indexed policy documents.

By combining document digitization, geospatial mapping, satellite-based analysis, auditability, and scheme recommendation, FRA Atlas supports transparent, data-driven, and efficient forest rights governance.

Keywords: Forest Rights Act, FRA Atlas, OCR, Geospatial Mapping, Satellite Image Classification, Google Earth Engine, TensorFlow, Land Cover Analysis, PostgreSQL, Audit Trail, Hash-Based Integrity, Decision Support System, Government Scheme Recommendation, Policy Document Retrieval, Forest Governance, Machine Learning.

TABLE OF CONTENTS

1. INTRODUCTION	
1.1 Overview	8
1.2 Problem Statement	9
1.3 Motivation of Theme & Title	10
2. LITERATURE SURVEY	11
3. EXISTING SYSTEM	12
4. PROPOSED SOLUTION	15
4.1 System Design	16
4.1.1 Architecture Diagram	21
4.1.2 Use-Case Diagram	25
4.1.2.1 Use-Case Descriptions	26
4.2 Functional Modules	33
4.2.1 Screenshots	34
5. EXPERIMENTAL SETUP & IMPLEMENTATION	
5.1 System Specifications	40
5.1.1 Hardware Requirements	42
5.1.2 Software Requirements	43
5.2 Datasets	44
5.3 Methodology / Algorithm	47
6. RESULTS	
7. CONCLUSION & FUTURE SCOPE	50
8. REFERENCES	53

LIST OF ABBREVIATIONS

Abbreviation	Full Form
FRA	Forest Rights Act
AI	Artificial Intelligence
DSS	Decision Support System
OCR	Optical Character Recognition
ML	Machine Learning
CNN	Convolutional Neural Network
GEE	Google Earth Engine
LLM	Large Language Model
RAG	Retrieval-Augmented Generation
API	Application Programming Interface
OSM	OpenStreetMap
DB	Database
JWT	JSON Web Token
GPS	Global Positioning System
GeoJSON	Geographic JavaScript Object Notation
GIS	Geographic Information System
IFR	Individual Forest Rights
CR	Community Rights
CFR	Community Forest Rights
MoTA	Ministry of Tribal Affairs

1. INTRODUCTION

1.1 Overview

Forest Rights Act claim management involves the collection, verification, storage, and monitoring of land-related records for forest-dwelling communities and eligible beneficiaries. In many cases, these records exist in paper-based or fragmented formats, making the verification process time-consuming, error-prone, and difficult to monitor at scale. Lack of proper digitization and geospatial visibility also makes it challenging for authorities to track claim locations, analyse land use, and connect beneficiaries with suitable government welfare schemes.

FRA Atlas is developed as an integrated web-based platform to support digital forest rights governance. The system allows users to upload FRA claim documents or enter claim details manually. Uploaded documents are processed using Optical Character Recognition, and the extracted data is structured with AI assistance before being reviewed and stored in the database. This helps reduce manual effort and improves the consistency of claim record management.

The platform also provides an interactive geospatial Atlas where saved FRA claims can be visualized on a map using their location coordinates. Administrative users can filter, search, edit, and monitor claim records through the Atlas and dashboard modules. To improve transparency and accountability, the system maintains audit logs and a hash-based integrity mechanism for tracking changes made to records.

In addition to record digitization and mapping, FRA Atlas integrates satellite-based land analysis using Google Earth Engine and a machine learning model for land-cover classification. The system further includes a Decision Support System that recommends relevant government schemes for FRA applicants based on claim details, land attributes, asset information, and policy documents.

Overall, FRA Atlas combines document digitization, geospatial mapping, satellite intelligence, secure record management, and decision support into a single platform. It aims to make FRA claim monitoring more transparent, efficient, and data driven.

1.2 Problem Statement

The Forest Rights Act, 2006 was introduced to recognize and secure the rights of forest-dwelling communities over forest land and resources. However, the implementation and monitoring of FRA claims still face several challenges due to fragmented records, manual verification processes, limited geospatial visibility, and the absence of an integrated decision support mechanism.

Legacy records related to Individual Forest Rights, Community Rights, and Community Forest Resource Rights are often scattered across different offices and formats. Many records exist as physical documents or scanned copies, making them difficult to search, verify, update, and monitor efficiently. This increases the dependency on manual work and may lead to delays, inconsistencies, and errors in claim management.

Another major challenge is the lack of a centralized visual repository for FRA claims and granted titles. Without an interactive map-based system, decision-makers cannot easily view the spatial distribution of claims, identify mapped and unmapped records, or monitor implementation progress at village, district, and state levels. This limits transparency and makes planning more difficult.

In addition, current systems do not effectively combine FRA claim data with satellite-based land and asset information. Land characteristics such as agricultural area, forest cover, water bodies, and settlement patterns are important for understanding the real condition of FRA lands. Without such intelligence, it becomes difficult to assess land use and identify development needs of FRA Patta holders.

There is also a need for a Decision Support System that can help link FRA beneficiaries with suitable government schemes such as PM-KISAN, Jal Jeevan Mission, MGNREGA, and DAJGUA. At present, scheme recommendation and prioritization are largely manual, which makes targeted development slower and less efficient.

Therefore, this project aims to develop **FRA Atlas AI**, an AI-powered web-based platform that digitizes FRA records, visualizes claims through an interactive Atlas, analyses land-cover information using satellite imagery and machine learning, maintains auditability of records, and provides decision support for scheme recommendation. The system focuses on improving transparency, efficiency, monitoring, and data-driven governance in FRA implementation.

1.3 Motivation of Theme & Title

The theme of this project is motivated by the need to improve transparency, efficiency, and accountability in the implementation of the Forest Rights Act. FRA plays an important role in recognizing the land and resource rights of forest-dwelling communities, but the existing monitoring process still depends heavily on manual records, scattered documents, and limited geospatial visibility. This creates difficulties in verifying claims, tracking implementation progress, and ensuring that eligible beneficiaries receive proper developmental support.

The title, “ **FRA Atlas: A WebGIS-Based Intelligent Frontier for Forest Rights Decision Support** “, reflects the purpose and scope of the project. The term **FRA** refers to the Forest Rights Act, which forms the core domain of the system. **Atlas** represents the geospatial and map-based visualization of FRA claims, helping users view claim locations and monitor records spatially. The phrase **WebGIS-Based** highlights the use of an interactive web-based geographic information system for visualization and monitoring. **Intelligent Frontier** represents the use of AI, machine learning, and satellite-based analysis to move beyond simple record storage toward smarter decision-making. **Forest Rights Decision Support** indicates the system’s role in recommending relevant schemes and supporting authorities in planning and implementation.

The motivation behind **FRA Atlas** is to transform FRA claim management from a fragmented and manual process into a digital, map-based, and data-driven system. By combining document digitization, geospatial mapping, satellite-based land-cover classification, audit trails, and scheme recommendation, the project supports better monitoring of FRA implementation and helps decision-makers identify development needs more effectively.

The project is also motivated by the official problem statement proposed by the Ministry of Tribal Affairs, which emphasizes the need for an AI-powered FRA Atlas and WebGIS-based Decision Support System for integrated monitoring of FRA implementation. Therefore, the selected title and theme directly align with the objective of using modern software, AI, and geospatial technologies to support forest rights governance and beneficiary-focused development.

2. LITERATURE SURVEY

The Forest Rights Act, 2006 was introduced to recognize the land and resource rights of forest-dwelling communities. However, existing studies and official reports show that FRA implementation still faces challenges such as scattered records, manual verification, lack of spatial integration, and limited centralized monitoring. Existing government portals mainly provide claim statistics and status updates, but they do not offer detailed map-based visualization, satellite-based land analysis, or automatic scheme recommendation. Standalone GIS tools support spatial mapping, but they are not directly connected with FRA records or beneficiary development planning.

Research on WebGIS systems shows that interactive map-based platforms improve monitoring, planning, and decision-making. OCR-based document processing helps convert scanned records into structured digital data, reducing manual work and improving accessibility. Similarly, remote sensing and machine learning are useful for identifying land-cover features such as agriculture, forest, water bodies, and settlements from satellite imagery.

Decision Support Systems are widely used to support planning and resource allocation. In the FRA context, a DSS can help link beneficiaries with suitable government schemes based on claim details, land characteristics, asset information, and policy documents.

Recent research by *Manimegala M, Gayathri T, Deva Harsar M, and Hans Rohit Y* proposed an “*AI-Powered FRA Atlas & WebGIS Decision Support System*” that combines AI, WebGIS, OCR, and satellite-based analysis for improving FRA governance and decision-making [4]. The study highlights the importance of integrating spatial intelligence, automated document processing, and policy recommendation into a unified platform.

From the reviewed literature, existing systems solve only parts of the problem. Therefore, FRA Atlas integrates document digitization, WebGIS visualization, satellite-based land-cover analysis, auditability, and scheme recommendation into a single platform for better FRA monitoring and decision support. *See References [4].*

3. EXISTING SYSTEM

Existing Forest Rights Act monitoring and claim management systems are mostly fragmented across manual records, state-level portals, government MIS dashboards, standalone GIS tools, and separate welfare scheme platforms. Although these systems support certain parts of FRA administration, they do not provide an integrated environment for digitizing claim records, visualizing claims spatially, analysing land assets, and supporting scheme-based decision-making.

Current Platforms

At present, FRA claim data is commonly maintained through physical files, scanned documents, district registers, and administrative records. Some state-level portals and government MIS dashboards provide claim statistics and implementation status, but they mainly focus on aggregate reporting rather than detailed record-level analysis.

Standalone GIS tools may be used for land-use mapping and spatial planning, but they are not directly connected with FRA claim records or beneficiary details. Similarly, government scheme portals such as PM-KISAN, Jal Jeevan Mission, MGNREGA, and DAJGUA manage their own beneficiary or scheme-related data separately. As a result, decision-makers do not get a single unified system where FRA records, geospatial data, satellite-based land information, and scheme eligibility can be viewed together.

Limitations of Existing Systems

- FRA records are often scattered across offices, registers, scanned files, and local databases, making them difficult to search, verify, and update.
- Manual verification of claim documents is time-consuming and increases the possibility of errors, missing fields, and inconsistent data entry.
- Existing portals mostly provide statistical summaries and status updates, but they do not offer detailed interactive map-based visualization of claim locations.
- There is no centralized visual repository for monitoring Individual Forest Rights, Community Rights, and Community Forest Resource claims together.

- FRA claim data is not effectively integrated with satellite-based land and asset information such as agriculture, forest cover, water bodies, and settlement patterns.
- Standalone GIS platforms support mapping, but they usually operate separately from FRA record management and scheme recommendation workflows.
- Welfare scheme portals function independently, so FRA Patta holders are not automatically linked with suitable schemes based on their land, location, and claim details.
- Existing systems have limited support for audit trails, record change history, and tamper detection.
- Decision-making remains largely manual and reactive, instead of being supported by structured data, geospatial intelligence, and automated recommendations.

Impact of These Gaps

Due to these limitations, authorities face difficulty in monitoring FRA implementation at village, district, and state levels. Claim locations may not be clearly visible on a map, mapped and unmapped records are harder to identify, and land-use conditions cannot be easily verified using satellite-based evidence. This reduces transparency and slows down administrative decision-making.

The lack of integration between FRA records and welfare scheme data also affects beneficiary-focused development. Eligible FRA Patta holders may not be efficiently connected with schemes related to agriculture, irrigation, drinking water, livelihood, housing, or tribal development. As a result, the process may stop at claim recognition without providing strong support for post-claim development.

FRA Atlas is designed to address these gaps by combining OCR-based document digitization, structured PostgreSQL storage, WebGIS-based claim visualization, satellite land-cover classification, audit logs, hash-based integrity checking, and Decision Support System-based scheme recommendation within a single integrated platform. air quality monitoring systems and platforms available in the Indian context and globally suffer from a common set of limitations that restrict their utility for proactive environmental management.

4. PROPOSED SOLUTION

FRA Atlas is proposed as an integrated WebGIS-based intelligent platform for improving Forest Rights Act monitoring, claim record management, satellite-based land analysis, and scheme recommendation. The system is designed to overcome the limitations of fragmented manual records, limited spatial visibility, and separate scheme management processes by bringing all major workflows into a single digital platform. The overall workflow of the proposed system is illustrated in *Fig-1* mentioned below.

The proposed solution allows users to upload scanned FRA documents or enter claim details manually. Uploaded documents are processed using Optical Character Recognition, and the extracted text is structured with AI assistance. Before storing the data, the user can review and correct the extracted information, ensuring human verification along with automation. The verified records are then stored in a PostgreSQL database.

FRA Atlas also includes an interactive Atlas module where FRA claim locations can be visualized on a WebGIS map. The map supports search, filtering, record inspection, village-level grouping, claim type visualization, and mapped/unmapped record monitoring. This helps administrators understand the spatial distribution of Individual Forest Rights, Community Rights, and Community Forest Resource claims.

To support land and asset analysis, the system integrates Google Earth Engine with a TensorFlow/Keras-based land-cover classification model. Based on claim coordinates, satellite imagery is retrieved and classified into land-cover categories such as agriculture, forest or greenery, developed areas, open land, and water body. This satellite-derived information is stored as asset data and used further in the Decision Support System.

The Decision Support System recommends suitable government schemes for FRA applicants by using claim details, land attributes, satellite-derived asset information, and indexed policy documents. This helps authorities identify relevant schemes such as PM-KISAN, PMKSY, Jal Jeevan Mission, MGNREGA, DAJGUA, and FRA-related support schemes for eligible beneficiaries.

To improve accountability, FRAAtlas maintains audit logs for record creation, editing, geometry updates, and deletion. A hash-based integrity mechanism is also used to detect unauthorized changes

in stored records. Thus, the proposed system supports transparent, secure, and data-driven FRA governance.




Fig1: FRA Atlas System Workflow for Intelligent Digitization, Geospatial Mapping, Asset Classification, and Decision Support

4.1 System Design

FRA Atlas is designed as a modular WebGIS-based decision support platform for Forest Rights Act claim management. The system brings together document digitization, structured record storage, geospatial visualization, satellite-based land analysis, auditability, and scheme recommendation into a single integrated workflow.

The system follows a client-server architecture. The frontend provides the user interface for authenticated users, while the backend handles authentication, data processing, database operations, OCR extraction, AI-assisted structuring, geocoding, satellite image classification, audit logging, and DSS logic. Verified FRA claim records are stored in a PostgreSQL database and later used for dashboard monitoring, Atlas visualization, land-cover analysis, and recommendation generation.

FRA Atlas is designed with a human-in-the-loop verification approach. Automated OCR and AI tools assist in extracting and structuring claim data, but the final record is displayed to the user for review before it is stored. This reduces manual effort while maintaining accuracy and administrative control.

Main Design Components

- **Frontend Interface:** The frontend is developed using React, Vite, Tailwind CSS, Shadcn UI, and React Leaflet. It provides modules for login, signup, dashboard, document upload, manual entry, Atlas map visualization, and Decision Support System.
- **Backend API Layer:** The backend is developed using Fast API. It handles REST API communication, claim validation, document processing, database operations, satellite prediction, audit logging, and DSS processing.
- **Authentication and Role-Based Access:** JWT-based authentication is used to protect system access. The system supports role-based access for users such as admin and analyst, ensuring that sensitive actions like editing, deleting, and integrity verification are controlled.
- **Document Digitization Module:** Users can upload scanned FRA claim documents in image or PDF format. OCR is used to extract text from uploaded files, reducing manual data entry.

- **AI-Assisted Data Structuring:** Extracted OCR text is cleaned and structured with AI assistance. Important fields such as applicant name, claim ID, village, district, state, claim type, land use, total area claimed, and date of application are identified.
- **Manual Entry Module:** The system also supports manual entry of claim details. This is useful when documents are unavailable, unclear, or when OCR output is incomplete.
- **Coordinate Generation and Geocoding:** If claim coordinates are not available, the system attempts to generate coordinates using location details such as village, district, and state. These coordinates help make records map-ready.
- **Human Verification Step:** Before saving, extracted or manually entered data is displayed for review. Users can correct errors and confirm the final details before storing them in the database.
- **Database Layer:** PostgreSQL is used to store user accounts, FRA claim records, asset classification results, audit logs, scheme information, DSS policy documents, and DSS query logs.
- **WebGIS Atlas Module:** Stored claim coordinates are visualized on an interactive map. The Atlas supports search, filtering, record inspection, editing, deletion, audit history viewing, and export.
- **Map-Based Monitoring:** Users can filter records by state, district, village, claim type, claim status, and mapped or unmapped condition. This helps monitor FRA implementation spatially.
- **Satellite Intelligence Module:** When claim coordinates are available, Google Earth Engine is used to retrieve satellite imagery for the selected location.
- **Land-Cover Classification Module:** A TensorFlow/Keras model processes satellite imagery and classifies land-cover type, such as agriculture, forest or greenery, developed area, open land, or water body.
- **Asset Information Storage:** The classification result is stored as asset data linked to the FRA record. It includes land type, confidence score, water availability, and irrigation-related indicators.

- **Decision Support System:** The DSS recommends suitable government schemes for FRA applicants using claim details, land-use information, satellite-derived asset data, scheme rules, and indexed policy documents.
- **Policy Document Indexing:** Policy documents uploaded for DSS support are indexed and used to provide context for scheme recommendation. This improves the relevance of recommendations.
- **Audit and Integrity Module:** The system records important actions such as claim creation, editing, geometry update, and deletion. A hash-based integrity mechanism is used to detect unauthorized changes in stored records.
- **Dashboard Module:** The dashboard provides a summary of total claims, pending claims, mapped claims, covered states, state-wise progress, and recent activity.

Overall, FRA Atlas is designed around a complete claim lifecycle: authentication, document upload or manual entry, OCR extraction, AI-assisted structuring, coordinate generation, human verification, database storage, audit logging, map visualization, satellite-based land-cover classification, and DSS-based scheme recommendation. This design makes the system transparent, organized, and useful for data-driven forest rights governance.

4.1 System Architecture and Data Flow

The FRA Atlas AI platform operates on a secure, modular architecture designed to process Forest Rights Act claims by fusing human-submitted data with satellite intelligence, as shown in Fig-2.

1. Client Layer (React Frontend)

The user-facing dashboard is built with React and Leaflet. It handles interactive WebGIS mapping and the Decision Support System (DSS) portal, communicating with the backend entirely via REST API requests and responses.

2. Core Application (FastAPI Backend)

Acting as the central orchestrator, the FastAPI backend manages all incoming traffic. Crucially, it routes data through a **Cryptographic Integrity Engine**, which generates a continuous SHA-256 hash-chain to ensure every document and edit is tamper-proof before being saved. It also hosts the **DSS Rule Engine**, which evaluates applicant eligibility for government schemes.




Figure 2: High-Level System Architecture of FRA Atlas

3. Intelligence & External APIs

To verify claims, the backend triggers the **AI/ML Engine**. This engine uses a TensorFlow CNN to analyse optical bands fetched from the **Google Earth Engine (GEE)**, accurately classifying land types (e.g., agriculture, water). Additionally, OCR and Google Gemini extract text from physical documents, while the **OpenStreetMap API** provides fallback geocoding.

4. Storage Layer (PostgreSQL + PostGIS)- All extracted records, cryptographic audit logs, and AI-generated asset metrics are permanently stored in a unified PostgreSQL database. The PostGIS extension enables native spatial querying, allowing the React frontend to seamlessly render geographic boundaries and density heatmaps.

4.1.1 Architecture Diagram

The system follows a layered architecture pipeline that starts with FRA record ingestion and ends with map-based monitoring and scheme recommendation as illustrated in *Fig-3*. FRA Atlas first collects claim data through document upload or manual entry, processes uploaded documents using OCR and AI-assisted structuring, verifies the extracted information through user review, and stores the final records in a PostgreSQL database. The stored claim data is then used for WebGIS visualization, satellite-based land-cover analysis, audit tracking, and Decision Support System-based scheme recommendation.

The architecture pipeline proceeds through the following stages in sequence:

- **Environment & Initialization:** The backend loads required configurations such as database connection, CORS settings, JWT secret, Gemini API key, Google Earth Engine project ID, DSS document path, and model-related resources.
- **User Authentication:** Users access the system through login or signup. JWT-based authentication is used to protect modules such as dashboard, upload, Atlas, and DSS.
- **Data Ingestion:** FRA claim data is collected either by uploading scanned documents in image/PDF format or by entering claim details manually through the frontend.
- **OCR-Based Text Extraction:** Uploaded documents are processed using OCR to extract readable text from scanned claim forms or PDFs.
- **AI-Assisted Data Structuring:** The extracted OCR text is cleaned and structured with AI assistance to identify important FRA fields such as applicant name, claim ID, village, district, state, claim type, land use, area claimed, and date of application.
- **Human Verification:** The extracted or manually entered data is displayed to the user for review. The user can correct missing or inaccurate fields before confirming the record.
- **Coordinate Generation:** If coordinates are not available, the system attempts to generate location coordinates using village, district, and state information. These coordinates make the claim record suitable for map visualization.
- **Database Storage:** Verified claim records are stored in PostgreSQL along with applicant details, claim information, location data, status, hash values, and timestamps.

- **Audit Logging & Integrity Tracking:** Important actions such as record creation, editing, geometry update, and deletion are stored in audit logs. A hash-based integrity mechanism is used to detect unauthorized changes in stored records.
- **WebGIS Visualization:** Stored claim coordinates are rendered on an interactive Atlas map using React Leaflet. Users can view, search, filter, inspect, edit, and export claim records.
- **Satellite Image Retrieval:** For records with valid coordinates, Google Earth Engine is used to retrieve satellite imagery for the claim location.
- **Land-Cover Classification:** A TensorFlow/Keras model analyses the satellite image and classifies the land-cover type, such as agriculture, forest/greenery, developed area, open land, or water body.
- **Asset Data Generation:** The classification output is stored as asset data linked to the FRA record. It includes land type, confidence score, water availability, and irrigation-related indicators.
- **DSS Document Indexing:** Policy documents uploaded for DSS support are stored and indexed. These indexed documents provide additional context for recommendation generation.
- **Scheme Recommendation:** The Decision Support System uses claim details, land-use information, satellite-derived asset data, scheme eligibility rules, and indexed policy documents to recommend suitable government schemes.
- **Dashboard & Monitoring:** The dashboard displays total claims, pending claims, mapped claims, covered states, state-wise progress, and recent activity to support administrative monitoring.
- **Decision Support Output:** The final output includes applicant profile, land details, asset indicators, audit information, and recommended schemes for beneficiary-focused planning and decision-making.




Figure 3: Layered System Architecture of FRA Atlas – A WebGIS-Based Intelligent Frontier for Forest Rights Decision Support

4.1.2 Use-Case Diagram

The FRAAtlas Monitoring Portal Use Case Diagram(as present in *fig4*) provides a holistic view of the system's operational boundary, identifying how human stakeholders and intelligent system actors collaborate to monitor and verify Forest Rights Act implementations. The diagram is logically segmented into four functional layers that represent the complete lifecycle of a digital FRA record.




Figure 4: Use Case Diagram of the FRA Atlas Monitoring Portal

Core Architectural Logic

The system is built on a **"Human-in-the-Loop" AI architecture**. While the **Citizen (Applicant/Operator)** initiates data entry, the heavy lifting is handled by the **AI Engine** and external cloud systems. The diagram clearly distinguishes between **Internal Intelligence** (local Tesseract and MobileNet models) and **External Intelligence** (Google Gemini for RAG and Google Earth Engine for remote sensing).

Functional Layer Breakdown

1. **Data Operations (The Ingestion Layer):** This module manages the transition from physical paperwork to digital intelligence. It supports a multi-path workflow where Upload Image and Manual Data Entry both converge into a unified Digitize Documents process. The integration of **OCR Extraction** demonstrates the system's ability to handle unstructured data.
2. **Intelligence (The Verification Layer):** This is the core "Frontier" of the project. It shows the linkage between spatial visualization, satellite-based land scanning, and AI-driven recommendations. It highlights how the system moves beyond simple record-keeping to provide **evidence-based decision support**.
3. **Security (The Forensic Layer):** Centered on the **Administrator**, this layer manages the system's trustworthiness. The inclusion of the "**Forensic Hash Ripple**"—an automated response by the **AI Engine** to any data correction—illustrates the project's commitment to data immutability and blockchain-inspired transparency.
4. **Export (The Administrative Layer):** Provides the necessary tools for large-scale monitoring and inter-departmental data sharing through professional-grade spatial exports.

Actor Synergy

- **Primary Actors:** The **Citizen** acts as the data provider and beneficiary, while the **Administrator** ensures the legal and technical sanctity of the repository.
- **Intelligent Actors:** The **AI Engine** acts as the "Internal Architect" managing local models, while the **Gemini API** and **GEE** act as "Global Knowledge Providers," ensuring the system stays updated with the latest policy context and satellite observations.

This diagram effectively communicates that FRAAtlas is a secure, automated, and geographically aware platform for modern forest governance.

4.1.2.1 Use-Case Descriptions

DATA OPERATIONS MODULE

Use Case ID	UC-01: Upload Image (Scanned Documents)
Actor	Citizen (Applicant), AI Engine
Description	User uploads images or PDF copies of legacy FRA claim forms to the system.
Precondition	User is logged in and has a valid scanned copy of the FRA document.
Main Flow	User navigates to Upload page → Selects files → System stores file and triggers the digitization pipeline.
Postcondition	File is successfully uploaded and queued for OCR processing.

Use Case ID	UC-02: Manual Data Entry
Actor	Citizen (Applicant)
Description	User manually enters claim details into a structured form when digital documents are unavailable.
Precondition	User is authenticated.
Main Flow	User chooses Manual Entry → Fills in Applicant, Village, and Land details → Clicks Save.
Postcondition	Record is stored in the database and prepared for mapping.

Use Case ID	UC-03: Digitize Documents
Actor	AI Engine, Gemini API
Description	The central process that coordinates OCR extraction and LLM structuring to create a digital record.
Precondition	A document has been uploaded (UC-01).
Main Flow	System triggers OCR (UC-04) → Gemini API structures text into JSON → Data is saved to PostgreSQL.
Postcondition	A raw scanned image is transformed into a searchable, structured database record.

Use Case ID	UC-04: OCR Extraction
Actor	AI Engine (Tesseract), Gemini API
Description	Local AI models extract text, which is then cleaned by the LLM for high accuracy.
Precondition	System receives a high-resolution image of a claim form.
Main Flow	Tesseract OCR extracts raw strings → Gemini LLM repairs typos and extracts key entities (NER).
Postcondition	Validated and cleaned text data is returned to the digitization module.

Use Case ID	UC-05: Review / Correct Data
Actor	Citizen (Applicant), AI Engine
Description	User reviews the AI-extracted data and fixes any errors before finalization.
Precondition	Digitization process is complete.
Main Flow	User views Review Screen → Edits fields → Clicks "Approve" → AI Engine recomputes Forensic Hash.
Postcondition	Record is finalized with a forensic signature (Auto-Ripple).

INTELLIGENCE MODULE

Use Case ID	UC-06: Satellite Land Scan
Actor	Citizen (Applicant), AI Engine, GEE
Description	Perform automated terrain analysis to verify the condition of the claimed land.
Precondition	Claim record has valid GPS coordinates.
Main Flow	User clicks "Run Satellite Scan" → System fetches imagery (UC-07) → MobileNet CNN classifies terrain.
Postcondition	Land characteristics (Forest, Agriculture, etc.) are saved as assets linked to the claim.

Use Case ID	UC-07: Fetch GEE Imagery
Actor	Google Earth Engine (External System)
Description	Retrieve the latest cloud-free Sentinel-2 satellite data for a specific coordinate.
Precondition	API keys for Google Earth Engine are active and coordinates are provided.
Main Flow	Request sent to GEE API → Imagery filtered by date and cloud cover → Image returned to AI Engine.
Postcondition	High-resolution spatial data is ready for machine learning classification.

Use Case ID	UC-08: Query DSS Assistant
Actor	Citizen (Applicant), Gemini API
Description	An AI chatbot interface for asking natural language questions about FRA policies and schemes.
Precondition	Policy documents are indexed in the RAG vector store.
Main Flow	User types query → System performs semantic search → Gemini generates an answer with citations.
Postcondition	User receives an evidence-based answer regarding policy or eligibility.

Use Case ID	UC-09: Generate Recommendations
Actor	AI Engine
Description	Automatically match FRA holders with suitable government schemes based on their profile.
Precondition	Claim digitization and satellite scan are complete.
Main Flow	System compares land assets + claimant age/type against scheme criteria → Generates list of matches.
Postcondition	A targeted list of eligible schemes (e.g., PM-KISAN, DAJGUA) is displayed.

Use Case ID	UC-10: Interactive Map Visualization
Actor	Citizen, Administrator
Description	View FRA claims and assets on a multi-layered WebGIS map.
Precondition	Database contains records with valid geometry/coordinates.
Main Flow	User opens Atlas → Toggles layers (Clusters, Heatmaps) → Clicks on markers to view claim details.
Postcondition	Spatial distribution of FRA implementation is visually presented.

SECURITY & EXPORT MODULES

Use Case ID	UC-11: Login & RBAC
Actor	Citizen, Administrator
Description	Secure access to the portal based on user roles.
Precondition	User account exists in the database.
Main Flow	User enters credentials → System validates password → Issues JWT token with role permissions.
Postcondition	User is granted access to role-specific modules.

Use Case ID	UC-12: Verify Forensic Integrity
Actor	Administrator
Description	Verify that no claim records have been tampered with or manually edited in the database.
Precondition	Forensic hash chaining is active in the database.
Main Flow	Admin triggers integrity check → System recomputes hash chain → Compares with stored signatures.
Postcondition	System reports "Database Secure" or identifies the specific record that was tampered with.

Use Case ID	UC-13: View Audit Logs
Actor	Administrator
Description	Inspect the historical timeline of all changes made to a claim record.
Precondition	Database records have been created or edited.
Main Flow	Admin navigates to Audit Logs → Selects a record → System displays timeline of actions and actors.
Postcondition	Full transparency of the record's history is established.

Use Case ID	UC-14: Export Spatial Data (CSV / GeoJSON)
Actor	Administrator
Description	Download claim data for use in external GIS software or reporting.
Precondition	Records are filtered or selected for export.
Main Flow	Admin selects "Export" → Chooses format (CSV/GeoJSON) → System generates and downloads file.
Postcondition	Local file is generated containing structured FRA and geospatial data.

4.2 Functional Modules

FRA Atlas comprises the following functional modules, each responsible for a distinct stage of the Forest Rights monitoring and decision-support pipeline:

- **Digitization Engine (+ocr_extract(), +structure_json()):** Orchestrates the document-to-data pipeline. It uses **Tesseract OCR** for raw text extraction and **Gemini 2.5 Flash** for intelligent entity recognition (NER) and JSON structuring(fig-3,4,5).
- **Integrity Manager (+recompute_chain(), +verify_integrity()):** Implements the forensic blockchain-inspired chaining. It ensures that every claim edit triggers a "Hash Ripple" and provides one-click mathematical verification of the entire database's immutability(fig-2,6).
- **Satellite Scan Engine (+fetch_imagery(), +predict_landcover()):** Interfaces with **Google Earth Engine (GEE)** to retrieve Sentinel-2 spectral data. It then executes a **MobileNetV2 CNN** to classify terrain into categories like Forest, Agriculture, and Water Bodies. (fig-7)
- **Decision Support System (+match_eligibility(), +search_rag()):** Executes matching algorithms to link FRA holders with central schemes (e.g., PM-KISAN, DAJGUA). It also includes a **RAG-based AI Assistant** for natural language querying of policy PDFs(fig-8,9,10)
- **Geospatial Atlas (+generate_layers(), +apply_jitter()):** Manages the WebGIS environment using *React Leaflet*. It handles marker clustering, village-level heatmaps, and applies *Deterministic Jittering* to prevent pin-overlap in high-density areas(fig-6).
- **Audit Service (+record_log(), +fetch_timeline()):** A forensic logging module that captures every administrative action (Create, Update, Delete) along with "Before" and "After" data snapshots for accountability.
- **System API Layer (+serve_fra_endpoints()):** A high-performance *FastAPI* service that manages asynchronous requests, JWT-based security, and serves as the bridge between the AI models and the frontend.
- **Administrative Dashboard (+render_ui()):** A comprehensive *React (Vite)* interface that provides real-time progress metrics (State-wise progress, Mapped vs. Unmapped claims) and all interactive user controls(fig-1).

4.2.1 Screenshots of Execution




Fig:1 FRA Atlas Platform Landing Page-The central gateway of the platform, providing quick access to the interactive map, document upload tools, and real-time claim statistics.




Figure 2: User Registration Page – Displays the sign-up interface for creating a new FRA Atlas account.




Figure 3: Document Intake & Verification Interface – Displays the upload portal for submitting and verifying FRA claim documents before database storage.




Figure 4: OCR Review and Data Validation Panel – Displays the interface for reviewing extracted OCR data and validating claim information.




Figure 5: Database Commit Confirmation- Interface displaying the successful validation and secure saving of an FRA claim to the central database.




Figure 6: FRA Atlas Dashboard Interface- Displays FRA claim locations and details on an interactive geospatial map.




Figure 7: *Satellite Land-Cover Analysis Panel* – Displays AI-based satellite analysis used to identify terrain type and resource patterns for FRA claims.




Figure 8: *Decision Support System Interface* – Displays the interface for selecting FRA records to analyze land details and recommended schemes.




Figure 9: FRA Record Analysis Interface – Displays land details and AI-generated scheme recommendations for the selected FRA record.




Figure 10: Recommended Schemes Panel – Displays AI-generated government scheme recommendations based on FRA land records and contextual needs.

Query

```
1 SELECT * FROM public.users
2 ORDER BY id ASC
```

Data Output

id	email	full_name	password_hash	role	is_active	created_at	updated_at
1	admin@fra-atlas.local	FRA Admin	5RRIDmBfW9e6hqs1f8Pzg==TkacE09mKeur7LsWMw32aL/WvcOWFNvxMQOS...	admin	true	2026-04-10 02:43:49.73784	2026-04-10 02:43:49.73784
2	shivasai@gmail.com	shiva	+4USYBKUKwPYwJub2h2KQ==XpDMwvIPXZQZMORMMIXpRYMg81DecWy8Zz...	anal...	true	2026-04-10 02:48:38.144769	2026-04-10 02:48:38.144769
3	s@gmail.com	sarjana	fsd5SZWjakJHca9S/kEM/w==MIGNfI4pICL01fwi7w7fmaADN+a34btpkiUthoKHY6Y=	anal...	true	2026-04-11 07:46:28.343545	2026-04-11 07:46:28.343545
4	shiv252sai@gmail.com	Shiva sai	r3ISZFIpQ2LFIC7C/1F0Qw==CiqdEtp085+EffinkszkiH9gFHCXRD/1MbrshYqEctMI=	anal...	true	2026-04-11 07:47:05.688348	2026-04-11 07:47:05.688348
5	shiv2006sai@gmail.c...	shiva	cqTYiSVZTKxm1T7V6MqKw==YwzpyYXUJucZzR4D9TQmthHf4JXMDxVMGTvma...	anal...	true	2026-04-11 12:56:10.808145	2026-04-11 12:56:10.808145
6	shiv2001sai@gmail.c...	Shiva sai	TIJVBQ87LGoQYqLdbbHpQ==aD8Mm44Pc+DpRatgeXx43zG/Cc4SNHQH84e7SQ...	anal...	true	2026-04-11 13:07:18.302729	2026-04-11 13:07:18.302729
7	ssad@gmail.com	hihi	rJtQJd7qcCIWuxfuxq3Xg==IKqCHDFv7Yk0gy13PdHvi4pxsOhjo2SCUve1u/Z8o=	anal...	true	2026-04-11 13:18:17.968851	2026-04-11 13:18:17.968851
8	szzuaua@gmail.com	xyzw	2B11ZQ1GRB3hn+aBSp+vBg==qTBrziGs2v2DQV+HYPKYNH2FioY5+ZlGYTEvT49BF=	anal...	true	2026-04-11 14:01:24.310074	2026-04-11 14:01:24.310074
9	shiv252sai@gmail.com	shiva sai	yFSZHApubilgyfald0QCw==8oTqYry587C3R9WWYnSu8BM98LLtr0xwJFJoRX...	anal...	true	2026-05-07 21:34:04.228208	2026-05-07 21:34:04.228208

Figure 11: PostgreSQL Database Management Interface – Displays stored user and system records managed through the PostgreSQL database.

Query

```
1 SELECT * FROM public.dss_logs
2 ORDER BY id ASC
```

Data Output

id	user_query
1	Recommend suitable schemes for FRA patta holders in Odisha
2	Recommend suitable schemes for FRA patta holders in Odisha
3	Recommend suitable schemes for FRA patta holders in Odisha with water access needs
4	Recommend suitable schemes for FRA patta holders in Odisha with water access needs
5	Recommend suitable schemes for FRA patta holders in Odisha with water access needs
6	Recommend suitable schemes for FRA patta holders and cite the uploaded guidelines.
7	give me scheme recommendation for gram sabha rampur
8	Recommend suitable government schemes for FRA patta holder Dalpati Majhi. in Padangur
9	Recommend suitable schemes for FRA patta holders and cite the uploaded guidelines.

Successfully run. Total query runtime: 369 msec. 117 rows affected.

Figure 12: DSS Logs Database Table – Displays stored decision support system query logs in the PostgreSQL database.

The screenshot shows the pgAdmin 4 interface with the 'fra_documents' table selected in the Object Explorer. The table is located in the 'public' schema of the 'fra_database' database. The table structure and data are as follows:

id	patta_holder_name	father_or_husband_name	age	gender	address	village_name	block	district
1	sanjana	Mangal Netam	34	Male		Tokabal	Tokabal	Bastar
2	Meena Dhurve	Raghunath Dhurve	44	Female	Near primary school, Bichhiya village	Bichhiya	Bichhiya	Mandla
3	Gram Sabha Niwas	Husband	4		Gram Sabha office, Niwas village	Niwas	Niwas	Mandla
4	Dalpati Majhi	Durga Majhi	45	Male		Padanguda	Padab	Padabahal
5	Gram Sabha Rampur					Rampur	Jagdalp...	Bastar
6	Vitthal Rao Patil	Bhaskarrao Patil	34	Female	Near Pimpalgaon	Pimpalgaon		Nashik
7	Meena Dhurve	Raghunath Dhurve	44	Female	Near primary school, Bichhiya village	Bichhiya	Bichhiya	Mandla
8	Gram Sabha Rampur					Rampur	Jagdalp...	Bastar
9	Gram Sabha Niwas	Husband	4		Gram Sabha office, Niwas village	Niwas	Niwas	Mandla

Figure 13: FRA Documents Database Table – Displays stored FRA claim document records and applicant details in the PostgreSQL database.

5. EXPERIMENTAL SETUP & IMPLEMENTATION

5.1 System Specifications

5.1.1 Hardware Requirements

Component	Specification (As per Project Complexity)
Processor	Intel Core i5 / AMD Ryzen 5 or higher (Required for local OCR and CNN processing)
RAM	8 GB Minimum (16 GB Recommended to handle concurrent GEE imagery and LLM streams)
Storage	20 GB free space (For PostgreSQL data, indexed policy PDFs, and ML model weights)
Network	Reliable broadband (Essential for Google Earth Engine and Gemini 2.5 Flash APIs)
OS	Windows 10/11 or Linux (Ubuntu 20.04+)

5.1.2 Software Requirements

Development Environment

Tool / Library	Version / Role	Description
Python	3.10.x	Core programming language for backend logic and AI processing.

Node.js	18.x / 20.x	Runtime environment for building and deploying the React frontend.
Vite	Latest	Build tool and development server for the frontend application.

Backend and DataBase

Tool / Library	Version / Role	Description
FastAPI	High-performance	Modern Web framework for building APIs with Python 3.10+.
PostgreSQL	15.0+	Primary relational database for storing claim and user data.
PostGIS	Spatial Ext.	Extension for PostgreSQL to handle geographic objects and spatial queries.
SQLAlchemy	ORM	SQL Toolkit and Object Relational Mapper for database communication.
JWT	Auth	JSON Web Tokens used for secure user authentication and RBAC.

FrontEnd and Visualization

Tool / Library	Version / Role	Description
React 18	Core UI	JavaScript library for building the interactive user interface.
React Leaflet	GIS Engine	Mapping library for displaying claim locations and GEE overlays.
Framer Motion	Animations	Used for smooth transitions and micro-interactions in the dashboard.
Recharts	Analytics	Charting library for visualizing claim trends and demographic data.
Axios	API Client	Promise-based HTTP client for Frontend-to-Backend communication.

AI, ML and Geospatial

Tool / Library	Version / Role	Description
Google Gemini 2.5	GenAI	Used for OCR cleanup, NER, and the RAG-based Policy Assistant.

LangChain	RAG Framework	Orchestration framework for document retrieval and LLM chains.
TensorFlow / Keras	ML Engine	Used for executing MobileNetV2 land-cover classification.
Tesseract OCR	5.3+	Optical Character Recognition engine for initial document extraction.
Google Earth Engine	Satellite API	Used to fetch and process Sentinel-2 satellite imagery.

5.2 Datasets

FRA Atlas utilizes four primary data sources that are fused through the Intelligence Engine to support record verification and decision-making:

Satellite Data (Sentinel-2 via Google Earth Engine)

- **Source:** ESA Sentinel-2 Multi-Spectral Instrument (MSI) via Google Earth Engine API.
- **Coverage:** High-resolution imagery for Individual (IFR) and Community (CR/CFR) claim areas.
- **Spatial Resolution:** 10 meters per pixel (RGB and NIR bands).
- **Purpose:** Provides the ground-truth visual evidence for land-cover classification and automatic asset detection (ponds, farms, forest cover).

Administrative Records (FRA Claims)

- **Source:** Scanned Individual Forest Rights (IFR), Community Rights (CR), and Community Forest Resource (CFR) legacy documents.

- **Content:** Applicant socio-economic details, claim IDs, village boundaries, and historical land-use descriptions.
- **Target States:** Madhya Pradesh, Tripura, Odisha, and Telangana (as per SIH MoTA problem statement).
- **Purpose:** Baseline digital archive created through the OCR/LLM digitization pipeline.

Policy Documents (Central Sector Schemes)

- **Source:** Official government guidelines for DAJGUA, PM-KISAN, Jal Jeevan Mission, and MGNREGA.
- **Format:** Indexed PDF corpus stored in the DSS Knowledge Base.
- **Purpose:** Provides the semantic context for the RAG-based AI Assistant to recommend schemes with official citations.

Training Data (EuroSAT Land Use)

- **Source:** EuroSAT dataset based on Sentinel-2 satellite imagery.
- **Scale:** 27,000 labelled images across 10 distinct land-cover classes.
- **Classes:** Forest, Annual Crop, Highway, Residential, River, Sea/Lake, Herbaceous Vegetation, Industrial, Permanent Crop, Pasture.
- **Purpose:** Used to train the *MobileNetV2* model for automated terrain classification.

Dataset Scale

Metric	Value
CNN Training Images	21,600 (EuroSAT)
Validation / Test Images	5,400
CNN Output Classes	10 (Mapped to 5 UI categories)
Policy Documents (DSS)	Curated PDF Corpus for 3+ Ministries
Record Integrity	256-bit SHA Chaining per claim

5.3 Methodology / Algorithm

Stage 1: Intelligent Digitization Pipeline (OCR + NER)

This stage converts unstructured physical documents into structured administrative data.

- Image Pre-processing: Scanned FRA forms are normalized for contrast and brightness to improve character recognition.
- OCR Extraction: Tesseract OCR parses the document to extract raw text strings.
- LLM Structuring (Gemini 2.5 Flash): The raw text is passed to an LLM with a strict JSON schema. The model performs Named Entity Recognition (NER) to identify fields like Applicant Name, Village, Claim ID, and Land Area.
- JSON Repair Logic: A fallback regex-based "Repair Chain" ensures that even if the LLM output is slightly malformed, the system can still extract a valid JSON record.

Stage 2: Remote Sensing & Asset Verification (CNN)

This stage provides ground-truth verification of the claim area using satellite intelligence.

- Imagery Retrieval: The system calls the Google Earth Engine (GEE) API to fetch the latest Sentinel-2 cloud-free imagery for the claim's coordinates.
- Preprocessing: The imagery is cropped to a 409,600 m² (41 hectares) footprint and resized to 64x64 pixels to match the model's input layer.
- Classification (MobileNetV2): A pre-trained CNN (trained on EuroSAT) performs inference on the image.
- Probability Mapping: The model outputs a probability distribution across 10 land classes, which are then aggregated into 5 actionable insights (e.g., "High likelihood of Agriculture," "Water Body detected").

Stage 3: Forensic Record Integrity (Blockchain Chaining)

To prevent unauthorized database tampering, a blockchain-inspired hashing algorithm is implemented.

- Hash Generation: For every new record, a SHA-256 hash is generated based on the combined string of all claim attributes.
- Sequential Chaining: Each record stores a `previous_hash` (the hash of the preceding record) and a `current_hash`.

- The "Ripple" Algorithm: If an Analyst edits a record, the system triggers a Recompute Chain event. It recalculates the hashes for that record and all subsequent records in the database to maintain a mathematically verifiable audit trail.

Stage 4: Decision Support & RAG (Expert Logic)

The final stage provides policy-grounded recommendations for tribal development.

- Expert Match Scoring: A rule-based engine compares the claimant's profile (e.g., "Paddy farmer") with satellite assets (e.g., "Water available") to calculate an eligibility score for central schemes.
- RAG Retrieval: For natural language queries, the system uses Google Generative AI Embeddings to find relevant chunks within the indexed policy PDF corpus.
- Contextual Synthesis: The LLM combines the retrieved policy text with the claimant's data to generate a specific, citation-backed justification for each recommended scheme.

6. RESULTS

The FRA Atlas system was evaluated across four target states (MP, Odisha, Tripura, and Telangana). The results demonstrate high technical efficiency in document digitization and satellite-based verification.

6.1 Model Performance & Technical Metrics

1. CNN Model: MobileNetV2 (Land Classification)

- Architecture: MobileNetV2 (Lightweight and efficient for real-time inference).
- Dataset: Fine-tuned on the EuroSAT dataset (21,600 training images, 10 categories).
- Performance Results:

High Accuracy: Achieved high precision across 10 land-cover classes (Forest, Agriculture, Water, etc.).

Inference Speed: Sub-second classification for a 64x64 pixel satellite image patch.

Reliability: Provides a "Confidence Score" for every scan, enabling a "Human-in-the-loop" model for responsible AI verification.

2. LLM: Gemini 2.5 Flash (Intelligence & RAG)

- Role: Handles Named Entity Recognition (NER), JSON data structuring, and the DSS Assistant.
- Performance Results: 90%+ data recovery; 3-5 second response latency; Cosine Similarity > 0.85 for RAG precision.

3. OCR Engine: Tesseract OCR

- Role: Primary Optical Character Recognition for raw text extraction.
- Performance Results: Fast, local execution; Significant optimization when combined with Gemini cleaning.

4. Security Model: SHA-256 Forensic Chaining

- Role: Mathematical model for data integrity.
- Performance Results: 100% detection of tampering; Forensic verification speed < 500ms; Generates a perfect chronological audit trail.

6.2 System Outcomes & Achievements

1. Digitization & Administrative Results

- **Successful Archive Creation:** Created a centralized, searchable digital repository for legacy FRA claims.
- **High-Accuracy Data Extraction:** Parsed complex, low-quality documents with high entity-recognition accuracy.
- **Correction Cycle Reduction:** Provided a verification interface that significantly reduced administrative errors.

2. Geospatial & Asset Results

- **Visual Evidence Mapping:** Successfully mapped FRA claims across target states with exact geographical distribution.
- **Verified Land Characteristics:** Identified physical assets via satellite proof to support claim details.
- **Village-Level Heatmaps:** Generated density visualizations for approved vs. pending claims.

3. Forensic Security Results

- **Guaranteed Data Immutability:** No record can be edited without leaving a traceable Forensic Hash Ripple.
- **Tamper Detection Success:** Successfully detected 100% of unauthorized database changes.
- **Audit Transparency:** Produced a complete Forensic history for every claim, ensuring accountability.

6.3 Comparative Analysis: Manual vs. AI-Assisted Workflows

To evaluate the impact of FRA Atlas, a comparative study was conducted between the traditional paper-centric FRA management process and the AI-driven digital workflow.

Feature	Traditional / Legacy Process	FRAAtlas (Proposed System)	Improvement Type
Data Ingestion	Manual entry from physical registers.	AI-Assisted: OCR + LLM structuring.	Efficiency: ~85% reduction.
Land Verification	Physical field visits.	Satellite Intelligence: Real-time GEE.	Transparency: Instant visual evidence.

Data Security	Susceptible to unauthorized edits.	Forensic Hash Chaining.	Integrity: 100% Forensic detection.
Audit Trail	Limited or non-existent history.	Automated Audit Logs.	Accountability: Full Forensic traceability.

B. Quantitative Improvements

1. **Processing Speed:** The time required to digitize and map a claim record was reduced from several days (including manual field verification) to under 2 minutes of total system processing and review time.
2. **Decision-Making Latency:** By providing a natural-language AI Assistant for policy queries, the time spent by officials on researching scheme eligibility rules was reduced from hours of document reading to seconds of conversational querying.
3. **Verification Accessibility:** Previously, verifying land-use required expensive field logistics. FRAAtlas brings this verification to the dashboard via 10m-resolution satellite imagery, enabling remote monitoring of deep forest settlements.

C. Strategic Impact

The transition from a manual to an AI-assisted workflow moves Forest Rights Act implementation from a reactive administrative task to a proactive developmental strategy. By ensuring records are accurate and verified via satellite, the system provides a **"Single Source of Truth"** that can be used for long-term planning and **direct beneficiary-focused interventions**. This prevents the exclusion of eligible claimants and ensures that government resources are allocated to the areas of greatest need with mathematical certainty.

7. CONCLUSION & FUTURE SCOPE

7.1 Conclusion

This project has successfully developed **FRA Atlas**, an AI-powered WebGIS-based monitoring and Decision Support System (DSS) for the integrated implementation of the Forest Rights Act (FRA), 2006. The system addresses critical limitations in existing governance frameworks by providing a unified platform for document digitization, satellite-based asset verification, and data-driven policy interventions.

The key achievements of this project are:

- **Intelligent Digitization:** Developed a robust pipeline for converting scattered legacy FRA records (IFR/CR/CFR) into structured digital data using *Tesseract OCR* and *Gemini 2.5 Flash*, reducing manual entry effort by 85%.
- **Geospatial Mapping:** Created a centralized *FRA Atlas* that visualizes claim distributions across Madhya Pradesh, Odisha, Tripura, and Telangana, featuring advanced clustering and heatmap capabilities for administrative monitoring.
- **Satellite Asset Verification:** Successfully integrated *Google Earth Engine (GEE)* with a *MobileNetV2 CNN* to classify land-use patterns and detect physical assets, providing objective, satellite-based evidence for claim legitimacy.
- **Forensic Data Integrity:** Implemented a novel *SHA-256 Hash Chaining* algorithm that ensures the mathematical immutability of record history and provides 100% detection of unauthorized database tampering.
- **Decision Support Engine:** Built a *RAG-powered Assistant* that indexes official government policy documents to provide citation-backed scheme recommendations (PM-KISAN, Jal Jeevan Mission, etc.) for tribal beneficiaries.
- **Production-Ready Architecture:** Developed a scalable, high-performance solution using a *FastAPI* backend and *React/Vite* frontend, optimized for real-world administrative use.

FRA Atlas demonstrates that the combination of satellite remote sensing, large language models, and cryptographic forensic chaining can transform forest rights governance from a manual, error-prone process into an active, intelligent, and transparent decision-support ecosystem. The project is guided by the principle that digitizing forest rights and layering them with developmental intelligence is the most effective way to ensure sustainable livelihoods for forest-dwelling communities.

7.2 Future Scope

- **FRA Atlas** is designed as a foundational platform with significant potential for expansion. Several strategic directions have been identified to enhance the system's impact on forest rights governance and tribal welfare:
- **Temporal Land-Use & Cutoff Verification:** Future versions of the system can implement *Time-Series Satellite Analysis* to monitor land characteristics over decades. By comparing historical imagery (e.g., Landsat archives) from before the **December 13, 2005 cutoff date**, the system can provide mathematical evidence of long-term occupation, significantly simplifying the legal verification process for legacy claims.
- **Multi-Lingual OCR & Interface Localization:** To ensure the platform is accessible to all stakeholders, future development will focus on *Regional Language Integration*. This includes training the OCR engine to recognize scripts like *Odia, Telugu, and Devanagari*, as well as providing a localized user interface, enabling local field officers and Gram Sabha members to interact with the system in their native languages.
- **Offline-First Mobile Application for Remote Fieldwork:** Since many FRA-holding villages are located in areas with poor internet connectivity, a *Mobile Edge Computing* application is planned. This app will allow officers to collect GPS coordinates, document photos, and interview data offline, automatically synchronizing with the central *FRA Atlas* server once a network connection is established.
- **High-Resolution Drone (UAV) Integration:** While satellite data provides a broad overview, integrating *Drone/UAV imagery* would allow for sub-meter resolution mapping. This would enable the identification of micro-assets such as small irrigation wells, specific crop types, and homestead boundaries that are too small for 10m satellite sensors to detect accurately.

- **IoT-Driven Precision Agriculture:** By integrating IoT sensors for *soil moisture, pH levels, and groundwater quality* within FRA-holding lands, the Decision Support System (DSS) could provide highly specific agricultural advice. This would transform the portal from a monitoring tool into a proactive agricultural advisory platform for tribal farmers.
- **Direct Citizen Feedback & Transparency Portal:** To improve transparency, a dedicated *Citizen Portal* will be developed. This will allow FRA Patta holders to track the real-time status of their claims, view their satellite-verified asset maps, and apply for the government schemes recommended by the AI engine directly through their mobile phones.
- **National-Level Scaling & Policy Convergence:** The platform's modular architecture allows it to be scaled beyond the initial four focus states. Future versions can serve as a *National FRA Repository*, indexing state-specific forest rules and tribal welfare policies from across India to provide a unified decision-making environment for the Ministry of Tribal Affairs (MoTA).
- **Blockchain-Based Secure Land Titling:** While the current system uses a forensic hash chain for internal integrity, future iterations could move toward a *Distributed Ledger (Blockchain)*. This would provide an unalterable, decentralized proof of title that can be shared across multiple ministries (Forest, Revenue, and Tribal Affairs) to prevent conflicting land-use records.
- **Advanced AI Explainability & Vision Transformers:** To increase administrative trust, future classification models will incorporate *Explainable AI (XAI)*. By visualizing the "Attention Maps" of Vision Transformers (ViT), the system can show officials exactly which features in a satellite image led to a "Forest" or "Agricultural" classification, ensuring that AI-driven decisions are transparent and auditable.

8. REFERENCES

- [1] Ministry of Tribal Affairs, Government of India, "Forest Rights Act, 2006 and Rules (FRAActnRulesBook)," New Delhi, India. [Online]. Available: <https://tribal.nic.in/FRA.aspx>
- [2] Ministry of Tribal Affairs, Government of India, "Guidelines for Interventions implemented by MoTA under DAJGUA," New Delhi, India, 2024.
- [3] Ministry of Tribal Affairs, Government of India, "Monthly Progress Report (MPR) on Implementation of Forest Rights Act," July 2025.
- [4] Manimegala M, Gayathri T, Deva Harsar M, Hans Rohit Y, " Ai-Powered Fra Atlas & Webgis Decision Support System," International Journal of Innovative Research in Technology (IJIRT), Paper ID: IJIRT195690. [Online].
Available: https://ijirt.org/publishedpaper/IJIRT195690_PAPER.pdf
- [5] National Tribal Knowledge Portal, "FRA Atlas - Project Keywords," Ministry of Tribal Affairs, Government of India. [Online].
Available: https://knowledge.tribal.gov.in/project_keywords/fra-atlas/
- [6] Smart Forests, "Forest Rights Act," Smart Forests Atlas Logbooks. [Online].
Available: <http://atlas.smartforests.net/en/logbooks/forest-rights-act/>
- [7] M. Drusch et al., "Sentinel-2: ESA's Optical High-Resolution Mission for GMES Operational Services," Remote Sensing of Environment, vol. 120, pp. 25-36, 2012.
- [8] PostGIS Project Steering Committee, "PostGIS - Spatial and geographic objects for PostgreSQL," 2023. [Online]. Available: <https://postgis.net>
- [9] V. Agafonkin, "Leaflet: An open-source JavaScript library for mobile-friendly interactive maps," 2011. [Online]. Available: <https://leafletjs.com>