# Rajalakshmi Engineering College

Name: Sanjay Raam

Email: 240801295@rajalakshmi.edu.in

Roll no: 240801295 Phone: 7418251641

Branch: REC

Department: I ECE AF

Batch: 2028

Degree: B.E - ECE



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 2\_COD\_Question 2

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Moniksha, a chess coach organizing a tournament, needs a program to manage participant IDs efficiently. The program maintains a doubly linked list of IDs and offers two functions: Append to add IDs as students register, and Print Maximum ID to identify the highest ID for administrative tasks.

This tool streamlines tournament organization, allowing Moniksha to focus on coaching her students effectively.

### **Input Format**

The first line consists of an integer n, representing the number of participant IDs to be added.

The second line consists of n space-separated integers representing the participant IDs.

The output displays a single integer, representing the maximum participant ID. If the list is empty, the output prints "Empty list!".

Refer to the sample output for the formatting specifications.

#### Sample Test Case

```
Input: 3
   163 137 155
   Output: 163
Answer
   #include<stdio.h>
   #include<stdlib.h>
   struct node
    {
       int data:
       struct node *next;
       struct node *prev;
    } *head=NULL;
   void insert()
       struct node *temp=(struct node*)malloc(sizeof(struct node)),*a=head;
       scanf("%d",&temp->data);
       if(head==NULL)
          head=temp;
          temp->next=NULL;
          temp->prev=NULL;
       else
          while(a->next!=NULL)
           a=a->next;
        temp->next=NULL;
          temp->prev=a;
          a->next=temp;
```

```
240801295
                                                   240801295
yoid biggest()
        struct node *a=head;
        int max=a->data;
        while(a!=NULL)
           if(a->data>max)
            max=a->data;
           a=a->next;
        printf("%d",max);
int main()
       scanf("%d",&n);
       if(n==0)
          printf("Empty list!");
          return 0;
       while(n--)
        insert();
       biggest();
                                                   240801295
                         240801295
       return 0;
                                                                     Marks: 10/10
    Status: Correct
```

240801295

240801295

240801295

240801295