Variables	
	Variables



Lists	
	_
	Lists





Functions	
$F\iota$	unctions





While-loop	
W	hile-loop



Methods	
	Methods





Match-case	
Ma	tch-case



For-loop	
	For-loop





Type-conversion	
	Type-conversion



List Indices	
	List Indices



Tuples	
	Tuples




merate




F-Strings		
		•
		n a. ·
		F-Strings



Write Text Files, Read Text Files		
Write Text Files, Read Text Files		





File Paths	
	File Paths




List Comprehensions		
List Comp	orehensions	



Comments	
	_
	Comments
	Conunents



With-Context Manager	
With-Context Mana	ger



If, Elif, and Else Conditionals
If Elif and Elas Conditionals
If, Elif, and Else Conditionals





Slicing	
	Slicing
	Sucing




Dictionaries	
	Dictionaries






Try-Except and Exceptions
Try-Except and Exceptions





Continue Statement	
	Continue Statement
	Commue statement




Custom Functions	
	Custom Functions








Function Arguments	
	Tunadan Ana
	Function Arguments



Multiple Arguments	
Multiple Arg.	uments



Decoupling Output	
	ing Output




Default Arguments	
	rguments



Doc Strings	
	_
	Doc Strings



Decoupling Functions	
	December 5
	Decoupling Functions



Local Modules and Import	
	Local Modules and Import
	*



Standard Modules	
	Standard Modules



Git and Github	
Git and	l Github








Third-Party Modules	
Third-Party	Modules











Web Development with Streamlit		
Web Development with Streamlit		











Heroku Deployment	
	Heroku Deployment
	110.0m Deproyment



PDF Generation with PdfKit	
PDF Genera	tion with PdfKit







Data Handling with Pandas	
Data Handling with Pandas	
Ü	











Sending Emails	
	Sending Emails





