Rajalakshmi Engineering College

Name: Sanjay G

Email: 240801291@rajalakshmi.edu.in

Roll no: 240801291 Phone: 7010760064

Branch: REC

Department: I ECE AF

Batch: 2028

Degree: B.E - ECE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 6_MCQ_Updated_1

Attempt : 1 Total Mark : 20

Marks Obtained: 17

Section 1: MCQ

1. Consider the Quick Sort algorithm, which sorts elements in ascending order using the first element as a pivot. Then which of the following input sequences will require the maximum number of comparisons when this algorithm is applied to it?

Answer

22 25 56 67 89

Status: Correct Marks: 1/1

2. What happens during the merge step in Merge Sort?

Answer

Two sorted subarrays are combined into one sorted array

Status: Correct Marks: 1/1

3. Why is Merge Sort preferred for sorting large datasets compared to Quick Sort?

Answer

Merge Sort has better worst-case time complexity

Status: Correct Marks: 1/1

4. Which of the following scenarios is Merge Sort preferred over Quick Sort?

Answer

When sorting linked lists

Status: Correct Marks: 1/1

5. What is the best sorting algorithm to use for the elements in an array that are more than 1 million in general?

Answer

Quick sort.

Status: Correct Marks: 171

6. Which of the following statements is true about the merge sort algorithm?

Answer

It requires additional memory for merging

Status: Correct Marks: 1/1

7. Which of the following is true about Quicksort?

Answer

It is a stable sorting algorithm

Status: Wrong Marks: 0/1

8. In a quick sort algorithm, what role does the pivot element play?

Answer

It is used to partition the array

Status: Correct Marks: 1/1

9. Which of the following is not true about QuickSort?

Answer

It can be implemented as a stable sort

Status: Correct Marks: 1/1

10. Which of the following strategies is used to improve the efficiency of Quicksort in practical implementations?

Answer

Choosing the pivot randomly or using the median-of-three method

Status: Correct Marks: 1/1

11. What is the main advantage of Quicksort over Merge Sort?

Answer

Quicksort requires less auxiliary space

Status: Correct Marks: 1/1

12. What happens when Merge Sort is applied to a single-element array?

Answer

The array remains unchanged and no merging is required

Status: Correct Marks: 1/1

13. Which of the following modifications can help Quicksort perform better on small subarrays?

Answer

Switching to Bubble Sort for small subarrays

Status: Wrong Marks: 0/1

14. In a quick sort algorithm, where are smaller elements placed to the pivot during the partition process, assuming we are sorting in increasing order?

Answer

To the left of the pivot

Status: Correct Marks: 1/1

15. The following code snippet is an example of a quick sort. What do the 'low' and 'high' parameters represent in this code?

```
void quickSort(int arr[], int low, int high) {
   if (low < high) {
      int pivot = partition(arr, low, high);
      quickSort(arr, low, pivot - 1);
      quickSort(arr, pivot + 1, high);
   }
}</pre>
```

Answer

The range of elements to sort within the array

Status: Correct Marks: 1/1

240	16. Which of the following methods i	s used for sorting in merg	e sort?
Ý	merging	*	
	Status: Correct		Marks : 1/1
	17. Merge sort is		
	Answer		
	Comparison-based sorting algorithm	^	
	Status: Correct	20129	Marks : 1/1
240	18. Let P be a quick sort program to sort numbers in ascending order using the first element as a pivot. Let t1 and t2 be the number of comparisons made by P for the inputs {1, 2, 3, 4, 5} and {4, 1, 5, 3, 2}, respectively. Which one of the following holds?		
	Answer		
	t1 = t2		
	Status: Wrong	Α.	Marks : 0/1
240	19. Which of the following sorting alo conquer method?	gorithms is based on the c	divide and
	Answer		
	Merge Sort		
	Status: Correct		Marks : 1/1
	20. Is Merge Sort a stable sorting alg		
	Answer	291	~29^1
240	Answer Yes, always stable.	240801291	240801291

Marks: 1/1 Status: Correct

2,40801291