Demonstrate Network Forensics using
PCAP X-Ray Tool.

:
to perform network forensics by analyzing a PCAP file
the PCAP X-Ray Tool to identify network protocols,
ious activities, communication patterns, and transferred

dure:
Open a web browser and navigate to the PCAP X-Ray
website.
Select a sample PCAP file from your computer.
Click Upload and wait for the analysis to complete.
Observe the dashboard for total packets, protocols, and
source and destination IP addresses.
Analyze the Protocol distribution, such as TCP, UDP,
HTTP, HTTPS, DNS and ICMP.
Investigate and save the analysis report if the option
is available.

n:
thus, network forensics was performed successfully
g the PCAP X-Ray Tool, and network protocols,
munication patterns, transferred files, and suspicious
vities were analyzed.

```python
import socket
client = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
server_ip = input("Enter server IP: ")
client.connect((server_ip, 5001))
while True:
    message = input("Client: ")
    client.send(message.encode())

    if message.lower() == "exit":
        break

    reply = client.recv(1024).decode()
    print("Server:", reply)

    if reply.lower() == "exit":
        break

client.close()
```

```
PS D:\12b> python chat_server.py
Chat server waiting for connection...
Connected to: ('127.0.0.1', 55821)
Client: Hello
Server: Hi
Client: How are you?
Server: Iam Fine!!
```

```
PS D:\12b> python chat_client.py
Enter server IP: 127.0.0.1
Client: Hello
Server: Hi
Client: How are you?
Server: Iam Fine!!
Client:
```

```python
server = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
server.bind(("0.0.0.0", 5001))
server.listen(1)
print("Chat server waiting for connection...")
conn, addr = server.accept()
print("Connected to:", addr)
while True:
    message = conn.recv(1024).decode()

    if message.lower() == "exit":
        break
    print("client:", message)
    reply = input("Server: ")
    conn.send(reply.encode())
    if reply.lower() == "exit":
        break
conn.close()
server.close()
```


```
PS D:\12b> python chat_server.py
Chat server waiting for connection...
Connected to: ('127.0.0.1', 55821)
Client: Hello
Server: Hi
Client: How are you?
Server: Iam Fine!!
```

```
PS D:\12b> python chat_client.py
Enter server IP: 127.0.0.1
Client: Hello
Server: Hi
Client: How are you?
Server: Iam Fine!!
Client:
```