
Smart Urban Mobility and Traffic Intelligence Dashboard

Milestone 1

Project Documentation | Power BI | Dashboard Analysis – 2026



Metro_City	Sum of Incidents	Avg_Speed	Sum of Traffic_Volume
Ahmedabad	159	32.58	21064
Bengaluru	216	29.96	32893
Chennai	134	29.42	21100
Delhi	155	30.65	22292
Hyderabad	154	30.18	23914
Kolkata	167	33.16	25545
Mumbai	168	29.41	27045
Pune	143	31.98	22137
Total	**1296**	**30.91**	**195990**

The dashboard provides an interactive view of vehicle activity, traffic incidents, traffic volume and average speed across major Indian metro cities.

1. Project Overview

The Smart Urban Mobility and Traffic Intelligence Dashboard is an interactive Power BI dashboard designed to analyze urban traffic and mobility patterns across major metro cities. It combines KPI cards, city-level comparisons, monthly incident trends, vehicle-type distribution and a detailed city summary table.

2. Project Objective

- Analyze the total number of vehicles across major metro cities.
- Monitor traffic incidents month by month.
- Measure average vehicle speed and traffic volume.
- Compare vehicle-type distribution across Bike, Car, Auto, Truck and Bus.
- Compare incidents, speed and traffic volume between cities.
- Provide interactive filtering by vehicle type and date range.
- Support data-driven understanding of urban mobility and traffic conditions.

3. Dashboard Description

The dashboard contains four KPI cards, a city-wise vehicle bar chart, a monthly incident line chart, a vehicle-type distribution pie chart and a city-level comparison table. A Vehicle Type slicer and a date-range control allow users to interactively filter the analysis.

4. Dashboard Scope

Item	Description
Time period shown	01-Jan-2026 to 31-Dec-2026
Metro cities	Bengaluru, Mumbai, Kolkata, Hyderabad, Delhi, Pune, Chennai, Ahmedabad
Vehicle types	Bike, Car, Auto, Truck, Bus
Primary measures	Average Speed, Total Incidents, Average Traffic Volume, Total Vehicles
Analysis areas	City comparison, monthly incidents, vehicle mix and traffic activity

5. Tools and Technologies Used

Tool	Purpose
Microsoft Power BI	Dashboard development, KPI cards, charts, slicers and reporting.
Power Query	Data cleaning, transformation and preparation.
DAX	Calculated measures and KPI calculations.
Excel / CSV	Typical source-data preparation and storage, where applicable.

6. KPIs and Their Calculations

KPI	Displayed Value	Meaning
Avg Speed	30.91	Average recorded vehicle speed.
Total Incident	1,296	Total recorded traffic incidents.
Avg Traffic Volume	391.98	Average recorded traffic volume.
Total Vehicle	195,990	Total vehicles represented in the dashboard.

Illustrative DAX: Total Vehicle = SUM(Vehicle_Count); Total Incident = SUM(Incident_Count); Avg Speed = AVERAGE(Speed); Avg Traffic Volume = AVERAGE(Traffic_Volume). The exact field names should match the Power BI data model.

7. Dashboard Visualizations

Visualization	Type	Purpose
Total Vehicles by City	Column / Bar	Compare total vehicle counts across cities.
Total Incidents by Month	Line	Track incident levels throughout the year.
Vehicle Type Distribution	Pie	Show the share of each vehicle category.
City Traffic Summary	Table	Compare incidents, average speed and traffic volume by city.

8. Dashboard Filters

- **Vehicle Type:** All, Bike, Car, Auto, Truck and Bus.
- **Date Range:** 01-Jan-2026 through 31-Dec-2026.
- Interactive filtering updates the KPI cards and analytical visuals.

9. Vehicle-Type Analysis

Vehicle Type	Approx. Count	Share
Bike	78K	39.67%
Car	64K	32.84%
Auto	23K	11.71%
Truck	16K	8.18%
Bus	15K	7.59%

Bikes form the largest vehicle category, followed by cars. Together, these two categories account for approximately 72.51% of the displayed vehicle distribution.

10. Total Vehicles by City

City	Vehicles
Bengaluru	33K
Mumbai	27K
Kolkata	26K
Hyderabad	24K
Delhi	22K
Pune	22K
Chennai	21K
Ahmedabad	21K

Observation: Bengaluru has the highest displayed vehicle count at approximately 33K. Chennai and Ahmedabad have the lowest displayed counts at approximately 21K each.

11. Total Incidents by Month

Month	Incidents	Month	Incidents
January	112	July	102
February	103	August	112
March	113	September	116
April	101	October	115
May	111	November	107
June	101	December	103

- September records the highest monthly incident count at 116.
- October follows with 115 incidents.
- April and June record the lowest displayed value at 101 incidents each.
- The monthly series fluctuates within a relatively narrow range.

12. City-Level Traffic Analysis

City	Incidents	Avg Speed	Traffic Volume
Ahmedabad	159	32.58	21,064
Bengaluru	216	29.96	32,893
Chennai	134	29.42	21,100
Delhi	155	30.65	22,292
Hyderabad	154	30.18	23,914
Kolkata	167	33.16	25,545
Mumbai	168	29.41	27,045
Pune	143	31.98	22,137
Total	1,296	30.91	195,990

Observation: Bengaluru records the most incidents (216) and the highest traffic volume (32,893). Kolkata has the highest average speed (33.16), while Mumbai has the lowest (29.41). Chennai has the fewest incidents (134).

13. Conclusion


The Smart Urban Mobility and Traffic Intelligence Dashboard provides a consolidated and interactive view of urban traffic conditions across eight metro cities. It combines vehicle counts, incident trends, vehicle-type distribution, average speed and traffic volume into a single reporting interface.

The dashboard makes it easier to identify high-activity cities, observe monthly incident patterns and compare traffic characteristics across cities. Interactive filters allow users to explore the data based on vehicle type and date range, supporting clearer and more focused analysis.

The dashboard can support urban mobility monitoring, traffic analysis and data-driven decision-making by presenting important transportation indicators in an easy-to-understand visual format.

Milestone 2

Project Documentation | Power BI | Dashboard Analysis – 2026



The dashboard provides an interactive view of disruptions, passenger activity, trips, route performance, monthly performance and monthly traffic volume across major Indian metro cities.

1. Project Overview

This Power BI dashboard analyzes urban transit operations and traffic patterns across eight major metro cities. It combines four KPI cards, a route-wise performance ranking, a monthly performance trend, a city-by-month traffic volume heatmap and a geographic map of the cities covered.

2. Project Objective

- Track total disruptions, passengers and trips for the selected period.
- Measure average passengers carried per trip.
- Rank routes by performance to identify the strongest and weakest routes.
- Monitor month-by-month performance to spot seasonal highs and dips.
- Compare traffic volume across cities and months using a heatmap matrix.
- Show the geographic spread of the cities analyzed.
- Provide interactive filtering by vehicle type and date range.

3. Dashboard Description

The dashboard contains four KPI cards, a Route Wise Performance bar chart, a Monthly Performance line chart, a Metro_City × month traffic volume matrix with colour-scale formatting, and a bubble map. A Vehicle_Type slicer and a date-range slider let users filter every visual interactively.

4. Dashboard Scope

Item	Description
Time period shown	01-Jan-2026 to 31-Dec-2026
Metro cities	Ahmedabad, Bengaluru, Chennai, Delhi, Hyderabad, Kolkata, Mumbai, Pune
Routes	Route IDs such as R368, R322, R415 (top 8 visible; chart is scrollable)
Primary measures	Disruptions, Total Passengers, Total Trips, Avg Passengers per Trip, Traffic Volume
Analysis areas	Route ranking, monthly trend, city × month traffic volume, geographic view

5. Tools and Technologies Used

Tool	Purpose
Microsoft Power BI	Dashboard development, KPI cards, charts, matrix, map, slicers and reporting.
Power Query	Data cleaning, transformation and preparation.
DAX	Calculated measures and KPI calculations.
Excel / CSV	Typical source-data preparation and storage, where applicable.

6. KPIs and Their Calculations

KPI	Displayed Value	Meaning
Disruptions	1,296	Total recorded disruptions / incidents in the selected period.
Total_Passengers	1,526	Total passengers recorded (label truncated on the card).
Total_Trips	1,719	Total trips recorded.
Avg_Pass_Per_Trip	0.89	Average passengers per trip (1,526 ÷ 1,719 ≈ 0.89). Label is truncated on the card.

Illustrative DAX: Disruptions = SUM(Incident_Count); Total Passengers = SUM(Passenger_Count); Total Trips = SUM(Trip_Count) or COUNTROWS(Trips); Avg Passengers per Trip = DIVIDE([Total Passengers],[Total Trips]). The exact field names should match the Power BI data model.

7. Dashboard Visualizations

Visualization	Type	Purpose
Route Wise Performance	Horizontal bar	Rank routes by performance value.
Monthly Performance	Line with markers	Track the monthly trend across the year.
City × Month Matrix	Matrix / heatmap	Compare traffic volume by city and month with colour intensity.
Location Map	Bubble map	Show where the analyzed cities are located.

8. Dashboard Filters

- **Vehicle_Type:** dropdown slicer (currently set to All).
- **Date Range:** 01-Jan-2026 through 31-Dec-2026, with two date pickers and a range slider.
- Interactive filtering updates the KPI cards and analytical visuals.

9. Route-Wise Performance

Rank	Route	Value
1	R368	56
2	R322	54
2	R415	54
4	R032	53
5	R182	52
6	R276	51
6	R385	51
8	R015	50

Observation: R368 leads with 56, followed by R322 and R415 at 54 each. Among the eight routes visible, values fall within a narrow 50–56 band, so route performance is fairly even. The chart is scrollable, so additional routes exist beyond these eight. The chart does not label its measure.

10. Monthly Performance

Month	Value	Month	Value
January	29.67	July	32.62
February	29.82	August	30.42
March	30.86	September	29.56
April	31.90	October	32.52
May	30.81	November	29.85
June	30.49	December	32.24

- July records the highest value at 32.62, followed by October (32.52) and December (32.24).
- September is the lowest at 29.56, with January (29.67) and February (29.82) also low.
- The line is volatile, alternating between peaks and dips, but stays within roughly 29.5–32.6.
- The 12 monthly values average about 30.90, consistent with the 30.91 average speed in the companion dashboard, so this measure appears to be average speed (the chart does not state its measure).

11. Traffic Volume by City and Month

City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
Ahmedabad	779	1,342	1,770	830	4,133	1,587	1,447	781	242	2,187	3,551	2,415	21,064
Bengaluru	3,793	3,584	1,059	4,281	3,609	2,873	1,359	1,866	2,514	3,501	2,991	1,463	32,893
Chennai	1,865	3,294	1,741	1,157	470	1,260	1,862	2,857	3,339	1,201	1,187	867	21,100
Delhi	1,818	1,220	3,313	517	1,610	1,625	1,852	3,492	455	1,457	2,458	2,475	22,292
Hyderabad	2,072	2,114	2,773	760	612	2,451	3,830	1,436	2,721	2,503	2,245	397	23,914
Kolkata	2,512	1,396	2,089	388	2,094	2,769	658	1,953	3,390	2,124	1,366	4,806	25,545
Mumbai	4,221	1,629	2,202	3,783	3,122	933	2,761	1,618	2,633	1,656	1,318	1,169	27,045
Pune	2,242	1,340	1,626	2,885	1,666	1,849	949	2,811	2,033	1,954	416	2,366	22,137
Total	19,302	15,919	16,573	14,601	17,316	15,347	14,718	16,814	17,327	16,583	15,532	15,958	195,990

Shading in the dashboard (and here) deepens as traffic volume rises. City totals match the City Traffic Volume figures in the companion dashboard, and the grand total is 195,990.

- **Highest cells:** Kolkata in December (4,806), Bengaluru in April (4,281), Mumbai in January (4,221) and Ahmedabad in May (4,133).
- **Lowest cells:** Ahmedabad in September (242), Kolkata in April (388), Hyderabad in December (397), Pune in November (416) and Delhi in September (455).
- **Busiest month overall:** January (19,302). **Quietest:** April (14,601).
- Individual cities swing sharply month to month, so city peaks do not align with the network-wide pattern.

12. City-Level Traffic Analysis

Rank	City	Total Volume	Peak Month	Lowest Month
1	Bengaluru	32,893	Apr (4,281)	Mar (1,059)
2	Mumbai	27,045	Jan (4,221)	Jun (933)
3	Kolkata	25,545	Dec (4,806)	Apr (388)
4	Hyderabad	23,914	Jul (3,830)	Dec (397)
5	Delhi	22,292	Aug (3,492)	Sep (455)
6	Pune	22,137	Apr (2,885)	Nov (416)
7	Chennai	21,100	Sep (3,339)	May (470)
8	Ahmedabad	21,064	May (4,133)	Sep (242)
	Total	195,990		

Observation: Bengaluru has the highest total traffic volume (32,893), followed by Mumbai (27,045) and Kolkata (25,545). Ahmedabad (21,064) and Chennai (21,100) are lowest. The map shows these eight cities plotted across India.

13. Conclusion


The dashboard gives a consolidated, interactive view of passenger activity, trips, disruptions, route performance and traffic volume across eight Indian metro cities. Its KPI cards summarise the period at a glance, while the route ranking, monthly trend and city-by-month heatmap let users drill into where and when activity is highest.

Route performance is tightly clustered, monthly values swing between peaks and dips, and traffic volume is concentrated in Bengaluru, Mumbai and Kolkata. Vehicle type and date filters support focused analysis for urban mobility monitoring and data-driven decision-making.

Notes on source data: Some labels on the dashboard are truncated (Total_Passengers, Avg_Pass_Per_Trip) and the Route Wise and Monthly Performance charts do not name their measures. Descriptions of those items above are inferred from the displayed values; please confirm against your data model.

Milestone 3

Project Documentation | Power BI | Dashboard Analysis – 2026



The dashboard provides an interactive view of disruptions, fares, transport demand, trips and passenger volumes, broken down by vehicle type, month and weather condition across major Indian metro cities.

1. Project Overview

This milestone extends the Smart Urban Mobility and Traffic Intelligence Dashboard with a demand-focused view. It combines four KPI cards, three slicers, a vehicle-type demand chart, a monthly passenger trend, a weather-wise demand chart and two distribution charts that show how demand and passengers split by vehicle type and weather condition.

2. Project Objective

- Track total disruptions, average fare, total demand and total trips.
- Compare transport demand across Bike, Car, Auto, Bus and Truck.
- Monitor monthly passenger volumes across the year.
- Analyze how weather conditions (Clear, Cloudy, Rain, Fog) affect demand and passengers.
- Show the percentage share of demand by vehicle type and of passengers by weather.
- Provide interactive filtering by vehicle type, weather, metro city and date range.
- Support data-driven understanding of urban mobility demand patterns.

3. Dashboard Description

The dashboard contains four KPI cards, a demand bar chart by vehicle type, a monthly passengers line chart, a weather-wise demand bar chart, a demand distribution pie chart and a passengers-by-weather donut chart. Three dropdown slicers (Vehicle_Type, Weather, Metro_City) and a date-range control let users filter every visual interactively.

4. Dashboard Scope

Item	Description
Time period shown	01-Jan-2026 to 31-Dec-2026
Metro cities	Selectable through the Metro_City slicer (currently set to All)
Vehicle types	Bike, Car, Auto, Bus, Truck
Weather conditions	Clear, Cloudy, Rain, Fog
Primary measures	Disruptions, Avg Fare, Total Demand, Total Trips, Passengers
Analysis areas	Demand by vehicle type, monthly passengers, weather impact

5. Tools and Technologies Used

Tool	Purpose
Microsoft Power BI	Dashboard development, KPI cards, charts, slicers and reporting.
Power Query	Data cleaning, transformation and preparation.
DAX	Calculated measures and KPI calculations.
Excel / CSV	Typical source-data preparation and storage, where applicable.

6. KPIs and Their Calculations

KPI	Displayed Value	Meaning
Disruptions	1,296	Total recorded traffic disruptions in the selected period.
Avg_Fare	96.65	Average fare recorded per trip.
Total_Demand	25,241	Total transport demand across all vehicle types.
Total_Trips	1,539	Total trips recorded.

Illustrative DAX: Disruptions = SUM(Incident_Count); Avg Fare = AVERAGE(Fare); Total Demand = SUM(Demand); Total Trips = SUM(Trip_Count) or COUNTROWS(Trips). The exact field names should match the Power BI data model.

7. Dashboard Visualizations

Visualization	Type	Purpose
Sum of Demand by Service Provider	Column	Compare total demand across vehicle types.
Sum of Passengers by Month	Line	Track passenger volume through the year.
Total Demand by Weather	Horizontal bar	Compare demand under each weather condition.
Demand Distribution by Vehicle Type	Pie	Show each vehicle type's share of total demand.
Sum of Passengers by Weather	Donut	Show each weather condition's share of passengers.

8. Dashboard Filters

- **Date Range:** 01-Jan-2026 through 31-Dec-2026, with two date pickers and a range slider.
- **Vehicle_Type:** dropdown slicer (currently All).
- **Weather:** dropdown slicer (currently All).
- **Metro_City:** dropdown slicer (currently All).
- Interactive filtering updates the KPI cards and all visuals.

9. Demand by Vehicle Type

Vehicle Type	Total Demand	Share
Bike	9,984	39.55%
Car	8,096	32.07%
Auto	3,033	12.02%
Bus	2,149	8.51%
Truck	1,979	7.84%
Total	25,241	100%

Observation: Bike and Car dominate demand, together accounting for about 71.6% of the total (18,080 of 25,241). Bike alone is nearly 40%. Bus and Truck are the smallest segments at under 9% each. The bar chart is titled "Service Provider" but its categories are vehicle types.

10. Passengers by Month

Month	Passengers	Month	Passengers
January	2,034	July	2,067
February	1,628	August	2,360
March	2,422	September	1,865
April	2,295	October	2,133
May	2,076	November	2,355
June	1,864	December	2,142

- March records the highest passenger count at 2,422, followed by August (2,360) and November (2,355).
- February is the lowest at 1,628, with June (1,864) and September (1,865) also low.
- The series zig-zags rather than following a single seasonal trend, with peaks in March, August and November.
- The 12 monthly values sum to 25,241, the same figure as Total_Demand.

11. Weather Impact

Weather	Total Demand	Demand Share	Passenger Share (chart)
Clear	13,955	55.29%	14K (55.29%)
Cloudy	6,403	25.37%	6K (25.37%)
Rain	3,542	14.03%	4K (14.03%)
Fog	1,341	5.31%	Not labelled
Total	25,241	100%	

Observation: More than half of all demand occurs in clear weather, and clear plus cloudy conditions account for about 80.7%. Rain contributes 14.03% and fog is the smallest at 5.31%. Demand and passenger shares are identical for each weather type, so both charts tell the same story. Fog's slice has no label in the donut, so its 5.31% is derived from the demand figures.

12. Key Insights

- Bikes and cars drive about 72% of demand, so planning for these two segments has the biggest impact.
- Passenger volume dips in February, June and September and peaks in March, August and November.
- Demand falls sharply in rain and fog (about 19.3% combined) compared with clear weather.
- The 1,296 disruptions match the incident total from Milestone 1, linking the two dashboards to the same dataset.


13. Conclusion

The Milestone 3 dashboard adds a demand and passenger perspective to the Smart Urban Mobility and Traffic Intelligence project. It shows which vehicle types carry the most demand, how passenger volumes change across the year and how strongly weather conditions shape demand.

With slicers for vehicle type, weather and metro city, users can narrow the analysis to a specific segment or location. The dashboard supports urban mobility planning, demand forecasting and data-driven decision-making by presenting key transport indicators in a clear visual format.

Milestone 4

Project Documentation | Power BI | Dashboard Analysis – 2026



The dashboard provides an interactive view of mobility access across areas, demographic groups and route types, along with average fare, demand, travel time and reliability across major Indian metro cities.

1. Project Overview

This milestone adds a mobility-access and equity perspective to the Smart Urban Mobility and Traffic Intelligence Dashboard. It combines five KPI cards, three slicers, page-navigation buttons, an area-wise access ranking, a demographic distribution pie chart, a route-type comparison and a detailed area-by-demographic table.

2. Project Objective

- Track mobility access counts alongside average fare, total demand, average time and average reliability.
- Identify the areas with the highest mobility access.
- Understand how access is distributed across Student, Family, Low Income, Senior and Working Age groups.
- Compare mobility access across route types (Bus Corridor, Highway, Metro Corridor, Ring Road, Main Road).
- Provide interactive filtering by vehicle type, weather, metro city and date range.
- Support data-driven planning for inclusive and accessible urban mobility.

3. Dashboard Description

The dashboard contains five KPI cards, a horizontal bar chart of mobility access by area, a pie chart of access by demographic group, a column chart of access by route type and a matrix of areas against demographic groups with row and column totals. Three dropdown slicers (Vehicle_Type, Weather, Metro_City) and a date-range control filter every visual. Navigation buttons link the report pages.

4. Dashboard Scope

Item	Description
Time period shown	01-Jan-2026 to 31-Dec-2026
Metro cities	Selectable through the Metro_City slicer (currently set to All)
Demographic groups	Student, Family, Low Income, Senior, Working Age
Route types	Bus Corridor, Highway, Metro Corridor, Ring Road, Main Road
Primary measures	Mobility Access, Avg Fare, Total Demand, Avg Time, Avg Reliability
Analysis areas	Access by area, access by demographic group, access by route type

5. Tools and Technologies Used

Tool	Purpose
Microsoft Power BI	Dashboard development, KPI cards, charts, slicers and reporting.
Power Query	Data cleaning, transformation and preparation.
DAX	Calculated measures and KPI calculations.
Excel / CSV	Typical source-data preparation and storage, where applicable.

6. KPIs and Their Calculations

KPI	Displayed Value	Meaning
Mobility_Access	1,520	Total mobility access records (label truncated on the card). Equals the demographic and route-type totals.
Avg_Fare	95.54	Average fare recorded per trip.
Total_Demand	26,358	Total transport demand in the selected period.
Avg_Time	52.82	Average travel time recorded (unit not shown).
Avg_Reliability	56.17	Average reliability score (scale not shown).

Illustrative DAX: Mobility Access = COUNTROWS(Mobility_Access) or SUM(Access_Count); Avg Fare = AVERAGE(Fare); Total Demand = SUM(Demand); Avg Time = AVERAGE(Travel_Time); Avg Reliability = AVERAGE(Reliability). The exact field names should match the Power BI data model.

7. Dashboard Visualizations

Visualization	Type	Purpose
Mobility Access by Area	Horizontal bar	Rank areas by mobility access (scrollable).
Access Mobility by Demographic Group	Pie	Show each demographic group's share of access.
Mobility Access by Route Type	Column	Compare access across route types.
Area × Demographic Table	Matrix	Show access by area and group with totals.

8. Dashboard Filters and Navigation

- **Date Range:** 01-Jan-2026 through 31-Dec-2026, with two date pickers and a range slider.
- **Vehicle_Type, Weather, Metro_City:** dropdown slicers (currently All).
- **Navigation buttons:** Milestone_1, Milestone_2, Milestone_3, Milestone_4, Page 1 and Page 2.
- Interactive filtering updates the KPI cards and all visuals.

9. Mobility Access by Area

Rank	Area	Mobility Access
1	Esplanade	58
2	Bandra	49
3	Whitefield	48
4	Behala	41
5	Lajpat Nagar	39
5	Saket	39
7	Electronic City	38
8	Chinchwad	36

Observation: Esplanade leads with 58 access records, followed by Bandra (49) and Whitefield (48). The chart is scrollable and shows only the top 8 areas here, so additional areas exist below Chinchwad (see the detailed table in Section 12).

10. Mobility Access by Demographic Group

Demographic Group	Mobility Access	Share
Student	582	38.29%
Family	500	32.89%
Low Income	177	11.64%
Senior	133	8.75%
Working Age	128	8.42%
Total	1,520	100%

Observation: Students and families together account for 1,082 of 1,520 records (about 71.18%). Low Income follows at 11.64%, while Senior and Working Age groups are the smallest at under 9% each. The pie legend spells "Senior" as "Senoir" on the dashboard.

11. Mobility Access by Route Type

Route Type	Mobility Access	Share
Bus Corridor	334	21.97%
Highway	307	20.20%
Metro Corridor	295	19.41%
Ring Road	294	19.34%
Main Road	290	19.08%
Total	1,520	100%

Observation: Bus Corridor has the highest access (334) and Main Road the lowest (290). The spread between routes is narrow, with each route type holding roughly 19–22% of the total, so access is fairly evenly distributed across route types.

12. Area-by-Demographic Breakdown

Area	Family	Low Income	Senior	Student	Working Age	Total
Adyar	7	–	–	9	7	23
Ameerpet	10	–	–	10	4	24
Andheri	10	–	–	–	1	11
Anna Nagar	9	4	–	9	–	22
Aundh	19	–	5	2	–	26
Bandra	26	6	–	14	3	49
Baner	8	3	–	5	9	25
Banjara Hills	7	12	–	6	–	25
Behala	16	4	1	13	7	41
Overall total	**500**	**177**	**133**	**582**	**128**	**1,520**

The table is scrollable on the dashboard; the rows above are the first nine areas visible. A dash means no records for that group. Overall totals cover all areas, not only the rows shown. Bandra has the most family records among these areas (26), and Banjara Hills stands out for Low Income access (12).

13. Conclusion

The Milestone 4 dashboard shows where mobility access is concentrated, who benefits most and how access varies by route type. Access is led by a small set of areas such as Esplanade, Bandra and Whitefield, driven mainly by student and family groups, and spread evenly across route types.

With the added KPIs for fare, demand, time and reliability, and slicers for vehicle type, weather and metro city, planners can study accessibility alongside service quality. The dashboard supports inclusive urban mobility planning and data-driven decision-making.

Notes on source data: The Mobility_Access card label is truncated, and the units of Avg_Time and the scale of Avg_Reliability are not shown on the dashboard. These descriptions are based on the displayed values; please confirm against your data model.