

DATABASE MANAGEMENT SYSTEMS LABORATORY

MINI PROJECT

TOPIC: COLLEGE EVENT MANAGEMENT SYSTEM

VIGNESH S(2021506123)
SANJAY M(2021506086)
SHREESH S(2021506097)
JAGADHEESH R(2021506314)


PROBLEM STATEMENT:

To create and maintain a unambiguous environment for event registration and participation.

OBJECTIVES:

1. To maintain a database for number of students and number of events who are participating
2. To add or delete event on participant's request.
3. To maintain a record for the events registered by the students.

ER-DIAGRAM:



DBMS LABORATORY – 12

GUI WEB APPLICATION USING MYSQL

TEAM:

SANJAY M
SHREESH S
JAGADHEESAN
VIGNESH S

HOME PAGE:



Register your Favourite events:



Technical Events

EMBRACE YOUR TECHNICAL SKILLS BY PARTICIPATING IN OUR DIFFERENT TECHNICAL EVENTS!

[View Technical Events](#)



Gaming Events

EMBRACE YOUR GAMING SKILLS BY PARTICIPATING IN OUR DIFFERENT GAMING EVENTS!

[View Gaming Events](#)



On-Stage Events

EMBRACE YOUR CONFIDENCE BY PARTICIPATING IN OUR DIFFERENT ON-STAGE EVENTS!

[View On-Stage Events](#)



Off-Stage Events

EMBRACE YOUR TALENT BY PARTICIPATING IN OUR DIFFERENT OFF-STAGE EVENTS!

[View Off-Stage Events](#)

Madras Institute of Technology


In 1949, Shri C. Rajam, gave the newly independent India, Madras Institute of Technology, so that MIT could establish the strong technical base it needed to take its place in the world. It is already renowned for producing scientific community in Computer Science and Information Technology. MIT has produced great scientist like Dr. A.P.J. Abdul Kalam, versatile genius like Sujatha and many more.

Madras Institute of Technology Campus, Anna University,
Chrompet,
Chennai-600044, Tamil Nadu, India.

Follow Us:



EVENT DETAILS PAGE:



Event details

Event_name	No. of Participants	Price	Student Co-ordinator	Staff Co-ordinator	Date	Time	location	
Cryptohunt	0	100	Prajwal Srinivas	Mamatha.s	2022-12-08	3.00pm	LHC 002	Delete
Search-It	4	50	Rakesh Mariyappa	Mamatha	2022-12-14	1.00pm	PL Lab	Delete
Technical-Quiz	2	50	Arjun.A	Suparna.A	2022-12-06	11.00am	LHC 005	Delete
Competitive-Coding	2	50	Sanjay	Geetha	2022-12-16	9.30am	DS Lab	Delete
Pubg	1	50	Nikhil Bhat	Radha	2022-12-17	10.00am	RLHC 106	Delete
Counter-Strike	1	100	Pruthvi P	Usha.D.R	2022-12-17	11.00am	RLHC 207	Delete
Fashion-Show	1	200	Anshuman.A.N	Deeksha.G	2020-10-17	9.30pm	ON Stage	Delete
Dance	0	100	Abhinandhan.A	Deeksha.Patgar	2020-10-17	7.00pm	ON Stage	Delete
Singing	0	50	Suraj Upadhyas	Shubha Naik	2020-10-17	5.00pm	ON Stage	Delete
Cooking-Without-Fire	0	50	Mythri	Reshma Hittalmakhi	2020-10-16	10.30am	123 Room	Delete
Short-Movie	0	200	Pratyush Mishra	Annanya.A.G	2020-10-16	10.00am	021 Lab	Delete

[Create Event](#)

Madras Institute of Technology

In 1949, Shri.C.Rajam, gave the newly independent India- Madras Institute of Technology, so that MIT could establish the strong technical base it needed to take its place in the world. It is already renowned for producing scientific community in Computer Science and Information Technology MIT has produced great scientist like Dr.A.P.J.Abdul Kalam, versatile genius like Sujatha and many more.

Madras Institute of Technology Campus, Anna University,
Chrompet,
Chennai-600044, Tamil Nadu, India.

Follow Us:



STUDENT DETAILS PAGE:



Student details

USN	Name	Branch	Sem	Email	Phone	College	Event
1VA17CS012	BHAVANA	cse	5	BHAVANA@GMAIL.COM	9934736623	Svit	Competitive-Coding
Vicky75@	Vignesh	CT	5	vicky75@gmail.com	9567876567	CEG	Competitive-Coding
1VA17CS005	Anu	CSE	5	annapoomaba@gmail.com	8123300011	svit	Counter-Strike
1VA17CS034	Prajwal	cse	5	prajwal@gmail.com	9858787438	svit	Fashion-Show
1VA17CS012	BHAVANA	cse	5	BHAVANA@GMAIL.COM	9934736623	Svit	Pubg
1VA17CS005	Anu	CSE	5	annapoomaba@gmail.com	8123300011	svit	Search-It
1VA17CS034	Prajwal	cse	5	prajwal@gmail.com	9858787438	svit	Search-It
1VA17CS005	Anu	CSE	5	annapoomaba@gmail.com	8123300011	svit	Technical-Quiz
1VA17CS012	BHAVANA	cse	5	BHAVANA@GMAIL.COM	9934736623	Svit	Technical-Quiz

Madras Institute of Technology


In 1949, Shri.C.Rajam, gave the newly independent India- Madras Institute of Technology, so that MIT could establish the strong technical base it needed to take its place in the world. It is already renowned for producing scientific community in Computer Science and Information Technology MIT has produced great scientist like Dr.A.P.J. Abdul Kalam, versatile genius like Sujatha and many more.

Madras Institute of Technology Campus, Anna University.
Chrompet,
Chennai-600044, Tamil Nadu, India.

Follow Us:



STUDENT CO-ORDINATOR DETAILS PAGE:



Student Co-ordinator details

Name	Phone	Event	
Prajwal Srinivas	6956436610	Cryptohunt	<button>Update</button>
Rakesh Mariyappa	7956436123	Search-it	<button>Update</button>
Arjun.A	8956436456	Technical-Quiz	<button>Update</button>
Sanjay	9629472932	Competitive-Coding	<button>Update</button>
Nikhil Bhat	7956436101	Pubg	<button>Update</button>
Pruthvi P	8123436610	Counter-Strike	<button>Update</button>
Anshuman.A.N	6456436610	Fashion-Show	<button>Update</button>
Abhinandhan.A	7789436610	Dance	<button>Update</button>
Suraj Upadhyay	7956412310	Singing	<button>Update</button>
Mythri	6956473510	Cooking-Without-Fire	<button>Update</button>
Pratyush Mishra	8955636610	Short-Movie	<button>Update</button>

Madras Institute of Technology

In 1949, Shri.C.Rajam, gave the newly independent India-Madras Institute of Technology, so that MIT could establish the strong technical base it needed to take its place in the world. It is already renowned for producing scientific community in Computer Science and Information Technology MIT has produced great scientist like Dr.A.P.J.Abdul Kalam, versatile genius like Sujatha and many more.

Madras Institute of Technology Campus, Anna University,
Chrompet,
Chennai-600044. Tamil Nadu, India.

Follow Us:



STAFF CO-ORDINATOR DETAILS PAGE:



Staff Co-ordinator details

Name	Phone	Event	
Mamatha.s	9956436610	Cryptohunt	Update
Mamatha	9956436123	Search-it	Update
Suparna.A	9956436456	Technical-Quiz	Update
Geetha	9956436789	Competitive-Coding	Update
Radha	9956436101	Pubg	Update
Usha.D.R	9123436610	Counter-Strike	Update
Deeksha.G	9456436610	Fashion-Show	Update
Deeksha.Patgar	9789436610	Dance	Update
Shubha Naik	9956412310	Singing	Update
Reshma Hittalmakhi	9956473510	Cooking-Without-Fire	Update
Annanya.A.G	9955636610	Short-Movie	Update
Bhavya		Rangoli	Update

Madras Institue of Technology


In 1949,Shri.C.Rajam, gave the newly independent India-
Madras Institute of Technology, so that MIT could
establish the strong technical base it needed to take its
place in the world. It is already renowned for producing
scientific community in Computer Science and
Information Technology MIT has produced great scientist
like Dr.A.P.J.Abdul Kalam, versatile genius like Sujatha
and many more.

Madras Institute of Technology Campus, Anna University,
Chrompet,
Chennai-600044, Tamil Nadu, India.

Follow Us:



REGISTERED EVENTS:



Registered Events

Event_name	Student Co-ordinator	Staff Co-ordinator	Date	Time	location
Cooking-Without-Fire	Mythri	Reshma Hittalmakhi	2020-10-16	10.30am	123 Room

Not Registered Events


Event_name	Student Co-ordinator	Staff Co-ordinator	Date	Time	location
------------	----------------------	--------------------	------	------	----------

Madras Institute of Technology

In 1949, Shri. C. Rajam, gave the newly independent India- Madras Institute of Technology, so that MIT could establish the strong technical base it needed to take its place in the world. It is already renowned for producing scientific community in Computer Science and Information Technology. MIT has produced great scientist like Dr. A.P.J. Abdul Kalam, versatile genius like Sujatha and many more.

Madras Institute of Technology Campus, Anna University, Chrompet, Chennai-600044, Tamil Nadu, India.

Follow Us:



DATABASE AND TABLES:

The screenshot shows the phpMyAdmin interface for a database named 'Sanchalana2k20'. The 'Structure' tab is selected, displaying a list of tables and their properties. The tables listed are: events, event_info, event_type, participant, registered, staff_coordinator, and student_coordinator. Each table has 12 rows, is of type InnoDB, and uses the latin1_swedish_ci collation. The size of each table is 16.0 KIB, and the overhead is 0 B. A summary row at the bottom shows 7 tables with a total size of 112.0 KIB and 0 B overhead.

Table	Action	Rows	Type	Collation	Size	Overhead
events	Browse Structure Search Insert Empty Drop	12	InnoDB	latin1_swedish_ci	16.0 KIB	0 B
event_info	Browse Structure Search Insert Empty Drop	12	InnoDB	latin1_swedish_ci	16.0 KIB	0 B
event_type	Browse Structure Search Insert Empty Drop	4	InnoDB	latin1_swedish_ci	16.0 KIB	0 B
participant	Browse Structure Search Insert Empty Drop	8	InnoDB	latin1_swedish_ci	16.0 KIB	0 B
registered	Browse Structure Search Insert Empty Drop	10	InnoDB	latin1_swedish_ci	16.0 KIB	0 B
staff_coordinator	Browse Structure Search Insert Empty Drop	12	InnoDB	latin1_swedish_ci	16.0 KIB	0 B
student_coordinator	Browse Structure Search Insert Empty Drop	11	InnoDB	latin1_swedish_ci	16.0 KIB	0 B
7 tables	Sum	69	InnoDB	utf8mb4_general_ci	112.0 KIB	0 B

EVENTS TABLE:

The screenshot shows the phpMyAdmin interface for the 'events' table. The 'Table: events' tab is selected, and the 'SQL' tab is active. The table contains 12 rows of data. The columns are: event_id, event_title, event_price, participants, img_link, and type_id. The data is as follows:

event_id	event_title	event_price	participants	img_link	type_id
1	Cryptohunt	100	0	images/crypto.png	1
2	Search-it	50	4	images/cs03.jpg	1
3	Technical-Quiz	50	2	images/quiz.png	1
4	Competitive-Coding	50	2	images/coding.jpg	1
5	Pubg	50	1	images/pubg.jpg	2
6	Counter-Strike	100	1	images/counter.jpg	2
7	Fashion-Show	200	1	images/onstage.jpg	3
8	Dance	100	0	images/dance.jpg	3
9	Singing	50	0	images/sing.jpg	3
11	Cooking-Without-Fire	50	1	images/cook.jpg	4

EVENT_INFO:

The screenshot shows the phpMyAdmin interface for the 'event_info' table. The table contains 11 rows of event data. The interface includes a top navigation bar, a toolbar with options like Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, Tracking, and Triggers. A status bar indicates 'Showing rows 0 - 11 (12 total, Query took 0.0001 seconds.)'. Below this, the SQL query 'SELECT * FROM `event_info`' is displayed. A 'Profiling' section is also visible. The table data is shown in a grid with columns for event_id, Date, time, and location. Each row has edit, copy, and delete icons. The console at the bottom shows the executed SQL query.


event_id	Date	time	location
1	2022-12-08	3.00pm	LHC 002
2	2022-12-14	1.00pm	PL Lab
3	2022-12-06	11.00am	LHC 005
4	2022-12-16	9.30am	DS Lab
5	2022-12-17	10.00am	RLHC 106
6	2022-12-17	11.00am	RLHC 207
7	2020-10-17	9.30pm	ON Stage
8	2020-10-17	7.00pm	ON Stage
9	2020-10-17	6.00pm	ON Stage
10	2020-10-16	10.30am	123 Room
11	2020-10-16	10.30am	123 Room

EVENT TYPE:

The screenshot shows the phpMyAdmin interface for the 'event_type' table. The table contains 4 rows of event type data. The interface includes a top navigation bar, a toolbar with options like Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, Tracking, and Triggers. A status bar indicates 'Showing rows 0 - 3 (4 total, Query took 0.0001 seconds.)'. Below this, the SQL query 'SELECT * FROM `event_type`' is displayed. A 'Profiling' section is also visible. The table data is shown in a grid with columns for type_id and type_title. Each row has edit, copy, and delete icons. The console at the bottom shows the executed SQL query.

type_id	type_title
1	Technical Events
2	Gaming Events
3	On Stage Events
4	Off Stage Events

PARTICIPANTS:



localhost / localhost / Sanchalana2k20

localhost/phpmyadmin/index.php?route=/sql&db=Sanchalana2k20&table=participant&pos=0

Server: localhost Database: Sanchalana2k20 Table: participant

Showing rows 0 - 7 (8 total, Query took 0.0001 seconds)

SELECT * FROM participant

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	usn	name	branch	sem	email	phone	college
<input type="checkbox"/>	1BV3U4	PRASANNA	IT	3	asde@gmail.com	9629472936	ACT
<input type="checkbox"/>	1VA17CS005	Anu	CSE	5	annapoomaba@gmail.com	8123300011	svit
<input type="checkbox"/>	1VA17CS012	BHAVANA	cse	5	BHAVANA@GMAIL.COM	9934736623	Svit
<input type="checkbox"/>	1VA17CS022	Kavya	cse	5	Kavya@gmail.com	7888387323	svit
<input type="checkbox"/>	1VA17CS025	Mythri	ISE	5	mythri@saividy.ac.in	8998848488	svit
<input type="checkbox"/>	1VA17CS034	Prajwal	cse	5	prajwal@gmail.com	9858787438	svit
<input type="checkbox"/>	1VA17IS045	Prathiksha	ISE	5	prathi@gmail.com	7897854345	svit
<input type="checkbox"/>	Vicky75@	Vignesh	CT	5	vicky75@gmail.com	9567876567	CEG

Check all | With selected: Edit Copy Delete Export

Console

Press Ctrl+Enter to execute query

```
>SELECT * FROM events
>SELECT * FROM event_info
>SELECT * FROM event_type
>SELECT * FROM participant
```

REGISTERED :

localhost / localhost / Sanchal: x

localhost/phpmyadmin/index.php?route=/sql&db=Sanchalana2k20&table=registered&pos=0

Server: localhost - Database: Sanchalana2k20 - Table: registered

Browse Structure SQL Search Insert Export Import Privileges Operations Tracking Triggers

Showing rows 0 - 9 (10 total, Query took 0.0001 seconds.)

SELECT * FROM `registered`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	rld	usn	event_id
<input type="checkbox"/> Edit Copy Delete	1	1VA17CS005	2
<input type="checkbox"/> Edit Copy Delete	2	1VA17CS012	4
<input type="checkbox"/> Edit Copy Delete	3	1VA17CS034	2
<input type="checkbox"/> Edit Copy Delete	4	1VA17CS005	3
<input type="checkbox"/> Edit Copy Delete	5	1VA17CS012	3
<input type="checkbox"/> Edit Copy Delete	6	1VA17CS012	5
<input type="checkbox"/> Edit Copy Delete	8	1VA17CS005	6
<input type="checkbox"/> Edit Copy Delete	10	1VA17CS034	7
<input type="checkbox"/> Edit Copy Delete	13	Vicky75@	4
<input type="checkbox"/> Edit Copy Delete	14	1BV3U4	11

Console

Press Ctrl+Enter to execute query

```
>SELECT * FROM `events`  
>SELECT * FROM `event_info`  
>SELECT * FROM `event_type`  
>SELECT * FROM `participant`  
>SELECT * FROM `registered`
```

STUDENT COORDINATOR :

The screenshot shows the phpMyAdmin interface for the 'Sanchalana' database. The 'student_coordinator' table is selected, and its data is displayed in a table format. The table has columns: aid, st_name, phone, and event_id. There are 11 rows of data. The interface includes a top navigation bar with tabs for Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, Tracking, and Triggers. Below the table, there is a console area with a list of SQL queries.

aid	st_name	phone	event_id
1	Prajwal Srinivas	8956436610	1
2	Rakesh Mariyappa	7956436123	2
3	Arjun.A	8956436456	3
4	Sanjay	9629472932	4
5	Nikhil Bhat	7956436101	5
6	Pruthvi P	8123436610	6
7	Anshuman.A.N	6456436610	7
8	Abhinandhan.A	7789436610	8
9	Suraj Upadhy	7956412310	9
11	Mythri	6956473510	11

Console:

```
Press Ctrl+Enter to execute query
>SELECT * FROM `events`
>SELECT * FROM `event_info`
>SELECT * FROM `event_type`
>SELECT * FROM `participent`
SELECT * FROM `participent`
```

STAFF COORINATOR:

The screenshot shows the phpMyAdmin interface for the 'Sanchalana' database. The 'staff_coordinator' table is selected, and its data is displayed in a table format. The table has columns: stid, name, phone, and event_id. There are 11 rows of data. The interface includes a top navigation bar with tabs for Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, Tracking, and Triggers. Below the table, there is a console area with a list of SQL queries.

stid	name	phone	event_id
1	Mamatha.s	9956436610	1
2	Mamatha	9956436123	2
3	Suparna.A	9956436456	3
4	Geetha	9956436789	4
5	Radha	9956436101	5
6	Usha.D.R	9123436610	6
7	Deeksha.G	9456436610	7
8	Deeksha.Patgar	9789436610	8
9	Shubha Naik	9956412310	9
11	Reshma Hittalmakhi	9956473510	11

Console:

```
Press Ctrl+Enter to execute query
>SELECT * FROM `events`
>SELECT * FROM `event_info`
>SELECT * FROM `event_type`
>SELECT * FROM `participent`
SELECT * FROM `participent`
```


Adminpage.php

```
<?php
include_once 'classes/db1.php';
$result = mysqli_query($conn,"SELECT * FROM staff_coordinator s ,event_info ef
,student_coordinator st,events e where e.event_id= ef.event_id and e.event_id= s.event_id
and e.event_id= st.event_id");
?>

<!DOCTYPE html>
<html>

<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>Spectra</title>
</head>

    <body>
<?php include 'utils/adminHeader.php'?>

        <div class = "content">
            <div class = "container">
                <h1>Event details</h1>
                <?php
if (mysqli_num_rows($result) > 0) {
?>

                    <table class="table table-hover" >
                        <thead>
                            <tr>

                                <th>Event_name</th>
                                <th>No. of Participants</th>
                                <th>Price</th>
                                <th>Student Co-ordinator</th>
                                <th>Staff Co-ordinator</th>

                                <th>Date</th>

                                <th>Time</th>
                                <th>location </th>

                            </tr>
                        </thead>
                        <tbody>
                            <?php
                            $i=0;
                            while($row = mysqli_fetch_array($result)){
                                echo '<tr>';

                                    echo '<td>' . $row['event_title'] . '</td>';
                                    echo '<td>' . $row['participants'] . '</td>';
                                    echo '<td>' . $row['event_price'] . '</td>';
                                    echo '<td>' . $row['st_name'] . '</td>';
                                    echo '<td>' . $row['name'] . '</td>';
                                    echo '<td>' . $row['Date'] . '</td>';
                                    echo '<td>' . $row['time'] . '</td>';
                                    echo '<td>' . $row['location'] . '</td>';
```

```

        echo '<td>'

        . ' <a class="delete"

href="deleteEvent.php?id='.$row['event_id'].'">Delete</a> '
        . '</td>';
        echo '</tr>';

    $i++;
}

?>
</tbody>
</table>
<?php
}

```

Createeventform.php

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
        <title>Spectra</title>
        <title></title>
        <?php require 'utils/styles.php'; ?><!--css links. file found in utils folder-->

    </head>
    <body>
        <?php require 'utils/adminHeader.php'; ?>
    <form method="POST">

    <div class="w3-container">
    <div class ="content"><!--body content holder--
        > <div class = "container">
            <div class ="col-md-6 col-md-offset-3">
                <label>Event ID:</label><br>
                <input type="number" name="event_id" required class="form-
control"><br><br> <label>Event Name:</label><br>
                <input type="text" name="event_title" required class="form-control"><br><br>

```

```

<label>Event Price:</label><br>
<input type="number" name="event_price" required class="form-control"><br><br>

<label>Upload Path to Image:</label><br>
<input type="text" name="img_link" required class="form-control"><br><br>

<label>Type_ID </label><br>
<input type="number" name="type_id" required class="form-control"><br><br>

<label>Event Date</label><br>
<input type="date" name="Date" required class="form-control"><br><br>

<label>Event Time</label><br>
<input type="text" name="time" required class="form-control"><br><br>

<label>Event Location</label><br>
<input type="text" name="location" required class="form-
control"><br><br> <label>Staff co-ordinator name</label><br>
<input type="text" name="sname" required class="form-
control"><br><br> <label>Student co-ordinator name</label><br>
<input type="text" name="st_name" required class="form-control"><br><br>

<button type="submit" name="update" class = "btn btn-default pull-right">Create Event
<span class="glyphicon glyphicon-send"></span></button>

<a class="btn btn-default navbar-btn" href = "adminPage.php"><span class="glyphicon
glyphicon-circle-arrow-left"></span> Back</a>

</div></div></div>
</form>

</body>

<?php require 'utils/footer.php'; ?>
</html>

<?php

if (isset($_POST["update"]))
{
$event_id=$_POST["event_id"];
$event_title=$_POST["event_title"];
$event_price=$_POST["event_price"];

$img_link=$_POST["img_link"];
$type_id=$_POST["type_id"];
$name=$_POST["sname"];
$st_name=$_POST["st_name"];
$Date=$_POST["Date"];
$time=$_POST["time"];
$location=$_POST["location"];

if(!empty($event_id) || !empty($event_title) || !empty($event_price)
|| !empty($participents) || !empty($img_link) || !empty($type_id) )

{
include 'classes/db1.php';

$INSERT="INSERT INTO events(event_id,event_title,event_price,img_link,type_id)
VALUES($event_id,'$event_title', $event_price,'$img_link',$type_id)";

```

```

        $INSERT.= "INSERT INTO event_info (event_id,Date,time,location) Values
($event_id,'$Date','$time','$location');";

        $INSERT.="INSERT into student_coordinator(sid,st_name,phone,event_id)
values($event_id,'$st_name',NULL,$event_id);";

        $INSERT.="INSERT into staff_coordinator(stid,name,phone,event_id)
values($event_id,'$name',NULL,$event_id);

        if($conn->multi_query($INSERT)===True){
            echo "<script>
            alert('Event Inserted Successfully!');
            window.location.href='adminPage.php';
            </script>";
        }
        else
        {
            echo"<script>
            alert('Event already exists!');
            window.location.href='createEventForm.php';
            </script>";
        }

        $conn->close();

    }
    else
    {
        echo"<script>
        alert('All fields are required');
        window.location.href='createEventForm1.php';
        </script>";
    }
}
?>

```

Deleteevent.php

```

<?php require 'classes/db1.php';
$id=$_GET['id'];

$sql="delete from events where event_id='$id';";
$sql.="delete from event_info where event_id='$id';";
$sql.="delete from staff_coordinator where event_id='$id';";
$sql.="delete from student_coordinator where event_id='$id';";
$sql.="delete from registered where event_id='$id'";
if($conn->multi_query($sql) === True)
{
    echo"<script>
    alert('Event Deleted Successfully');
    window.location.href='adminPage.php';
    </script>";
}
else{
    echo "Error deleting record".$conn->error;
}
$conn->close();
?>

```

```

<div class="container">
    <div class="col-md-12">
        <hr>
    </div>

<div class="row">
    <section>
        <div class="container">
            <div class="col-md-6">

                
            </div>
            <div class="subcontent col-md-6">
                <h1 style="color:#003300 ; font-size:38px ;" ><u><strong><?php echo
'<td>' . $row['event_title'] . '</td>';?></strong></u></h1><!--title-->
                <p style="color:#003300 ;font-size:20px "><!--content-->
                <?php

                echo 'Date:' . $row['Date'] . '<br>';
                echo 'Time:' . $row['time'] . '<br>';
                echo 'Location:' . $row['location'] . '<br>';
                echo 'Student Co-ordinator:' . $row['st_name'] . '<br>';
                echo 'Staff Co-ordinator:' . $row['name'] . '<br>'; echo
                'Event Price:' . $row['event_price'] . '<br>' ;
                echo 'Event ID:' . $row['event_id'] . '<br>' ;

                ?>
            </p>

            <br><br>
            <?php echo
                '<a class="btn btn-default" href="register.php"> <span
class="glyphicon glyphicon-circle-arrow-right"></span>Register</a>'
                ?>
            </div><!--subcontent div-->
        </div><!--container div-->
    </section>
</div>
</div><!--row div-->

```


Events.php

```
<?php
include_once 'classes/db1.php';?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Spectra</title>
    <title></title>
    <style>
      span.error{
        color: red;
      }
    </style>
    <?php require 'utils/styles.php'; ?><!--css links. file found in utils folder-->
  </head>
  <body>
    <?php require 'utils/header.php'; ?><!--header content. file found in utils folder-->
    <div class = "content"><!--body content holder-->
      <div class = "container">
        <div class ="col-md-6 col-md-offset-3">

          <form method="POST"><!--form-->

            <!--username field-->
            <label>UserName:</label><br>
            <input type="text" name="name" class="form-control" required><br>

            <label>Password</label><br>
            <input type="password" name="password" class="form-control" required><br>
            <button type = "submit" name="update" class = "btn btn-
default">Login</button>

          </form>
        </div><!--col md 6 div-->
      </div><!--container div-->
    </div><!--content div-->
    <?php require 'utils/footer.php'; ?><!--footer content. file found in utils folder-->
  </body>
</html>
```

Loginform.php

```
<?php
if (isset($_POST["update"]))
{
  $myusername=$_POST['name'];
  $mypassword=$_POST['password'];

  if($mypassword=='admin' && $myusername=='admin')
  {
    echo "<script>
    alert('Login Successfull');
    window.location.href='adminPage.php';
```

```

    </script>";
}
else
{
    echo "<script>
    alert('Invalid credentials');
    window.location.href='login_form.php';
    </script>";
}
}
?>

```

Register.php

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-
            8"> <title>Spectra</title>
        <?php require 'utils/styles.php'; ?><!--css links. file found in utils folder-->

    </head>
    <body>
        <?php require 'utils/header.php'; ?>
        <div class ="content"><!--body content holder-->
            <div class = "container">
                <div class ="col-md-6 col-md-offset-3">
                    <form method="POST">

                        <label>Student USN:</label><br>
                        <input type="text" name="usn" class="form-control" required><br><br>

                        <label>Student Name:</label><br>
                        <input type="text" name="name" class="form-control" required><br><br>

                        <label>Branch:</label><br>
                        <input type="text" name="branch" class="form-control" required><br><br>

                        <label>Semester:</label><br>
                        <input type="text" name="sem" class="form-control" required><br><br>

                        <label>Event ID:</label><br>
                        <input type="text" name="ev" class="form-control"
                            required><br><br>
                        <label>Email:</label><br>
                        <input type="text" name="email" class="form-control" required ><br><br>

                        <label>Phone:</label><br>
                        <input type="text" name="phone" class="form-control" required><br><br>

                        <label>College:</label><br>
                        <input type="text" name="college" class="form-control" required><br><br>

                        <button type="submit" name="update" required>Submit</button><br><br> <a
                            href="usn.php" ><u>Already registered ?</u></a>

                    </div>
                </div>
            </div>
        </div>
    </body>
</html>

```

```

</div>
</form>

<?php require 'utils/footer.php'; ?>
</body>
</html>

<?php
if (isset($_POST["update"]))
{
    $usn=$_POST["usn"];

    $name=$_POST["name"];
    $branch=$_POST["branch"];
    $sem=$_POST["sem"];
    $ev1=$_POST["ev"];
    $ev=(int)$ev1;$num=11;

    $email=$_POST["email"];
    $phone=$_POST["phone"];
    $college=$_POST["college"];

    if( !empty($usn) || !empty($name) || !empty($branch) || !empty($sem) || !empty($email)
|| !empty($phone) || !empty($college) )
    {

        include 'classes/db1.php';
        $INSERT="INSERT INTO participant (usn,name,branch,sem,email,phone,college)
VALUES('$usn','$name','$branch',$sem,'$email','$phone','$college');"
        $INSERT .="INSERT into registered(usn,event_id) VALUES('$usn','$ev1)";

        if($conn->multi_query($INSERT)===True){
            echo "<script>
            alert('Registered Successfully!');
            window.location.href='usn.php';
            </script>";
        }
        else
        {
            echo"<script>
            alert(' Already registered this usn');
            window.location.href='usn.php';
            </script>";
        }

        $conn->close();
    }
    else
    {
        echo"<script>
        alert('All fields are required');
        window.location.href='register.php';
        </script>";
    }
}
?>

```

RegisteredEvents.php

```
<?php
require_once 'utils/header.php';
require_once 'utils/styles.php';

$usn=$_POST['usn'];
include_once 'classes/db1.php';

$result = mysqli_query($conn, "SELECT * FROM registered r,staff_coordinator s ,event_info ef
,student_coordinator st,events e where e.event_id= ef.event_id and e.event_id= s.event_id
and e.event_id= st.event_id and r.usn= '$usn' and r.event_id=e.event_id");
?>

<div class = "content">
    <div class = "container">
        <h1> Registered Events</h1>
        <?php
if (mysqli_num_rows($result) > 0) {
?>
            <table class="table table-hover" >
                <thead>
                    <tr>

                        <th>Event_name</th>
                        <th>Student Co-ordinator</th>
                        <th>Staff Co-ordinator</th>

                        <th>Date</th>

                        <th>Time</th>
                        <th>location </th>

                    </tr>
                </thead>
                <tbody>
                    <?php
                    $i=0;
                    while($row = mysqli_fetch_array($result)) {

                        echo '<tr>';
                        echo '<td>' . $row['event_title'] . '</td>';
                        echo '<td>' . $row['st_name'] . '</td>';
                        echo '<td>' . $row['name'] . '</td>';

                        echo '<td>' . $row['Date'] . '</td>';
                        echo '<td>' . $row['time'] . '</td>';
                        echo '<td>' . $row['location'] . '</td>';

                        echo '</tr>';

                        $i++;
                    }

                    ?>
                </tbody>
            </table>
            <?php }
            else{
                echo 'Not Yet Rgistered any events';
```

```

    }?>

    </div>
</div>
<?php

// $result = mysqli_query($conn, );
?>
<div class = "content"> <div
    class = "container">
    <h1>Not Registered Events</h1>
    <?php
if (mysqli_num_rows($result) > 0) {
?>
        <table class="table table-hover" >
            <thead>
                <tr>

                    <th>Event_name</th>
                    <th>Student Co-ordinator</th>
                    <th>Staff Co-ordinator</th>

                    <th>Date</th>

                    <th>Time</th>
                    <th>location </th>

                </tr>
            </thead>
            <tbody>
                <?php
                $i=0;
                while($row = mysqli_fetch_array($result)) {

                    echo '<tr>';
                    echo '<td>' . $row['event_title'] . '</td>';
                    echo '<td>' . $row['st_name'] . '</td>';
                    echo '<td>' . $row['name'] . '</td>';

                    echo '<td>' . $row['Date'] . '</td>';
                    echo '<td>' . $row['time'] . '</td>';
                    echo '<td>' . $row['location'] . '</td>';

                    echo '</tr>';

                    $i++;
                }

                ?>
            </tbody>
        </table>
        <?php }
        else{
            echo 'NOT able fetch';

        }?>

    </div>
</div>
<?php include 'utils/footer.php'; ?>

```


Staffcoordinator.php

```
<?php
include_once 'classes/db1.php';
$result = mysqli_query($conn,"SELECT * FROM staff_coordinator s ,events e where e.event_id=
s.event_id");
?>
<!DOCTYPE html>
<html>

<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Spectra</title>
    <title></title>
    <?php require 'utils/styles.php'; ?><!--css links. file found in utils folder-->

</head>

<body><?php include 'utils/adminHeader.php'?>
<div class = "content">
<div class = "container">
<h1>Staff Co-ordinator details</h1>
<?php
if (mysqli_num_rows($result) > 0) {
?>
    <table class="table table-hover" >

        <tr>
            <th>Name</th>
            <th>Phone</th>
            <th>Event</th>
            <th></th>
        </tr>
<?php
$i=0;
while($row = mysqli_fetch_array($result)) {
?>
<tr>
    <td><?php echo $row["name"]; ?></td>
    <td><?php echo $row["phone"]; ?></td>
    <td><?php echo $row["event_title"]; ?></td>
    <td><?php echo '<a href="updateStaff.php?id='.$row['event_id'].'"' class = "btn btn-
default"> Update</a>'?></td>

</tr>
<?php
$i++;
}
?>
</table>
<?php
}
else{
    echo "No result found";
}
?>
</div>
</div>
</body>
<?php include 'utils/footer.php';?>
</html>
```

Studentcoordinator.php

```
<?php
include_once 'classes/db1.php';
$result = mysqli_query($conn,"SELECT * FROM student_coordinator s ,events e where e.event_id=
s.event_id");
?>
<!DOCTYPE html>
<html>

<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Spectra</title>
    <title></title>
    <?php require 'utils/styles.php'; ?><!--css links. file found in utils folder-->

</head>

<body><?php include 'utils/adminHeader.php'?>
<div class = "content">
<div class = "container">
<h1>Student Co-ordinator details</h1>
<?php
if (mysqli_num_rows($result) > 0) {
?>
    <table class="table table-hover" >

        <tr>
            <th>Name</th>
            <th>Phone</th>
            <th>Event</th>
            <th></th>
        </tr>
<?php
$i=0;
while($row = mysqli_fetch_array($result)) {
?>
<tr>
    <td><?php echo $row["st_name"]; ?></td>
    <td><?php echo $row["phone"]; ?></td>
    <td><?php echo $row["event_title"]; ?></td>
    <td> <?php echo '<a href="updateStudent.php?id='.$row['event_id'].'"' class = "btn btn-
default"> Update</a>'?></td>

</tr>
<?php
$i++;
}
?>
</table>
<?php
}
else{
    echo "No result found";
}
?>
</div>
</div>
</body>
<?php include 'utils/footer.php';?>
</html>
```

Studentdetail.php

```
<?php
include_once 'classes/db1.php';
$result = mysqli_query($conn,"SELECT * FROM events,registered r ,participant p WHERE
events.event_id=r.event_id and r.usn = p.usn order by event_title");
?>
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Spectra</title>
    <title></title>
    <?php require 'utils/styles.php'; ?><!--css links. file found in utils folder-->
</head>
<body><?php include 'utils/adminHeader.php'?>
<div class = "content">
<div class = "container">
<h1>Student details</h1>
<?php
if (mysqli_num_rows($result) > 0) {
?>
    <table class="table table-hover" >
        <tr>
            <th>USN</th>
            <th>Name</th>
            <th>Branch</th>
            <th>Sem</th>
            <th>Email</th>
            <th>Phone</th>
            <th>College</th>
            <th>Event</th>
        </tr>
<?php
$i=0;
while($row = mysqli_fetch_array($result)) {
?>
<tr>
<td><?php echo $row["usn"]; ?></td>
        <td><?php echo $row["name"]; ?></td>
        <td><?php echo $row["branch"]; ?></td>
        <td><?php echo $row["sem"]; ?></td>
        <td><?php echo $row["email"]; ?></td>
        <td><?php echo $row["phone"]; ?></td>
        <td><?php echo $row["college"]; ?></td>
        <td><?php echo $row["event_title"]; ?></td>
    </tr>
<?php
$i++;
}
?>
</table>
<?php
}
else{
    echo "No result found";
}
?>
</div>
</div>
<?php include 'utils/footer.php'?>;
```

Updatestudent.php

```
</body>
</html>

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Spectra</title>
    <title></title>
    <?php require 'utils/styles.php'; ?><!--css links. file found in utils folder-->

</head>
<body>
<?php require 'utils/header.php'; ?>
<div class ="content"><!--body content holder-->
    <div class = "container">
        <div class ="col-md-6 col-md-offset-3">
            <form method="POST">
<label>Student co-ordinator name</label><br>
                <input type="text" name="st_name" required class="form-
control"><br><br> <label>Student co-ordinator phone</label><br>
                <input type="text" name="phone" required class="form-control"><br><br>
                <button type="submit" name="update" class = "btn btn-default ">Update</button>
            </div>
        </div>
    </div>
</form>

    <?php require 'utils/footer.php'; ?>
</body>
</html>

<?php

if (isset($_POST["update"]))
{
    $name=$_POST["st_name"];
    $phone=$_POST["phone"];
    $sql="UPDATE student_coordinator set phone='$phone',st_name='$name' where sid='$id'";
    if($conn->query($sql)===true)
    {
        echo"<script>
        alert(' Updated Successfully');
        window.location.href='stu_cordinator.php';
        </script>";
    }
    else
    {
        echo"<script>
        window.location.href='updateStudent.php';
        </script>";
    }
}
?>
```

Updatestaff.php

```
<?php include 'classes/db1.php';
    $id=$_GET['id'];
?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Spectra</title>
    <title></title>
    <?php require 'utils/styles.php'; ?><!--css links. file found in utils folder-->

</head>
<body>
<?php require 'utils/header.php'; ?>
<div class ="content"><!--body content holder-->
    <div class = "container">
        <div class ="col-md-6 col-md-offset-3">
            <form method="POST">
<label>Staff co-ordinator name</label><br>
                <input type="text" name="st_name" required class="form-
control"><br><br> <label>Staff co-ordinator phone</label><br>
                <input type="text" name="phone" required class="form-control"><br><br>
                <button type="submit" name="update" class = "btn btn-default ">Update</button>
            </div>
        </div>
    </div>
</form>

    <?php require 'utils/footer.php'; ?>
</body>
</html>

<?php

if (isset($_POST["update"]))
{
    $name=$_POST["st_name"];
    $phone=$_POST["phone"];
    $sql="UPDATE staff_coordinator set phone='$phone',name='$name' where stid='$id'";
    if($conn->query($sql)===true)
    {
        echo"<script>
        alert(' Updated Successfully');
        window.location.href='stu_cordinator.php';
        </script>";
    }
    else
    {
        echo"<script>
        window.location.href='updateStudent.php';
        </script>";
    }
}
?>
```



```
<?php include 'classes/db1.php';  
$id=$_GET['id'];  
?>
```

Usn.php

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">  
<html>  
<head>  
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">  
    <title>Spectra</title>  
</title></title>  
    <?php require 'utils/styles.php'; ?><!--css links. file found in utils folder-->  
  
</head>  
<body>  
    <?php require 'utils/header.php'; ?><!--header content. file found in utils folder-->  
  
    <div class = "content"><!--body content holder-->  
        <div class = "container">  
            <div class = "col-md-6 col-md-offset-3">  
                <form action="RegisteredEvents.php" class = "form-group" method="POST">  
  
                    <div class="form-group">  
                        <label for="usn"> Student USN: </label>  
                        <input type="text"  
                            id="usn"  
                            name="usn"  
                            class="form-control">  
                    </div>  
                    <button type="submit" class = "btn btn-default">Login</button>  
                </form>  
            </div>  
        </div>  
    </div>  
</body>  
</html>
```

Viewevent.php

```
<?php
require 'classes/db1.php';
$id=$_GET['id'];
$result = mysqli_query($conn,"SELECT * FROM events,event_info ef,student_coordinator
s,staff_coordinator st WHERE type_id = $id and ef.event_id=events.event_id and
s.event_id=events.event_id and st.event_id=events.event_id ");
?>
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Spectra</title>
    <title></title>
    <?php require 'utils/styles.php'; ?><!--css links. file found in utils folder-->

</head>

<body>

    <?php require 'utils/header.php'; ?><!--header content. file found in utils folder-->

    <div class = "content"><!--body content holder--
    > <div class = "container">
        <div class = "col-md-12"><!--body content title holder with 12 grid columns-->

        </div>

        <?php
            if (mysqli_num_rows($result) > 0) {

                $i=0;
                while($row = mysqli_fetch_array($result)) {

                    include 'events.php';

                    $i++;
                }
            }
        ?>
    <div class="container">
        <div class="col-md-12">
            <hr>
        </div>
    </div>
    <?php ?>
        <a class="btn btn-default" href="index.php"><span class="glyphicon glyphicon-
circle-arrow-left"></span> Back</a>

    </div><!--body content div-->

    <?php require 'utils/footer.php'; ?><!--footer content. file found in utils folder-->
</body>

</html>
```

CONCLUSION:

Thus, a College event management system is built by inculcating the knowledge gained from the database Management System course.