

## TASK 7

NAME : SANJEEV N

DATE : 16-07-2025

### PROBLEM 1 :

IPL Committee wants to display the match summary of a league match in a webpage. Help them by creating a webpage to display the match summary. Build the web page with the details mentioned in the below screenshot. Have the content and look and feel of the page as shown in the screenshot.

## Indian Premier League

---

### Team Details

#### Mumbai Indians vs Rising Pune Supergiants

Team 1: Mumbai Indians	Team 2: Rising Pune Supergiants
<ul style="list-style-type: none"><li>• Lendl Simmons</li><li>• Rohit Sharma</li><li>• Hardik Pandya</li><li>• Jos Butler</li><li>• Ambati Rayudu</li><li>• Kieron Pollard</li><li>• Shreyas Gopal</li><li>• Harbhajan Singh</li><li>• Vinay Kumar</li><li>• Mitchell McClenaghan</li><li>• Bumrah</li></ul>	<ul style="list-style-type: none"><li>• Ajinkya Rahane</li><li>• Faf du Plessis</li><li>• Kevin Pietersen</li><li>• S Smith</li><li>• Mitchell Marsh</li><li>• Dhoni</li><li>• R Bhatia</li><li>• A Smith</li><li>• M Ashwin</li><li>• Ishant</li><li>• RP Singh</li></ul>

---

### Winning Details

**Rising Pune Supergiants** won the match by **7 wickets**

---

### Score Details

Mumbai Indians	Rising Pune Supergiants
Runs - 121	Runs - 126
Overs - 20	Overs - 14.4
Wickets - 8	Wickets - 1

```
<!DOCTYPE html>
<html>
<head>
  <title>Indian Premier League</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 0;
      background-color: rgb(255, 100, 126);
    }
    .container {
      background-color: white;
      margin: 20px auto;
      padding: 20px;
      width: 80%;
    }
    .heading {
      font-style: italic;
      color: #C71585;
    }
    hr {
      color: #FFFF00;
      background-color: #FFFF00;
      height: 2px;
      border: none;
    }
  </style>
</head>
<body>
  <div class="container">
    <h1 style="text-align: center; color: #ffa3d1;">Indian Premier
League</h1>

    <hr>

    <h3 class="heading" style="text-align: center;">Team Details</h3>
    <h4 class="heading" style="text-align: center;">Mumbai Indians vs
Rising Pune Supergiants</h4>
```

```
<table width="100%">
  <tr>
    <td>
      <h4 class="heading">Team 1: Mumbai Indians</h4>
      <ul>
        <li>Lendl Simmons</li>
        <li>Rohit Sharma</li>
        <li>Hardik Pandya</li>
        <li>Jos Butler</li>
        <li>Ambati Rayudu</li>
        <li>Kieron Pollard</li>
        <li>Shreyas Gopal</li>
        <li>Harbhajan Singh</li>
        <li>Vinay Kumar</li>
        <li>Mitchell McClenaghan</li>
        <li>Bumrah</li>
      </ul>
    </td>
    <td>
      <h4 class="heading">Team 2: Rising Pune Supergiants</h4>
      <ul>
        <li>Ajinkya Rahane</li>
        <li>Faf du Plessis</li>
        <li>Kevin Pietersen</li>
        <li>S Smith</li>
        <li>Mitchell Marsh</li>
        <li>Dhoni</li>
        <li>R Bhatia</li>
        <li>A Smith</li>
        <li>M Ashwin</li>
        <li>Ishant</li>
        <li>RP Singh</li>
      </ul>
    </td>
  </tr>
</table>

<hr>
```

```
<h3 class="heading" style="text-align: center;">Winning Details</h3>
<p style="text-align: center;">
  <b>Rising Pune Supergiants</b> won the match by <b>7 wickets</b>
</p>

<hr>

<h3 class="heading" style="text-align: center;">Score Details</h3>
<table width="100%">
  <tr>
    <td>
      <h4 class="heading">Mumbai Indians</h4>
      <p>
        Runs - 121 <br>
        Overs - 20 <br>
        Wickets - 8
      </p>
    </td>
    <td>
      <h4 class="heading">Rising Pune Supergiants</h4>
      <p>
        Runs - 126 <br>
        Overs - 14.4 <br>
        Wickets - 1
      </p>
    </td>
  </tr>
</table>
</div>
</body>
</html>
```

## PROBLEM 2 :

IPL Committee wants to display the team details and differentiate the teams based on their points as Low, Average and High. Help them by creating a HTML table to display IPL team details, as shown in the below screenshot.

Teams are classified based on their Points as below:

Less than 50 and equal to 50 - Low

Greater than 50 and less than 80 - Average

Greater than 80 and equal to 80 - High

Use CSS class for these three classification and have the appropriate background color as mentioned below.

UI constraints should be followed for the element id and name as shown in the screenshot below,

The file name should be index.html.

IPL Team Details							
S.No	Team	Matches	Won	Lost	Tie	NetRun Rate	Points
1	Gujarat Lions	14	9	5	0	9.7	95
2	Mumbai Indians	14	7	7	0	9.5	90
3	Raising Pune Supergiants	14	5	9	0	7.5	75
4	Sunrisers Hyderabad	14	8	6	0	6.8	70
5	Delhi Daredevils	14	7	7	0	6.4	64
6	Royal Challengers Bangalore	14	8	6	0	5.8	55
7	Kolkata Knight Riders	14	8	6	0	3.5	25
8	Kings XI Punjab	14	4	10	0	2.5	20

```
<!DOCTYPE html>
<html>
<head>
  <title>IPL Team Details</title>
  <style>
    body {
      font-style: oblique;
      font-size-adjust: 0.50;
      font-family: Arial, sans-serif;
    }
    table {
      margin-left: 250px;
    }
  </style>
</head>
<body>
  <table>
    <tr>
      <th data-cs="8" data-kind="parent">IPL Team Details</th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
      <th data-kind="ghost"></th>
    </tr>
    <tr>
      <th>S.No</th>
      <th>Team</th>
      <th>Matches</th>
      <th>Won</th>
      <th>Lost</th>
      <th>Tie</th>
      <th>NetRun Rate</th>
      <th>Points</th>
    </tr>
    <tr>
      <td>1</td>
      <td>Gujarat Lions</td>
      <td>14</td>
      <td>9</td>
      <td>5</td>
      <td>0</td>
      <td>9.7</td>
      <td>95</td>
    </tr>
    <tr>
      <td>2</td>
      <td>Mumbai Indians</td>
      <td>14</td>
      <td>7</td>
      <td>7</td>
      <td>0</td>
      <td>9.5</td>
      <td>90</td>
    </tr>
    <tr>
      <td>3</td>
      <td>Raising Pune Supergiants</td>
      <td>14</td>
      <td>5</td>
      <td>9</td>
      <td>0</td>
      <td>7.5</td>
      <td>75</td>
    </tr>
    <tr>
      <td>4</td>
      <td>Sunrisers Hyderabad</td>
      <td>14</td>
      <td>8</td>
      <td>6</td>
      <td>0</td>
      <td>6.8</td>
      <td>70</td>
    </tr>
    <tr>
      <td>5</td>
      <td>Delhi Daredevils</td>
      <td>14</td>
      <td>7</td>
      <td>7</td>
      <td>0</td>
      <td>6.4</td>
      <td>64</td>
    </tr>
    <tr>
      <td>6</td>
      <td>Royal Challengers Bangalore</td>
      <td>14</td>
      <td>8</td>
      <td>6</td>
      <td>0</td>
      <td>5.8</td>
      <td>55</td>
    </tr>
    <tr>
      <td>7</td>
      <td>Kolkata Knight Riders</td>
      <td>14</td>
      <td>8</td>
      <td>6</td>
      <td>0</td>
      <td>3.5</td>
      <td>25</td>
    </tr>
    <tr>
      <td>8</td>
      <td>Kings XI Punjab</td>
      <td>14</td>
      <td>4</td>
      <td>10</td>
      <td>0</td>
      <td>2.5</td>
      <td>20</td>
    </tr>
  </table>
</body>
</html>
```

```

        width: 60%;
        border-collapse: collapse;
    }
    thead {
        background-color: #00BFFF;
    }
    th, td {
        border: 1px solid black;
        text-align: center;
        padding: 8px;
    }
    .high {
        background-color: #FFB6C1;
    }
    .average {
        background-color: #FFFF00;
    }
    .low {
        background-color: #98FB98;
    }
</style>
</head>
<body>
    <table>
        <thead>
            <tr>
                <th colspan="8">IPL Team Details</th>
            </tr>
            <tr>
                <th>S.No</th>
                <th>Team</th>
                <th>Matches</th>
                <th>Won</th>
                <th>Lost</th>
                <th>Tie</th>
                <th>NetRun Rate</th>
                <th>Points</th>
            </tr>
        </thead>
        <tbody>

```

```
<tr class="high">
  <td>1</td>
  <td>Gujarat Lions</td>
  <td>14</td>
  <td>9</td>
  <td>5</td>
  <td>0</td>
  <td>9.7</td>
  <td>95</td>
</tr>
<tr class="high">
  <td>2</td>
  <td>Mumbai Indians</td>
  <td>14</td>
  <td>7</td>
  <td>7</td>
  <td>0</td>
  <td>9.5</td>
  <td>90</td>
</tr>
<tr class="average">
  <td>3</td>
  <td>Raising Pune Supergiants</td>
  <td>14</td>
  <td>5</td>
  <td>9</td>
  <td>0</td>
  <td>7.5</td>
  <td>75</td>
</tr>
<tr class="average">
  <td>4</td>
  <td>Sunrisers Hyderabad</td>
  <td>14</td>
  <td>8</td>
  <td>6</td>
  <td>0</td>
  <td>6.8</td>
  <td>70</td>
</tr>
```

```
<tr class="average">
  <td>5</td>
  <td>Delhi Daredevils</td>
  <td>14</td>
  <td>7</td>
  <td>7</td>
  <td>0</td>
  <td>6.4</td>
  <td>64</td>
</tr>
<tr class="average">
  <td>6</td>
  <td>Royal Challengers Bangalore</td>
  <td>14</td>
  <td>8</td>
  <td>6</td>
  <td>0</td>
  <td>5.8</td>
  <td>55</td>
</tr>
<tr class="low">
  <td>7</td>
  <td>Kolkata Knight Riders</td>
  <td>14</td>
  <td>8</td>
  <td>6</td>
  <td>0</td>
  <td>3.5</td>
  <td>25</td>
</tr>
<tr class="low">
  <td>8</td>
  <td>Kings XI Punjab</td>
  <td>14</td>
  <td>4</td>
  <td>10</td>
  <td>0</td>
  <td>2.5</td>
  <td>20</td>
</tr>
```




```

    </tbody>
  </table>
</body>
</html>

```

### PROBLEM 3 :

Create a home page layout for an ecommerce website using html, css and bootstrap. Create header with bootstrap navbar , footer .and main body content.



```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>AOT</title>
    <link
      href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
      rel="stylesheet"

```

```

    />
</head>
<body>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle
.min.js"></script>

    <nav class="navbar navbar-expand-lg bg-body-tertiary
"style="padding-top: 20px; padding-bottom: 20px;">
        <div class="container-fluid ms-4">
            <a class="navbar-brand" href="#"><b>Amazon Clone</b></a>
            <button
                class="navbar-toggler"
                type="button"
                data-bs-toggle="collapse"
                data-bs-target="#navbarScroll"
                aria-controls="navbarScroll"
                aria-expanded="false"
                aria-label="Toggle navigation"
            >
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarScroll">
                <ul
                    class="navbar-nav me-auto my-2 my-lg-0 navbar-nav-scroll"
                    style="--bs-scroll-height: 100px"
                >
                    <li class="nav-item">
                        <a class="nav-link active" aria-current="page"
href="#">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="about.html">About</a>
                    </li>

                </ul>
                <form class="d-flex" role="search">
                    <input
                        class="form-control me-4"
                        type="search"

```

```

        placeholder="Search"
        aria-label="Search"
    />
    <button class="btn btn-outline-success me-4" type="submit">
        Search
    </button>
</form>
</div>
</div>
</nav>
<div
    style="
        display: flex;
        justify-content: flex-start;
        margin-top: 50px;
        margin-left: 20px;
        gap: 20px;
    "
>

```

```

<div class="card" style="width: 18rem; margin-left: 20px">
    
    <div class="card-body">
        <h5 class="card-title">Seerum</h5>
        <p class="card-text">Face product</p>
        <a href="#" class="btn btn-danger">View Product</a>
    </div>
</div>

```

```

<div class="card" style="width: 18rem; margin-left: 20px">
    
    <div class="card-body">
        <h5 class="card-title">Perfume 1</h5>
        <p class="card-text">Rose flavour</p>
        <a href="#" class="btn btn-danger">View Product</a>
    </div>
</div>

```

```

<div class="card" style="width: 18rem; margin-left: 20px">

```

```

<div class="card-body">
  <h5 class="card-title">Perfume 2</h5>
  <p class="card-text">Vannila flavour</p>
  <a href="#" class="btn btn-danger">View Product</a>
</div>
</div>

<div class="card" style="width: 18rem; margin-left: 20px">
  
  <div class="card-body">
    <h5 class="card-title">Perfume 3</h5>
    <p class="card-text">Chocolate flavour</p>
    <a href="#" class="btn btn-danger">View Product</a>
  </div>
</div>
</div>
</body>
</html>
```