

Figure 1: Twine Story Board

As you can see in figure 1, the entire code is made into different passages and inside the passage the code is written. Code for the first passage is given below(Figure 2).



Figure 2: First Passage (Passage Name = Game)/Code

To run the code, visit https://twinery.org/ and click on “Use in your browser”.



Figure 3: Twine Website

The following window will appear (Figure 4),



Figure 4: Twine Interface

Click on “**new**”, then name your story and click on “**Create**”. Then the following window will appear (Figure 5)



Figure 5: Twine Story Creation

Then click on the untitled passage, paste the code that you want to test and click on “**test from here**” to run the code (Figure 6).



Figure 6: Running the code.

Make sure not to mix the code for each passage into one single passage. Copy paste the passage that you want to test in twine. Each passage with its code is given below.

Passage - Game

```
<!-- FrontPage Passage -->
<center>
  <h1>Cyber Security Chronicles</h1>
  <br>
  [[Start Game]]

</center>
```

```
<audio src = "https://static.wixstatic.com/mp3/3176c2_b28686025c0e4fc2ae57bea04d3bc145.mp3" autoplay> </audio>
```

Passage – Start Game

```
Welcome to ,(text-colour: "white")[(text-style: "smear")[(text-colour: "orange")[CYBER SECURITY CHRONICLES]]] where you will step into the shoes different characters, face many real-world cyber threats, and make crucial decisions. Earn points and unlock new levels while defending the threats. Are you ready to begin, choose your [[character]] to continue.
<div style = "text-align: center;">

<img src =
"https://static.wixstatic.com/media/3176c2_ec1481f176a148839aa1cac5de8ed16a~mv2.png" style =
"max-width: 300px;max-height: 300px" />
</div>

<audio src = "https://static.wixstatic.com/mp3/3176c2_19458e01e1224471a25c8c537479d1c5.mp3" autoplay> </audio>
```

Character Passage

```
<!-- Choose your character -->
```

```
<h1>Choose your character:</h1>

<!-- Container for characters -->
<div style="display: flex; justify-content: center;">

  <!-- Character 1: Alex -->
  <div style="text-align: center; margin-right: 20px;">
    <img src="https://static.wixstatic.com/media/3176c2_e4d02f52485646cd9946019b32749b62~mv2.png" alt="Alex" style="width: 250px; height: auto;">
    <p>[[Alex |AlexPassage]]</p>
  </div>

  <!-- Character 2: Mary -->
  <div style="text-align: center; margin-right: 20px;">
    <img src="https://static.wixstatic.com/media/3176c2_d26de1ff524b484db39f5ebba69866b8~mv2.png" alt="Mary" style="width: 250px; height: auto;">
    <p>[[Mary |MaryPassage]]</p>
  </div>

  <!-- Character 3: George -->
  <div style="text-align: center;">
    <img src="https://static.wixstatic.com/media/3176c2_10a991a88471470ca3c046ddc3b96613~mv2.png" alt="George" style="width: 250px; height: auto;">
    <p>[[George |GeorgePassage]]</p>
  </div>

</div>

<audio src = "https://static.wixstatic.com/mp3/3176c2_77bd39b4a1f44c65aa00930dde01ed36.mp3" autoplay> </audio>
```

Alex Passage

Meet(text-colour:#087f5b)[Alex], the modern tech savvy university student, immersed in social media trends. As Alex’s trusted guide you will help defend many cyber threats including (text-colour:red)[phishing scams] and (text-colour:orange)[malware attacks] to protect his digital identity. Get ready to begin your journey in [[Alex's World]].

<div style = "text-align: center"; >

<img src =
"https://static.wixstatic.com/media/3176c2_e4d02f52485646cd9946019b32749b62~mv2.png" style
= "max-width: 350px"; "max-height: 350px"; >

<audio src="https://static.wixstatic.com/mp3/3176c2_fbff3a0ce17e46bf862990d3a29b4b6b.mp3"
autoplay></audio>

Mary Passage

Meet Mary, the talented and freelance digital artist with amazing creativity, she attracts audiences worldwide. But as she moves into the landscape of digital security, she faces many challenges. With your help, Mary will learn to defend many real-world cyber threats. Get ready to begin your journey with [[Mary]] into the world of cyber security.

<div style = "text-align: center"; >

<img src =
"https://static.wixstatic.com/media/3176c2_d26de1ff524b484db39f5ebba69866b8~mv2.png"
style="max-width: 200px; max-height: 200px;">

<audio src="https://static.wixstatic.com/mp3/3176c2_88b24604d04741a29827fd1aed70947c.mp3"
autoplay></audio>

George Passage

Meet (text-colour:yellow)[George], a wise elder who is new to the digital world. He seeks the digital landscape with curiosity. As he continues his exploration of the digital world, he is accompanied by a lack of knowledge towards cyber security and needs guidance. [[George's journey]] in Cyber security is a reminder that cyber security matters to all age group.

<div style = "text-align: center"; >

<img src =
"https://static.wixstatic.com/media/3176c2_10a991a88471470ca3c046ddc3b96613~mv2.png"
style="max-width: 250px; max-height: 250px;">

<audio src =
"https://static.wixstatic.com/mp3/3176c2_038e227b937b44f0a459d8973b2b0625.mp3" autoplay
</audio>

A S1 - passage

As Alex enjoyed another (text-colour:yellow)[sunset] in his room settled down with his phone scrolling through his favourite social media Instagram, a message [[notification]] pops up from Instagram catching his attention. The message from Instagram (text-colour:red)[urged] Alex to change his account (text-colour:green)[password] due to suspicious activity.

Feeling really tensed Alex paused as he was unsure of how to tackle this situation. With a ray of hope Alex turns to you his trusted guide to make the right decision.

<div style = "text-align: center"; >

<img src =
"https://static.wixstatic.com/media/3176c2_e43288d0898049608d7e2dc71da76d2f~mv2.png"
style="max-width: 300px; max-height: 300px;">

<audio src =
"https://static.wixstatic.com/mp3/3176c2_09e1ad73cb4d44829ba9799aa8a0664d.mp3" autoplay>
</audio>

Notification passage

<img
src="https://static.wixstatic.com/media/3176c2_6e1a04b374a7487790e31d4129e7a092~mv2.jpg"
style="max-width: 500px; max-height: 400px;" />

1. [[It's a genuine message, change the password.]]

2. [[Don't click on the link.]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_17819e3f0bec4300b2074818cdf11cc5.mp3" autoplay> </audio>

Option 1 passage

(text-colour: "white")[

(text-style: "smear")[

(text-colour: "red")[

CONGRATULATIONS!!]]]

You have gained 10 points for saving Alex from a (text-colour:orange)[Smishing Scam].

Begin [[Scenario 2]]

 <script>

var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {

var singleConfetti = document.createElement('div');

singleConfetti.classList.add('SingleConfetti');

singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() * confetti_colors.length)];

singleConfetti.style.left = Math.random() * window.innerWidth + 'px';

singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';

```
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
```

```
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_2240263c04f741a0b4b82ecb06655dd3.mp3" autoplay> </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay> </audio>

Option 2 passage

''(text-colour:red)[GAME OVER]''

<p style="font-size: 20px;">Alex has fallen victim to a (text-colour:orange)[Smishing attack]. Smishing is another form of Phishing where the threat actor utilises the trust of the target to achieve sensitive information.

The link provided in the phishing message, (text-colour:red)[https://instagram-help-center-account-security.reset_password], may initially indicate the victim that it leads to Instagram. However, the URL has many red flags in it.

Here's an explanation why the URL is a phishing email:

(text-colour:blue)[Unusual subdomain] – Instagram doesn't have a subdomain in its URL, which makes the URL suspicious.

(text-colour:blue)[Urgency] – attacks like phishing or smishing urges the victim to provide their sensitive information without allowing them to think and reflect.

(text-colour:blue)[Misleading URL] – the URL appears to be coming from Instagram, but it leads to another page.

(text-colour:blue)[Generic greeting] – phishing messages contains generic greetings such as "Dear User or Customer".

In summary the provided phishing message with these kinds of URL urges users to give out their information by creating a false sense of urgency.

</p>

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_fd2a6756e4bd44029f58472185dc732c.mp3" autoplay> </audio>

AS2 passage

As Alex spends his final hours in the campus, sitting in his favourite room in the library, scrolling through his (text-colour:lime)[emails]. From the usual [[notifications]], the one from the university administration caught his attention. The email claimed (text-colour:red)[important change to his class schedules] with the new timetable pdf file. Feeling the sense of uncertainty, Alex turned to you for his guidance.

<div style = "text-align: center"; >



<audio src = "https://static.wixstatic.com/mp3/3176c2_609aa5a6915a4fab88a37e26fc9e116f.mp3" autoplay> </audio>

Notifications passage

1. [[It's an urgent message from University so tell Alex to open the attachment]]

2. [[Contact the University to make sure the mail is genuine or not]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_a7b3ac523d4547d3abfea277f809dc7e.mp3" autoplay> </audio>

Option 1 passage

(text-colour:red)["GAME OVER!!"]

Alex fell victim to a(text-colour:red)[Phishing Attack]where the threat actor sends deceptive messages or emails in attracting sensitive information from the victim.

Here in this case Alex's case his(text-colour:green)[trust] is misused by the threat actor in the name of university administration which lured him to open the pdf file.

Here's a detailed explanation of the attack:

(text-colour:blue)[Substitution of characters]: In this case the letter (text-colour:red)["d" in "administration" has been replaced with the number "9,"] which looks similar in certain fonts or styles.

(text-colour:blue)[Uncalled Attachment]: In this case a PDF that stated the timetable change is attached which lured Alex into opening it. Unexpected attachment is a red flag in these types of scenarios.

(text-colour:blue)[Urgent Request]: creating a sense of urgency is a classic tactic used by the threat actor to its victims.

(text-colour:blue)[Generic Greetings]: The email contains generic greetings like “Dear Alex”. Legitimate communications from universities address the student with specific details.

(text-colour:blue)[Spelling or Grammar errors]: these kinds of emails lack proper grammar and has very little attention to detail.

By understanding these observations, Alex can improve his security of personal information from potential phishing attacks.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_657a04d048fd49b4984ed7625288f9e4.mp3" autoplay> </audio>

Option 2 passage

(text-colour: "white")[

(text-style: "smear")[

(text-colour: "red")[

CONGRATULATIONS!!]]]

You have gained 10 points for saving Alex from an (text-colour:orange)[email Phishing Scam].

(text-colour:#2b8a3e)[Total Points] = 20

Begin [[Scenario 3]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
```

```
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

```
<audio src = "https://static.wixstatic.com/mp3/3176c2_eb600579bafb4c2f8dc63023f47b3b49.mp3" autoplay> </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay> </audio>
```

AS3 passage

As usual in the weekends Alex visits his favourite Café for his me time. As he was browsing through Instagram he got frustrated as his(text-colour:orange)[connection]was low. So, to improve it Alex connects to the [[Café-Wifi]] but the connection worsens. Confused Alex turns to you for help.

<div style = "text-align: center"; >

<img src = "https://static.wixstatic.com/media/3176c2_53a079b52ed6469ab29b914c647f46cb~mv2.png" style = "max-width: 250px"; "max-height: 250px"; >

<audio src = "https://static.wixstatic.com/mp3/3176c2_2693e72f2c714eb787d45aa07b196bd0.mp3" autoplay> </audio>

Café-Wifi passage



<audio src = "https://static.wixstatic.com/mp3/3176c2_4d89ba29c2a44d67ac7240529fcec4f2.mp3" autoplay> </audio>

Option1 passage

(text-colour:red)[''GAME OVER!!'']

Public Wi-Fi is an unsecured space where attacks like Man-In-The-Middle can occur.

Here’s a detailed explanation how Alex could have fallen to Mitm attack and the significance of using Virtual Private Network (VPN) for protection:

(text-colour:blue)[Unsecured Network]: the data transferred through public wifi that are not password protected can be easily transferred as plain text, making it easy for the threat actor to intercept.

(text-colour:blue)[Interception of Data]: As Alex browses through an unsecured Wifi, his data like login credentials can be easily accessed by the threat actor.

(text-colour:blue)[Mitm Attack]: a threat actor can put themselves in the middle between Alex's device and destination server and can modify data, hijack sessions as well.

(text-colour:blue)[Spoofed website]: using techniques like DNS spoofing, the threat actor can redirect Alex to a spoofed webpage.

(text-colour:blue)[VPN protection]: by employing a VPN, a secure tunnel is created that encrypts all data traffic of Alex that shields from a third eye like a malicious actor.

In summary, by using a VPN, like (text-colour:orange)[OpenVPN] or (text-colour:orange)[NordVPN], Alex can encrypt their internet traffic and protect themselves from such threats, ensuring privacy and security while browsing on untrusted networks.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_678d389fc3224eb991530707f41b4168.mp3" autoplay> </audio>

Option 2 passage

```
(text-colour: "white")[
   (text-style: "smear")[
      (text-colour: "red")[
         CONGRATULATIONS!!]]]
```

You have gained 10 points for saving Alex from a possible (text-colour:#f59f00)[Man In The Middle Attack].

(text-colour:#2b8a3e)[Total Points] = 30

Begin [[Scenario 4]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
```

```
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

```
<audio src =
"https://static.wixstatic.com/mp3/3176c2_8c5e45686c6c4ad48d364d5d98d9db79.mp3" autoplay
</audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3"
autoplay </audio>
```

AS4 passage

As the semester ends, Alex decided to catch up on his favourite tv shows in (text-colour:blue)[Amazon Prime]. While creating the account, Alex was tempted to use his usual [[password]] “(text-colour:green)[Alex2001!]”. Unsure, Alex seeks your guidance on online security.



<audio src = "https://static.wixstatic.com/mp3/3176c2_7cce930b249343728f8c5dc12d4c04ad.mp3" autoplay </audio>

Password passage

1. [[Assure Alex that consistency in passwords is key to simplicity and ease of use.]]

2. [[Urge Alex to promptly fortify his security by crafting a new, robust password.]]

Option 1 passage

(text-colour:#c92a2a)[''GAME OVER!!'']

By using (text-colour:red)[the same] password for many accounts may seem convenient but it increases the chances of data breach more as when one once account is compromised, the rest will follow.

By setting up unique strong password, Alex can mitigate this risk as when one account is exposed the damage is specific to that one account only.

While setting unique password, the use of characters such as(text-colour:lime)[uppercase, lowercase, special characters] increase the strength and complexity of the password will make brute force hackers sweat.

A (text-colour:orange)[password manager] can generate and store password. The use of a password manager is highly recommended as it is device compatible and helpful with ease of management and provides enhanced security.

By doing so, Alex can protect his sensitive information from unauthorized access, mitigate the risk of data breaches.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_32ea256130c84b91be3081c5859a5513.mp3" autoplay </audio>

Option 2 passage

```
(text-colour: "white")[
   (text-style: "smear")[
      (text-colour: "red")[
         CONGRATULATIONS!!]]]
```

You have earned 10 points for advocating Alex to enhancing his (text-colour:#f76707)[Password Security].

(text-colour:#2b8a3e)[Total Points] = 40

Begin [[Scenario 5]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
```

```
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}
```

```
@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_8a52ed4b5bc740908f1c5600857c9b82.mp3" autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>

AS5 passage

As Alex was scrolling various websites, his phone suddenly displayed a [[pop-up ad]] which flashed “''(text-colour:red)[Your Phone may not be fully protected]''” blared in bold alarming letters. Before Alex could react, his phone started to vibrate which added to his anxiety. Scared Alex, awaits your help to solve this situation.

<div style = "text-align: center"; >

<img src = "https://static.wixstatic.com/media/3176c2_a099cd1fd9b84f44a8f991ed8f969116~mv2.png" style = "max-width: 250px"; "max-height: 250px"; >

<audio src = "https://static.wixstatic.com/mp3/3176c2_cb9c972ab82c4bdda334426f49fcc077.mp3" autoplay </audio>

Popup Ad passage



1. [[Assure Alex that it's a genuine message]]

2. [[Advise Alex to close the pop-up and install antivirus or ad blocker]]

Option 1 passage

''(text-colour:#f03e3e)[GAME OVER!!]''

Alex falls victim to an (text-colour:red)[Adware attack], where the threat actor lures the victim through misleading ads or software installation. Once installed, it can compromise the device.

Here's a detailed explanation of strategies Alex can implement to mitigate the attack:

(text-colour:blue)[Antivirus Installation]: It is crucial to install and update antivirus software's which can block adware by keeping it UpToDate.

(text-colour:blue)[Be cautious]: Only download from trusted sources which reduces the chance of getting an adware attack.

By reading (text-colour:blue)[user reviews and ratings] can give an idea about the legitimacy of a website.

Also, many(text-colour:blue)[web browsers provides extension] that enables adblockers that reduces the risk of getting an adware attack.

And finally, always stay informed about the latest cyber security threats by (text-colour:blue)[educating yourselves].

By implementing these proactive measures, Alex can significantly reduce the risk of encountering adware attacks.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_49ff672468cd4bdca25f58df84babff4.mp3" autoplay </audio>

Option 2 passage

(text-colour: "white")[

(text-style: "smear")[

(text-colour: "red")[

CONGRATULATIONS!!]]]

You have gained 10 points for saving Alex from an (text-colour:orange)[Adware attack].

(text-colour:#2b8a3e)[Total Points] = 50

[[Final Showdown]]

 <script>

var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

```
function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
```

```
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_e1493adcf8d44b44b8ee5deb9024ec5d.mp3" autoplay </audio>

MS1 passage

 As Mary was completing one of her clients work, suddenly her focus shifted towards the new [[message notification]] on her phone. As Mary read the message carefully, she noticed a (text-colour:red)[strange request] from the message which instructed her to send her products to the listed (text-colour:orange)[URL]. Concerned Mary, turned to you her trusted guide for guidance.

<img src = "https://static.wixstatic.com/media/3176c2_46f1e5682b0b4a24a0623e221567c04d~mv2.png" style = "max-width: 200px;max-height: 200px" />

<audio src ="https://static.wixstatic.com/mp3/3176c2_af2b0ea3c248469090d54cfff8a8df7a.mp3" autoplay </audio>

Message Notification passage



<audio src = "https://static.wixstatic.com/mp3/3176c2_249fd53e0ca04cbcbfda40c5321967a1.mp3" autoplay </audio>

Option 1 passage

(text-colour:red)[''GAME OVER!!'']

The attack Mary had fallen victim to is called a (text-colour:red)[Smishing attack]. Smishing or SMS Phishing is another form of Phishing where the attacker sends luring messages to the victim to access sensitive information.

Here in this case, the message Mary received is (text-colour:blue)[not personalised] as the message did not address her directly and there is no sender's address.

The message is also(text-colour:blue)[vague in nature] with providing a(text-colour:blue)[sense of urgency] to the victim by requesting the victim to the send the products to the (text-colour:blue)[unsolicited URL].

These kinds of social engineering attacks leverage the(text-colour:green)[trust and curiosity]of the victim, so its very important to be vigilant, be aware and practice best cybersecurity to raise defence against such attacks.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_14f38a9f628546d1a6af417bf04e1ed4.mp3" autoplay </audio>

Option 2 passage

(text-colour: "white")[

(text-style: "smear")[

(text-colour: "red")[

CONGRATULATIONS!!]]]

You have gained 10 points for saving Mary from a (text-colour:cyan)[Smishing Attack].

Begin [[Scenario II]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}
```

```
function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_15f986211cb1463db1f30bf27a1f7091.mp3" autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>

MS2 passage

 As Mary was scrolling through her [[emails]], she noticed a new email from (text-colour:green)[Joey], who is one of her (text-colour:yellow)[clients] in her inbox. As she read the mail, she understood that Joey made an (text-colour:red)[additional request] to draw an illustration of the image which was attached to the mail. But Mary clearly remembers that Joey didn't make such request during the initial stages of the project. Confused and unsure how to proceed, she turned to her trusted advisor for guidance.

<img src = "https://static.wixstatic.com/media/3176c2_eca52dc57a684c97a091f336263ba917~mv2.png" style = "max-width: 200px;max-height: 200px" />

<audio src = "https://static.wixstatic.com/mp3/3176c2_170698778bc0484c9975f6a3f6377934.mp3" autoplay </audio>

Emails passage

<img src="https://static.wixstatic.com/media/3176c2_81ea5fb068f44cda90ff9f91a616dcd9~mv2.jpg" style="max-width: 800px; max-height: 800px;" />

1. [[Contact Joey to confirm the legitimacy of the email]]

2. [[Download the image and proceed with creating the illustrations.]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_a7b3ac523d4547d3abfea277f809dc7e.mp3" autoplay </audio>

Option 1 passage

''(text-colour:red)[GAME OVER!!

]''

Mary had fallen victim to a (text-colour:red)[spear phishing] attack. Unlike phishing emails, which are send to (text-colour:green)[wide variety of audience], spear phishing is drafted to(text-colour:green)[specific individuals or organisations].

To mitigate the risk, Mary should(text-colour:blue)[verify the sender] by contacting Joey and confirm about the request.

(text-colour:blue)[Avoid clicking on links or downloading attachments]until it is made sure that it is from a legitimate source.

And be cautious about (text-colour:blue)[uncalled requests].

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_d3226581219b4cd3b540dfa92ea6588b.mp3" autoplay </audio>

Option 2 passage

(text-colour: "white")[

```
    (text-style: "smear")[
        (text-colour: "red")[
            CONGRATULATIONS!!]]]
```

You have gained 10 points for saving Mary from a (text-colour:orange)[Spear Phishing Attack]

(text-colour:#2b8a3e)[Total Points] = 20

Begin [[Scenario III]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
```

```
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_53a9ea4c32304ac5a0bfab2e247672db.mp3" autoplay </audio>

MS3 passage

As Mary opened the(text-colour:green)[parcel] sent from one of her clients, she discovered a small [[USB drive]] attached inside the parcel alongside with other items which was completely unexpected situation for her, as her client didn't mention about sending one, which raised so many red flags in her mind. Feeling tensed, Mary seeks guidance from you her trusted advisor in Cyber security.



<audio src = "https://static.wixstatic.com/mp3/3176c2_3133e7460482463084a3a0716c70bd39.mp3" autoplay </audio>

USB Drive passage



2. [[Contact the client to inquire about the unexpected USB drive and its purpose before proceeding.]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_c857ac84ffbb4ff4a50a7b86568f1184.mp3" autoplay </audio>

Option 1 passage

(text-colour:red)[''GAME OVER!!'']

Mary falls victim to a (text-colour:red)[USB drop attack] where the threat actor leaves the USB in (text-colour:green)[public places] hoping that the victim will use it. These USB drives are loaded with viruses that affects the victim's devices.

To mitigate the attack, individuals like Mary should restrain themselves from using found USB drives and hand the USB drive to the respective IT department of their organisation for further analysis of the drive and be aware of the risks associated with USB drives. By updating to the latest security software can mitigate the vulnerability spread by connecting the USB drive.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_7f5480c02eb6411abe3ced4395d04b39.mp3" autoplay </audio>

Option 2 passage

(text-colour: "white")[

(text-style: "smear")[

(text-colour: "red")[

CONGRATULATIONS!!]]]

You have gained 10 points for saving Mary from a (text-colour:orange)[USB Drop Attack.]

(text-colour:#2b8a3e)[Total Points] = 30

Begin [[Scenario IV]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
```

```
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>


<audio src = "https://static.wixstatic.com/mp3/3176c2_d8bf666531bd42a987e6e6d83af1c57c.mp3"
autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3"
autoplay </audio>
```

MS4 passage

As Mary was enjoying her morning coffee, she noticed an (text-colour:green)[email notification] on her screen. As she read the message, her excitement increased as soon she noticed who the sender was. It was from [[Adobe]], one of her favourite software providers for digital illustrations. The email stated that Adobe is very much impressed with her portfolio and is offering their latest software as a special access to her. The mail included an attachment of the software in a zip file. With sense of appreciation, Mary (text-colour:red)[clicked] on the attachment.

<img src = "https://static.wixstatic.com/media/3176c2_af5830bd700f4ff88b021d4f2e74ad09~mv2.png" style = "max-width: 100px;max-height: 100px" />

<audio src = "https://static.wixstatic.com/mp3/3176c2_dcfeb8b728e04524837dc585449e9f52.mp3" autoplay </audio>

Adobe passage



Mary decided to download the [[zip file]] and when she open the zip file, (text-colour:lime)[Win rar] pops up. But as she was about to extract the file, she had a mixed feeling about it as she is not sure about the things which are displayed on her laptop. So, as usual she asks you, her cyber security guide for guidance.

<audio src = "https://static.wixstatic.com/mp3/3176c2_021d29f1fa9d400c945e11767fa745f1.mp3" autoplay </audio>

WinRAR passage



Option 1 passage

''(text-colour:red)[GAME OVER!!!]''

Mary has fallen victim to the “(text-colour:red)[File Archiver in the Browser]” phishing attack.

The attack mechanism involves by creating a domain with (text-colour:green)[.zip extension], then creating a (text-colour:green)[file archiver interface] like WinRAR using Html or CSS.

Mary can follow the following mitigation strategies:

(text-colour:blue)[Awareness Training]

(text-colour:blue)[Domain blocking] of .zip extensions

(text-colour:blue)[Inspect the content]carefully before clicking on the link and verify the legitimacy of the web page.

By using the latest (text-colour:blue)[Antivirus software] can prevent phishing attempts.

By combining these strategies, Mary can significantly reduce the risk of falling victim to this type of phishing attack.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_c271040948bd48afa77df0a107c80689.mp3" autoplay </audio>

Option 2 passage

```
(text-colour: "white")[
   (text-style: "smear")[
      (text-colour: "red")[
         CONGRATULATIONS!!]]]
```

You have gained 10 points for saving Mary from a (text-colour:orange)["file archiver in the browser"]Phishing attack. As you might have noticed, the zip file open to a web browser with .zip domain.

(text-colour:#2b8a3e)[Total Points]= 40

Begin [[Scenario V]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() * confetti_colors.length)];
```

```
  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
```

```
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_74966006b3a54a1f9c36f5e7e09a5bfe.mp3" autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>

MS5 passage

As Mary was focused on her latest project, she was distracted as her phone rang. The screen displayed an (text-colour:red)[unknown number]. Mary was hesitant at first, but then decided to attend the call thinking it might be from a new client.

(text-colour:green)[Play] [[Phone Conversation]]

<img src="https://static.wixstatic.com/media/3176c2_588fce6ad3f944468e8927db93ceafc0~mv2.jpg" style="max-width: 500px; max-height: 600px;" />

<audio src = "https://static.wixstatic.com/mp3/3176c2_dcef9e1c8a6248c19b045b7a4b7e1f54.mp3" autoplay </audio>

Phone Conversation passage

1. [[Provide the requested information]]

2. [[Question the legitimacy of the call and end the conversation]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_3b94b6516ecc42fc909bd51ca576b587.mp3" autoplay </audio>

Option 1 passage

''(text-colour:red)[GAME OVER!!!]''

Mary has fallen victim to a (text-colour:red)[Vishing Attack]. Vishing or voice phishing is the attack where the threat actor calls the victims to obtain sensitive information.

Mitigation strategy of Vishing are as follows:

(text-colour:blue)[Verify the caller ID]: before giving out sensitive information always verify the caller's identity.

Always (text-colour:blue)[be cautious] about unexpected calls that seeks sensitive information.

(text-colour:blue)[Avoid sharing]personal information such as PINs or financial information over the phone.

(text-colour:blue)[Report suspicious calls] to relevant authorities.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_8e69a472fced49a2827d8bd933e3d699.mp3" autoplay </audio>

Option 2 passage

(text-colour: "white")[

```
    (text-style: "smear")[
        (text-colour: "red")[
            CONGRATULATIONS!!]]]
```

You have gained 10 points for saving Mary from a (text-colour:orange)[Vishing attack].

(text-colour:#2b8a3e)[Total Points] = 50

Begin [[Final Showdown]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
```

```
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

```
<audio src = "https://static.wixstatic.com/mp3/3176c2_b53c686cefab47d8b7c1539d0cf0ff5d.mp3"
autoplay </audio>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>

GS1 passage

As George was sitting in his chair reading his favourite book, he suddenly remembered that his son (text-colour:green)[Peter] had promised him to send a special parcel. All of a sudden, George receives a [[text message]] from the delivery service stating that they won't be able to deliver the parcel due to incomplete address. Tensed George, decided to seek your guidance about what steps to take next.



<audio src = "https://static.wixstatic.com/mp3/3176c2_1b99e6d046054533af82ff4bc6aa65d4.mp3" autoplay </audio>

Text Message passage



2. [[Recommend George to contact his son to confirm details regarding the parcel delivery]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_a568d8fe71d846eeb06d03cd1da2477b.mp3" autoplay </audio>

Option 1 passage

''(text-colour:red)[GAME OVER!!]''

The message George received is a classic example of a (text-colour:red)[Smishing attack]. Smishing or SMS Phishing is another form of Phishing where the attacker sends luring messages to the victim to access sensitive information.

In this case, the message claims to be from the "(text-colour:green)[EVRI mail team," suggesting that a package has arrived at the warehouse but cannot be delivered due to incomplete address information]. The urgency implied in the message, with a 12-hour deadline to confirm the address, is a common tactic used by the threat actor to pressurise the victim.

Here's an explanation why the URL is a phishing email:

(text-colour:blue)[Wrong address] –EVRI URL link is fake.

(text-colour:blue)[Urgency] – attacks like phishing or smishing urges the victim to provide their sensitive information without allowing them to think and reflect.

(text-colour:blue)[Misleading URL] – the URL appears to be coming from EVRI, but it leads to another page.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_054446a464714999b50eb5ba0c89e35e.mp3" autoplay </audio>

Option 2 passage

(text-colour: "white")[

```
(text-style: "smear")[
    (text-colour: "red")[
        CONGRATULATIONS!!]]]
```

You have gained 10 points for saving George from a (text-colour:cyan)[Smishing Attack].

Begin [[Scenario Two]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
```

```
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_129246cc169b4ce0bfd45c8b221d32f0.mp3" autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>

GS2 passage

<p style = "font-size: 20px;">George decided to watch his favourite childhood movie in a (text-colour:cyan)[pirated website]. As he was playing the movie on the website, suddenly an ad [[pop-

up]] materialised on his screen urging him to install a new browser for enhanced experience. Parallelly, a (text-colour:orange)[glitching sound]started to project from his phone adding more chaos to the situation. Tensed George, decided to seek guidance from you, his trusted cyber security expert. </p>



<audio src = "https://static.wixstatic.com/mp3/3176c2_de665ce544024e358dd7b45e4c4d56ad.mp3" autoplay </audio>

Pop up passage



<audio src = "https://static.wixstatic.com/mp3/3176c2_6a5a2a5e3ef74febb56960f83ce3a43a.mp3" autoplay </audio>

Option 1 passage

(text-colour:red)["GAME OVER!!!"]

George falls victim to an (text-colour:red)[Adware attack], where the threat actor lures the victim through misleading ads or software installation. Once installed, it can compromise the device.

Here's a detailed explanation of strategies that George can implement to mitigate the attack:

(text-colour:blue)[Antivirus Installation]: It is crucial to install and update antivirus software's which can block adware by keeping it UpToDate.

(text-colour:blue)[Be cautious]: Only download from trusted sources which reduces the chance of getting an adware attack.

By reading (text-colour:blue)[user reviews and ratings] can give an idea about the legitimacy of a website.

Also, many web browsers provides (text-colour:blue)[extension] that enables adblockers that reduces the risk of getting an adware attack.

And finally, always (text-colour:blue)[stay informed]about the latest cyber security threats by educating yourselves.

By implementing these proactive measures, George can significantly reduce the risk of encountering adware attacks.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_427f84d090c54e4d9486a0f1428bae80.mp3" autoplay </audio>

Option 2 passage

(text-colour: "white")[

(text-style: "smear")[

(text-colour: "red")[

CONGRATULATIONS!!]]]

You have gained 10 points for saving George from an (text-colour:cyan)[Adware Attack].

(text-colour:#2b8a3e)[Total Points] = 20

Begin [[Scenario Three]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
```

```
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_080d0fd9511e40c49dc8c354a8297325.mp3" autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>

GS3 passage

As George decided to do his daily stretches, an email caught his attention from his [[inbox]]. The mail claimed to be from his grandson requesting (text-colour:red)[financial assistance] due to an emergency. Feeling trembled, George turns to you to handle the situation.

<img src = "https://static.wixstatic.com/media/3176c2_a3690d82234c41a8bc3bac78a867da2e~mv2.png" style = "max-width: 150px;max-height: 150px" />

<audio src = "https://static.wixstatic.com/mp3/3176c2_fa219f555db7419bacd9d7acc5a4bc3c.mp3" autoplay </audio>

Inbox passage





<audio src = "https://static.wixstatic.com/mp3/3176c2_d9ce5ee934754dd6ab6b56e7017b691a.mp3" autoplay </audio>

Option 1 passage

(text-colour:red)[''GAME OVER!!'']

George had fallen victim to a (text-colour:red)[Spear phishing] attack. Unlike phishing emails, which are send to wide variety of audience, spear phishing is drafted to(text-colour:green)[specific individuals or organisations].

To mitigate the risk, George should (text-colour:blue)[verify the sender] by contacting his grandson and confirm about the request.

(text-colour:blue)[Avoid clicking] on links or downloading attachments until it is made sure that it is from a legitimate source.

And (text-colour:blue)[be cautious] about uncalled requests.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_d0a7f9ebbf5c46f5bf19e0f39c870b6a.mp3" autoplay </audio>

Option 2 passage

```
(text-colour: "white")[
   (text-style: "smear")[
      (text-colour: "red")[
         CONGRATULATIONS!!]]]
```

You have gained 10 points for saving George from (text-colour:cyan)[Spear Phishing].

(text-colour:#2b8a3e)[Total Points] = 30

Begin [[Scenario Four]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];
```

```
function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
```

```
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

```
<audio src = "https://static.wixstatic.com/mp3/3176c2_fd32651a35de40798aae5f4a7820fb11.mp3" autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>
```

GS4 passage

As George was enjoying his evening tea, his phone suddenly [[rang]], flashing an (text-colour:red)[unknown number] on the screen. George answered the call cautiously.

```
<div style = "text-align: center;">
```

<img src =
"https://static.wixstatic.com/media/3176c2_983ef40f80b04cfda6f17a7ea9de4d0a~mv2.png" style =
"max-width: 150px;max-height: 150px" />

<audio src ="https://static.wixstatic.com/mp3/3176c2_d02de4ecc9db4a918f0127899ba3de08.mp3"
autoplay </audio>

Rang passage

1. [[Tell George to give out the neccessar details]]

2. [[Cut the call and advise George to call his mobile provider's official customer service number from a trusted source]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_4ac7cf551efc47968e55574b5111d9a4.mp3"
autoplay </audio>

Option 1 passage

(text-colour:red)[''GAME OVER!!'']

George had fallen victim to a (text-colour:red)[Vishing Attack]. Vishing or voice phishing is the attack where the threat actor calls the victims to obtain sensitive information.

Mitigation strategy of Vishing are as follows:

(text-colour:blue)[Verify the caller ID]: before giving out sensitive information always verify the caller’s identity.

Always (text-colour:blue)[be cautious]about unexpected calls that seeks sensitive information.

(text-colour:blue)[Avoid sharing personal information] such as PINs or financial information over the phone.

(text-colour:blue)[Report suspicious calls] to relevant authorities.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_27c1fe91aafa4ac4900e2905f2a51b80.mp3" autoplay </audio>

Option 2 passage

```
(text-colour: "white")[
   (text-style: "smear")[
      (text-colour: "red")[
         CONGRATULATIONS!!]]]
```

You have gained 10 points for saving George from a (text-colour:cyan)[Vishing Attack].

(text-colour:#2b8a3e)[Total Points] = 40

Begin [[Scenario Five]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() * confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
```

```
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
```

```
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_3e88dc0090fe41e49c7efa4f2e358e93.mp3" autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>

GS5 passage

As George was reading the newspaper, a new email notification pops up on his phone. [[The email]] claimed to be from Microsoft and urges him to (text-colour:red)[reset the password] of his Microsoft account by scanning the attached QR code. Unsure about how to proceed, George seeks your advice, his trusted Cyber Security expert.

<img src = "https://static.wixstatic.com/media/3176c2_55b4341354c748e7b17b1602a719ba7f~mv2.png" style = "max-width: 150px;max-height: 150px" />

<audio src = "https://static.wixstatic.com/mp3/3176c2_8b622ee05a9c477c8b83428df1efebf0.mp3" autoplay </audio>

The email passage

<img src="https://static.wixstatic.com/media/3176c2_e64d4bba4c204a72905f2e29ad4e4c07~mv2.jpg" style="max-width: 800px; max-height: 800px;" />

1. [[Advise George to proceed with scanning the QR code to reset his password, as it seems like a legitimate request from Microsoft.]]

2. [[Warn George not to scan the QR code and to instead verify the authenticity of the email.]]

Option 1 passage

(text-colour:red)[''GAME OVER!!'']

George has fallen victim to (text-colour:red)[Tycoon 2FA] which is a type of (text-colour:orange)[Phishing as a service], that employs (text-colour:orange)[adversary in the middle]technique which is a variant of Man in the middle attack. The attack falls in several stages where the distribution of phishing links or QR codes are sent through phishing emails where the victims are presented with a fake login page that resemble Microsoft 365 or Gmail.

Mitigation strategies include:

(text-colour:blue)[Being vigilant] on unexpected emails with attachments.

(text-colour:blue)[Educating yourself] on the latest trends of Cyber security attacks

(text-colour:blue)[Implementing Advance Email Security] on your system.

By combining these strategies, you can significantly reduce the risk of falling victim to Tycoon 2FA and other phishing attacks.

Restart [[Game]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_d07b15bd161f488ca57e9f86fdeede2a.mp3" autoplay </audio>

Option 2 passage

(text-colour: "white")[

(text-style: "smear")[

(text-colour: "red")[

CONGRATULATIONS!!]]]

You have gained 10 points for saving George from a (text-colour:cyan)[Tycoon 2FA Phishing Attack].

(text-colour:#2b8a3e)[Total Points] = 50

Begin [[Final Showdown]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
```

```
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_7908b629607c499dbeb238b88cf838fa.mp3" autoplay </audio>

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>

Final Showdown passage

(text-colour:yellow)[Alex], (text-colour:lime)[Mary], and (text-colour:cyan)[George] are trapped in an unknown location, the only ray of hope getting out alive was the [[door]] in front of them with a screen that displayed a message which instructed them to choose the right (text-colour:red)[URL] from the screen. With time running out and no other options available they turned to you for help.

<div style = "text-align: center"; >

<img src = "https://static.wixstatic.com/media/3176c2_1a620d89e99e417a993ec829042b17a6~mv2.png" style = "max-width: 350px"; "max-height: 350px"; >

<audio src = "https://static.wixstatic.com/mp3/3176c2_7c418ffde9674d1cbca395db7973d009.mp3" autoplay </audio>

Door passage

(text-colour:red)[''Choose the currect link to open the door!'']

[[https://www.paypa1.com/signin]]

[[https://www.paypa1l.com/signin]]

[[https://www.paypall.com/signin]]

[[https://www.paypal.com/signin]]

[[https://www.paypalll.com/signin]]

[[https://www.paypalll.net/signin]]

[[https://www.paypa1.net/signin]]

[[https://www.paypall.net/signin]]

[[https://www.paypa1l.org/signin]]

[[https://www.paypall.org/signin]]

<audio src = "https://static.wixstatic.com/mp3/3176c2_c1a94ead3da649a0bfc9cfacacdcc819.mp3" autoplay </audio>

https://www.paypal.com/signin **passage**

(text-colour:green)[Congratulations]on successfully guiding (text-colour:#c2255c)[Alex],(text-colour:#9c36b5)[Mary], and (text-colour:#0b7285)[George] to safety by identifying the right URL amidst the sea of (text-colour:red)[phishing links]! Your quick thinking and sharp observation skills saved the day, ensuring that they emerged unscathed from their harrowing ordeal. Well done!

Restart [[Game]]

```
<div id="confetti_box"></div> <script>
var confetti_colors = ['#00ffff', '#ff4000', '#00ff00', '#8000ff', '#ff0040', '#ffff00'];

function createSingleConfetti() {
  var singleConfetti = document.createElement('div');
  singleConfetti.classList.add('SingleConfetti');
  singleConfetti.style.backgroundColor = confetti_colors[Math.floor(Math.random() *
confetti_colors.length)];

  singleConfetti.style.left = Math.random() * window.innerWidth + 'px';
  singleConfetti.style.animationDuration = Math.random() * 3 + 2 + 's';
  singleConfetti.style.opacity = Math.random();
  document.getElementById('confetti_box').appendChild(singleConfetti);

  singleConfetti.addEventListener('animationend', function() {
    singleConfetti.remove();
  });
}

function createConfettiSplash() {
  for (var i = 0; i < 60; i++) {
    createSingleConfetti();
```

```
  }
}

createConfettiSplash();
</script>

<style>
.SingleConfetti {
  position: absolute;
  width: 10px;
  height: 10px;
  border-radius: 50%;
  animation: fall linear infinite;
  pointer-events: none;
}

@keyframes fall {
  0% {
    transform: translateY(0) rotateZ(0deg);
  }
  100% {
    transform: translateY(100vh) rotateZ(360deg);
  }
}
</style>


<audio src =
"https://static.wixstatic.com/mp3/3176c2_16fbbdd8833b48d4a11b717b250a96d4.mp3" autoplay
</audio>
```

<audio src = "https://static.wixstatic.com/mp3/3176c2_32a3166a26e54348aee3bfca90302070.mp3" autoplay </audio>