

Cucumber Report

26-Jul-2023, 12:09:18 pm

Start : Jul 26, 12:08:59.647 pm

End : Jul 26, 12:09:18.034 pm

Duration : 18.387 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>acms</u>	18.387 s	1	0	1	0	7	5	1	1

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@acms	1	0	1	0	1	0	1	0
@Region	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>acms</u>	1	0	1	0	18.387 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>acms</u>	<u>Verify the user to able to login to the url with valid credentials.</u>	7	5	1	1	18.383 s

acms

FAILED	DURATION - 18.387 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 5 Fail - 1 Skip - 1	
/ 12:08:59.647 pm // 12:09:18.034 pm /					

Verify the user to able to login to the url with valid credentials.

<div>FAILED</div> <div>DURATION - 18.383 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:08:59.651 pm // 12:09:18.034 pm /</div>				
<div>acms</div>				
<div>@acms @Region</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - steps.Loginsteps.setup() Driver Initialized Organization page object Initialized	PASSED	1.323 s
1	Given I enter URL on the browser	PASSED	5.883 s
2	Then I passed vaild user name and vaild password	PASSED	1.244 s
3	And Click on check box	PASSED	0.056 s
4	And Click On login button	PASSED	2.637 s
5	When User Clicks on Region	PASSED	3.172 s
6	And Add the details on it org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression (//*[@id="mui-65"] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id="mui-65"]' is not a valid XPath expression. (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/invalid_selector_exception.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'WS137', ip: '10.10.21.240', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\SYEDJE~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52686}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform:	FAILED	3.568 s

#	Step / Hook Details	Status	Duration
	<p>WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7f1d22fd0eec56c7a3cf712845ad1647 *** Element info: {Using=xpath, value=//*[@id="mui-65"]}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at steps.Loginsteps.Add_the_details_on_it(Loginsteps.java:139) at ?.Add the details on it(file:///C:/Users/syedjeelan/Downloads/ACMS/ACMS%20project/src/test/java/features/acms.feature:20)</p> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then Click on create and User succesfully created	SKIPPED	0.000 s
	AFTER - steps.Loginsteps.teardown(io.cucumber.java.Scenario)	PASSED	0.482 s
	<p>screenshot name</p> 		