


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
acms	2 m 7.072 s	4	2	2	0	26	22	2	2

Tag	Scenario				Fea	Feature		
Name	T	P	F	S	T	P	F	S
@acms	4	2	2	0	1	0	1	0
@ACMS	1	1	0	0	1	0	1	0
@login	1	1	0	0	1	0	1	0
@Region	1	0	1	0	1	0	1	0
@Update	1	1	0	0	1	0	1	0
@CreateAccount	1	0	1	0	1	0	1	0


FEATURES SUMMARY

-- 4 --



#	Feature Name	T	P	F	S	Duration
1	<u>acms</u>	4	2	2	0	2 m 7.072 s

SCENARIOS SUMMARY -- 5 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	acms	Verify the user to able to login to the url with valid credentials.	4	4	0	0	11.372 s
2	<u>acms</u>	Verify the user to able to login to the url with valid credentials.	7	6	1	0	1 m 20.873 s
3	acms	Verify User is successfuly able to update Region	8	8	0	0	20.231 s
4	acms	Verify Whether User Should able to create Account	7	4	1	2	14.545 s

DETAILED SECTION -- 6 --

## acms


cenarios	Steps
otal - 4	Total - 26
uss - 2	Pass - 22 26
il - 2	Fail - 2
ip - 0	Skip - 2
ta IS:	al - 4 s - 2 - 2

## Verify the user to able to login to the url with valid credentials.



#	Step / Hook Details	Status	Duration
	BEFORE - steps.Loginsteps.setup()	PASSED	1.343 s
	Driver Initialized		
	Organization page object Initialized		
1	Given I enter URL on the browser	PASSED	5.682 s
2	Then I passed vaild user name and vaild password	PASSED	1.242 s
3	And Click on check box	PASSED	0.045 s
4	And Click On login button	PASSED	2.649 s

Verify the user to able to login to the url with valid credentials.




#	Step / Hook Details	Status	Duration
	BEFORE - steps.Loginsteps.setup()	PASSED	0.797 s
	Driver Initialized		
	Organization page object Initialized		
1	Given I enter URL on the browser	PASSED	5.928 s
2	Then I passed vaild user name and vaild password	PASSED	1.224 s
3	And Click on check box	PASSED	0.043 s
4	And Click On login button	PASSED	2.455 s
5	When User Clicks on Region	PASSED	3.167 s
6	And Add the details on it	PASSED	3.582 s
7	Then Click on create and User succesfully created	FAILED	1 m 3.227 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath:  //*[@id="sk4peqyrwi"]/div[1] (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at steps.Loginsteps.Click_on_create_and_User_succesfully_created(Loginsteps.java:146) at ?.Click on create and User succesfully created(file:///C:/Users/syedjeelan/Downloads/ACMS/ACMS%20project/src/test/java/features/acms. feature:21) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//*[@id="sk4peqyrwi"]/div[1]"} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'WS137', ip: '10.10.21.240', os.name: Windows 10', os.arch: 'amd64', os.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: CXUsers\SYEDJE=-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:54383}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1f1bccc8f58ab7ab01e430f684df7c40 *** Element info: {Using=xpath, value=//*@id="sk4peqyrwi"]/div[1]}		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:182)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:179)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at steps.Loginsteps.Click_on_create_and_User_succesfully_created(Loginsteps.java:146)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		

DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
	AFTER - steps.Loginsteps.teardown(io.cucumber.java.Scenario)	PASSED	0.445 s
	screenshot name	†	
		†	
	To the total		
	- Mos		

DETAILED SECTION -- 10 --



#	Step / Hook Details	Status	Duration
	BEFORE - steps.Loginsteps.setup()	PASSED	0.790 s
	Driver Initialized		
	Organization page object Initialized		
1	Given I enter URL on the browser	PASSED	5.630 s
2	Then I passed vaild user name and vaild password	PASSED	1.221 s
3	And Click on check box	PASSED	0.043 s
4	And Click On login button	PASSED	2.593 s
5	When User Clicks on Region	PASSED	3.173 s
6	And User have started upadting the Region	PASSED	1.116 s
7	And User have Entered all the updated fields	PASSED	4.227 s
8	Then User click on Update and display Toast Message	PASSED	1.142 s

## **Verify Whether User Should able to create Account**



#	#	Step / Hook Details	Status	Duration
		BEFORE - steps.Loginsteps.setup()	PASSED	0.924 s
		Driver Initialized		
		Organization page object Initialized		

#	Step / Hook Details	Status	Duration
1	Given I enter URL on the browser	PASSED	7.037 s
2	Then I passed vaild user name and vaild password	PASSED	1.241 s
3	And Click on check box	PASSED	0.045 s
4	And Click On login button	PASSED	2.476 s
5	Then Click on create Account and add all mandatory fields	FAILED	2.338 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <svg aria-hidden="true" class="MuiSvglcon-root" focusable="false" style="fill: black;" viewbox="0 0 24 24">\text{/svg&gt;} is not clickable at point (348, 170). Other element would receive the click: <div aria-hidden="true" class="MuiBackdrop-root css-5wkacf" style="opacity">\text{/svg&gt;} is not clickable at point (348, 170). Other element would receive the click: <div aria-hidden="true" class="MuiBackdrop-root css-5wkacf" style="opacity">\text{/svg}\$ is not clickable at point (348, 170). Other element would receive the click: <div aria-hidden="true" class="MuiBackdrop-root css-5wkacf" style="opacity">\text{/svg}\$ is not clickable at point (348, 170). Other element would receive the click: <div aria-hidden="true" class="muiBackdrop-root css-5wkacf" style="opacity">\text{/svg}\$ is not clickable at point (348, 170). Other element would receive the click: <div aria-hidden="true" class="muiBackdrop-root css-5wkacf" style="opacity">\text{/svg}\$ is not clickable at point (348, 170). Other element would receive the click: <di>\text{/svg}\$ is not clickable at point (348, 170). Other element would receive the click: <di>\text{/svg}\$ is not clickable at point (348, 170). Other element would receive the click: <di>\text{/svg}\$ is not clickable at point (348, 170). Other element would receive the click: <di>\text{/svg}\$ is not clickable at point (348, 170). Other element would receive the click: <di>\text{/svg}\$ is not clickable at point (348, 171, 170). Other element would receive the click: <di>\text{/svg}\$ is not clickable at point (348, 171, 170). Other element would receive the click: <di>\text{/svg}\$ is not clickable at point (348, 171, 170). Other element (2018). Other element</di></di></di></di></di></di></di></div></div></div></div></div></svg>		
6	And Added all mandatory fields	SKIPPED	0.000 s
7	And I have Validated Admin Profile	SKIPPED	0.000 s
	AFTER - steps.Loginsteps.teardown(io.cucumber.java.Scenario)	PASSED	0.480 s
	screenshot name		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	0 100 of 1 person profitation and are are 1 ≠ 2 ± 4 ± 0 ± 2 O person come com 1 mm		
	The i i i i i i i i i i i i i i i i i i i		