Cucumber Report

| Start : Jul 24, 3:28:34.813 pm	End : Jul 24, 3:28:54.373 pm	Duration : 19.560 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 11

Features: 1

Scenarios: 1

Steps: 19

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 36 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
acms	19.560 s	1	0	1	0	19	7	1	11

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@acms	1	0	1	0	1	0	1	0
@login	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	acms	1	0	1	0	19.560 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	acms	Verify the user to able to login to the url with valid credentials.	19	7	1	11	19.557 s

acms

FAILED	DURATION - 19.560 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 19 Pass - 7 Fail - 1 Skip - 11	
/ 3:28:34.813 pm // 3:28:54.373 pm /			1		19

Verify the user to able to login to the url with valid credentials.

FAILED	DURATION - 19.557 s		Steps Total - 19 Pass - 7 Fail - 1 Skip - 11	
/ 3:28:34.816 pm // 3:28:54.373 pm /				19
acms				
@acms @login				

#	Step / Hook Details	Status	Duration
	BEFORE - steps.Loginsteps.setup()	PASSED	1.843 s
	Driver Initialized		
	Organization page object Initialized		
1	Given I enter URL on the browser	PASSED	7.612 s
2	Then I passed vaild user name and vaild password	PASSED	2.213 s
3	And Click on check box	PASSED	0.046 s
4	And Click On login button	PASSED	3.045 s
5	Then Enter a date into date to textfield	PASSED	3.022 s
6	And Click on account module	PASSED	0.038 s
7	And Click on under account submodule account button	PASSED	0.269 s
8	And Click on create button	FAILED	1.099 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <svg class="MuiSvgIcon-root" focusable="false" viewBox="0 0 24 24" aria-hidden="true" style="fill: black;">...</svg> is not clickable at point (348, 170). Other element would receive the click: <div aria-hidden="true" class="MuiBackdrop-root css-5wkaci" style="opacity: 1; transition: opacity 225ms cubic-bezier(0.4, 0, 0.2, 1) 0ms;">...</div> (Session info: chrome=115.0.5790.99) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'WS113', ip: '10.10.21.33', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.		

#	Step / Hook Details	Status	Duration

	openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.99, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KANHUC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58316}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab8bfe79f7b50aae13c94dbe76edbfe9
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)
	    at steps.Loginsteps.Click_on_create_button(Loginsteps.java:141)
	    at ?.Click on create button(file:///D:/source%20code/Charan123/src/test/java/features/acms.feature:13)
	* Not displayable characters are replaced by '?'.		

9	And Select region dropdown	SKIPPED	0.001 s
10	And enter company profile name	SKIPPED	0.000 s
11	And select account type dropdown	SKIPPED	0.000 s
12	And enter address in the textfield	SKIPPED	0.000 s
13	And enter state in the textfield	SKIPPED	0.001 s
14	And enter country in the textfield	SKIPPED	0.000 s
15	And enter postcode in the textfield	SKIPPED	0.001 s
16	And enter admin profile name	SKIPPED	0.000 s
17	And enter email	SKIPPED	0.000 s
18	And click on manage account checkbox	SKIPPED	0.001 s
19	And clik on create button	SKIPPED	0.000 s
	AFTER - steps.Loginsteps.teardown(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot name		

#	Step / Hook Details	Status	Duration