Cucumber Report

26-Jul-2023, 3:42:21 pm

| Start : Jul 26, 3:40:09.943 pm	End : Jul 26, 3:42:20.553 pm	Duration : 2 m 10.610 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 2 SKIPPED - 0	PASSED - 22 FAILED - 2 SKIPPED - 2

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
acms	2 m 10.610 s	4	2	2	0	26	22	2	2

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@acms	4	2	2	0	1	0	1	0
@all	4	2	2	0	1	0	1	0
@login	1	1	0	0	1	0	1	0
@Region	1	0	1	0	1	0	1	0
@Update	1	1	0	0	1	0	1	0
@CreateAccount	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	acms	4	2	2	0	2 m 10.610 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	acms	*Verify the user to able to login to the url with valid credentials.*	4	4	0	0	12.092 s
2	acms	*Verify the user to able to login to the url with valid credentials.*	7	6	1	0	1 m 21.241 s
3	acms	*Verify User is successfuly able to update Region*	8	8	0	0	23.828 s
4	acms	*Verify Whether User Should able to create Account*	7	4	1	2	13.418 s

acms

FAILED	DURATION - 2 m 10.610 s		Scenarios		Steps	
/ 3:40:09.943 pm // 3:42:20.553 pm /			Total - 4 Pass - 2 Fail - 2 Skip - 0	4	Total - 26 Pass - 22 Fail - 2 Skip - 2	26

Verify the user to able to login to the url with valid credentials.

PASSED	DURATION - 12.092 s			Steps	
/ 3:40:09.946 pm // 3:40:22.038 pm /				Total - 4 Pass - 4 Fail - 0 Skip - 0	4
acms					
@acms @all @login					

#	Step / Hook Details	Status	Duration
	BEFORE - steps.Loginsteps.setup()	PASSED	1.271 s
	Driver Initialized		
	Organization page object Initialized		
1	Given I enter URL on the browser	PASSED	6.022 s
2	Then I passed vaild user name and vaild password	PASSED	1.250 s
3	And Click on check box	PASSED	0.048 s
4	And Click On login button	PASSED	3.201 s

Verify the user to able to login to the url with valid credentials.

FAILED	DURATION - 1 m 21.241 s

/ 3:40:22.047 pm // 3:41:43.288 pm /

acms

@acms @all @Region

Steps
Total - 7
Pass - 6
Fail - 1
Skip - 0

7

| #	Step / Hook Details	Status	Duration
	BEFORE - steps.Loginsteps.setup() Driver Initialized Organization page object Initialized	PASSED	0.735 s
1	Given I enter URL on the browser	PASSED	6.109 s
2	Then I passed vaild user name and vaild password	PASSED	1.229 s
3	And Click on check box	PASSED	0.044 s
4	And Click On login button	PASSED	2.611 s
5	When User Clicks on Region	PASSED	3.181 s
6	And Add the details on it	PASSED	3.603 s
7	Then Click on create and User succesfully created	FAILED	1 m 3.215 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //*[@id="sk4peqyrwi"]/div[1] (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at steps.Loginsteps.Click_on_create_and_User_succesfully_created(Loginsteps.java:146) at ?.Click on create and User succesfully created(file:///C:/Users/syedjeelan/Downloads/ACMS/ACMS%20project/src/test/java/features/acms. feature:18) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="sk4peqyrwi"]/div[1]"} (Session info: chrome=114.0.5735.248) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'WS137', ip: '10.10.21.240', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\SYEDJE~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56456}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 49068c4c8733c2c83b552f4fd081a631 *** Element info: {Using=xpath, value=//*[@id="sk4peqyrwi"]/div[1]}		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:182)		
	at org.openqa.selenium.support.ui.ExpectedConditions$6.apply(ExpectedConditions.java:179)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at steps.Loginsteps.Click_on_create_and_User_succesfully_created(Loginsteps.java:146)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
	AFTER - steps.Loginsteps.teardown(io.cucumber.java.Scenario)	PASSED	0.508 s
	screenshot name		

Verify User is successfuly able to update Region

PASSED	DURATION - 23.828 s
/ 3:41:43.301 pm // 3:42:07.129 pm /	
acms	
@acms @all @Update	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - steps.Loginsteps.setup() Driver Initialized Organization page object Initialized	PASSED	0.931 s
1	Given I enter URL on the browser	PASSED	7.007 s
2	Then I passed vaild user name and vaild password	PASSED	1.240 s
3	And Click on check box	PASSED	0.043 s
4	And Click On login button	PASSED	2.555 s
5	When User Clicks on Region	PASSED	3.170 s
6	And User have started upadting the Region	PASSED	1.117 s
7	And User have Entered all the updated fields	PASSED	4.236 s
8	Then User click on Update and display Toast Message	PASSED	3.523 s

Verify Whether User Should able to create Account

FAILED	DURATION - 13.418 s
/ 3:42:07.135 pm // 3:42:20.553 pm /	
acms	
@acms @CreateAccount @all	

Steps
Total - 7
Pass - 4
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
	BEFORE - steps.Loginsteps.setup() Driver Initialized Organization page object Initialized	PASSED	0.779 s

#	Step / Hook Details	Status	Duration
1	Given I enter URL on the browser	PASSED	6.035 s
2	Then I passed vaild user name and vaild password	PASSED	1.254 s
3	And Click on check box	PASSED	0.045 s
4	And Click On login button	PASSED	2.532 s
5	Then Click on create Account and add all mandatory fields	FAILED	2.264 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <svg class="MuiSvgIcon-root" focusable="false" viewBox="0 0 24 24" aria-hidden="true" style="fill: black;">...</svg> is not clickable at point (348, 170). Other element would receive the click: <div aria-hidden="true" class="MuiBackdrop-root css-5wkaci" style="opacity: 1; transition: opacity 225ms cubic-bezier(0.4, 0, 0.2, 1) 0ms;">...</div> (Session info: chrome=114.0.5735.248) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'WS137', ip: '10.10.21.240', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.248, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\SYEDJE~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56655}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 90993f4e94ea85383ed630d598f3cb34
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)
	    at steps.Loginsteps.Click_on_create_Account_and_add_all_mandatory_fields(Loginsteps.java:188)
	    at ?.Click on create Account and add all mandatory fields(file:///C:/Users/syedjeelan/Downloads/ACMS/ACMS%20project/src/test/java/features/acms.feature:37)
	* Not displayable characters are replaced by '?'.		

6	And Added all mandatory fields	SKIPPED	0.001 s
7	And I have Validated Admin Profile	SKIPPED	0.000 s
	AFTER - steps.Loginsteps.teardown(io.cucumber.java.Scenario)	PASSED	0.505 s
	screenshot name		

#	Step / Hook Details	Status	Duration