

Cucumber Report

24-Jul-2023, 3:23:24 pm

Start : Jul 24, 3:23:07.833 pm

End : Jul 24, 3:23:24.045 pm

Duration : 16.212 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 11



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>acms</u>	16.212 s	1	0	1	0	19	7	1	11

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@acms	1	0	1	0	1	0	1	0
@login	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>acms</u>	1	0	1	0	16.212 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>acms</u>	<u>Verify the user to able to login to the url with valid credentials.</u>	19	7	1	11	16.209 s

acms

<div>FAILED</div>	<div>DURATION - 16.212 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 19</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div>
<div>/ 3:23:07.833 pm // 3:23:24.045 pm /</div>					

Verify the user to able to login to the url with valid credentials.

<div>FAILED</div> <div>DURATION - 16.209 s</div>		<div></div>	<div>Steps</div> <div>Total - 19</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div>
<div>/ 3:23:07.836 pm // 3:23:24.045 pm /</div>				
<div>acms</div>				
<div>@acms @login</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - steps.Loginsteps.setup() Driver Initialized Organization page object Initialized	PASSED	2.097 s
1	Given I enter URL on the browser	PASSED	5.097 s
2	Then I passed vaild user name and vaild password	PASSED	2.214 s
3	And Click on check box	PASSED	0.044 s
4	And Click On login button	PASSED	3.043 s
5	Then Enter a date into date to textfield	PASSED	3.022 s
6	And Click on account module	PASSED	0.039 s
7	And Click on under account submodule account button	PASSED	0.265 s
8	And Click on create button org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression (//body//div[@id='root']//div[@class='MuiGrid-root css-rfnosa']//div[@class='MuiGrid-root css-rfnosa']//div[2]//button[1] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '(//body//div[@id='root']//div[@class='MuiGrid-root css-rfnosa']//div[@class='MuiGrid-root css-rfnosa']//div[2]//button[1]' is not a valid XPath expression. (Session info: chrome=115.0.5790.99) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/invalid_selector_exception.html Build info: version: '3.141.59',	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre> revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'WS113', ip: '10.10.21.33', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.99, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\KANHUC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57908}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8e652720fcb68a60e1adeb74df88faae *** Element info: {Using=xpath, value=("//body//div[@id='root']//div[@class='MuiGrid-root css-rfnosa']//div[@class='MuiGrid-root css-rfnosa']//div[2]//button[1]) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at steps.Loginsteps.Click_on_create_button(Loginsteps.java:141) at ?.Click on create button(file:///D:/source%20code/Charan123/src/test/java/features/acms.feature:13) * Not displayable characters are replaced by '?'. </pre>		
9	And Select region dropdown	SKIPPED	0.001 s
10	And enter company profile name	SKIPPED	0.000 s
11	And select account type dropdown	SKIPPED	0.000 s
12	And enter address in the textfield	SKIPPED	0.001 s
13	And enter state in the textfield	SKIPPED	0.000 s
14	And enter country in the textfield	SKIPPED	0.000 s
15	And enter postcode in the textfield	SKIPPED	0.001 s
16	And enter admin profile name	SKIPPED	0.000 s
17	And enter email	SKIPPED	0.000 s
18	And click on manage account checkbox	SKIPPED	0.000 s
19	And klik on create button	SKIPPED	0.001 s
	AFTER - steps.Loginsteps.teardown(io.cucumber.java.Scenario)	PASSED	0.338 s

#	Step / Hook Details	Status	Duration
	screenshot name		
			