

PHASE 6 – onCellEdit CLIENT SCRIPT

1. Client Script Name

Prevent State Change via List Edit

2. Objective

The objective of this Client Script is to prevent users from changing the **State** field directly through list editing.

Users must open the Incident form to make changes to the State field. This helps maintain controlled Incident updates and prevents unintended list-based modifications.

3. Client Script Configuration

Configuration	Value
Client Script Name	Prevent State Change via List Edit
Table	Incident
Type	onCellEdit
Field Name	State
Active	True

4. Script

```
function onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
    alert(  

```

```
        'State cannot be updated using list editing. Please open the  
Incident.'  
    );  
  
    callback(false);  
}
```

5. Script Explanation

The onCellEdit Client Script is triggered when a user attempts to modify the **State** field directly from an Incident list.

The script performs the following actions:

1. Displays an alert message to the user.
2. Informs the user that State cannot be changed using list editing.
3. Uses `callback(false)` to prevent the list-based update.
4. Requires the user to open the Incident form to change the State.

6. Expected Result

When a user tries to change the **State** field directly from an Incident list:

- An alert message is displayed.
- The State update is blocked.
- The Incident is not updated through list editing.
- The user must open the Incident form to change the State.

Alert Message

"State cannot be updated using list editing. Please open the Incident."

7. Test Scenario

Test Case	Action	Expected Result
TC01	Open Incident → All	Incident list is displayed
TC02	Edit State directly from the list	Alert message is displayed
TC03	Attempt to save the list edit	Update is blocked
TC04	Open Incident form a	