## **Data Structure ESE**

Name: Sanket Shivaji Jadhav.

Prn: 2020BTECS00005

1. Program based on Structure and Pointer.

Code:

```
#include<stdio.h>
struct book{
   int No pages;
   char name[20];
   char author name[20];
   float price;
   float purchase;
};
void display(struct book *b){
   printf("\n***** The book Information *****\n");
   printf("_____");
printf("\nName : %s",b->name);
   printf("\nAuthor Name : %s",b->author_name);
   printf("\nPrice : %2.f",b->price);
   printf("\nNo of Pages : %d",b->No pages);
   printf("\nThe No.of Purchase of books : %2.f",b-
>purchase);
   printf("\n_____\n");
}
int main(){
```

```
struct book *b1,*b2;
    scanf("%s",&b1->name);
    scanf("%s",&b1->author_name);
    scanf("%f",&b1->price);
    scanf("%d",&b1->No_pages);
    scanf("%f",&b1->purchase);
    display(b1);
    scanf("%s",&b2->name);
    scanf("%s",&b2->author_name);
scanf("%f",&b2->price);
    scanf("%d",&b2->No pages);
    scanf("%f",&b2->purchase);
    display(b2);
}
INPUT:
  1)My_Journey
    Dr.A.P.J.Abdul Kalam
    200
    450
    234
  2)Output
    Mr.Bean
    345
    23
    567
```

## **OUTPUT:**

```
OUTPUT
       DEBUG CONSOLE TERMINAL
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
PS C:\Users\sai\Desktop\dsa> cd "c:\Users\sai\Desktop\dsa\" ; if ($?) {
My_Journey
Dr.A.P.J.Abdul_Kalam
200
450
23
***** The book Information *****
Name : My_Journey
Author Name : Dr.A.P.J.Abdul_Kalam
Price : 200
No of Pages : 450
The No.of Purchase of books : 23
```