```python
In [1]: # print is use for answer
```

```python
In [2]: a=10
        b=20
        a
        b
```

Out[2]: 20

```python
In [3]: a=10
        b=20
        print(a)
        print(b)
```

```
10
20
```

```python
In [4]: print(10)
        print(10,20)
        print('python')
        print(10,20,'python')
```

```
10
10 20
python
10 20 python
```

```python
In [5]: num1=20
        num2=30
        add=num1+num2
        print(add)
```

```
50
```

print result with string

```python
In [6]: num1=20
        num2=30
```

```
add=num1+num2
print('The addition of',num1,'and',num2,'is=',add)
```

The addition of 20 and 30 is= 50

In [7]:
```
name='Sanket'
age=21
city='Bhusawal'
```

In [8]:
```
print('My name is',name,'and i am',age,'years old form',city)
```

My name is Sanket and i am 21 years old form Bhusawal

In [9]:
```
num1=20
num2=30
add=num1+num2
print('The addition of {} and {} is= {}'.format(num1,num2,add))
```

The addition of 20 and 30 is= 50

In [10]:
```
name='Sanket'
age=21
city='Bhusawal'
print('hello my name is {}, and i am {} years old from {}'.format(name,age,city))
```

hello my name is Sanket, and i am 21 years old from Bhusawal

In [11]:
```
num1=100
num2=25
num3=333
avg=(num1+num2+num3)/3 # or we can use avg=round(num1+num2+num3)/3,2)
avg1=round((num1+num2+num3)/3,2)
# The avrage of num1,num2,num3 is = avg
print('The avrage of {}, {}, and {} is= {} or {}'.format(num1,num2,num3,
avg,avg1)) # here we can use round(avg,2) also
```

The avrage of 100, 25, and 333 is= 152.66666666666666 or 152.67

In [14]:
```
round(avg,2) # round of till 2 digite after decimal
```

Out[14]:   152.67

```python
In [15]: num1=20
         num2=30
         add=num1+num2
         print(f'The addition of {num1} and {num2} is= {add}') # alwase prefer this
```

The addition of 20 and 30 is= 50

```python
In [16]: name='Sanket'
         age=21
         city='Bhusawal'
         print(f'My name is {name}, and I am {age} years old, from {city}.')
```

My name is Sanket, and I am 21 years old, from Bhusawal.

```python
In [17]: num1=100
         num2=25
         num3=333
         avg=round((num1+num2+num3)/3,2) # or we can use avg=round(num1+num2+num3)/3,2)
         # The avrage of num1,num2,num3 is = avg
         print(f'The avrage of {num1}, {num2} and {num3} is = {avg}')
```

The avrage of 100, 25 and 333 is = 152.67

```python
In [18]: # let combine all
         num1=10
         num2=20
         add = num1+ num2
         print('The addition of',num1,'and',num2,'is=',add)
         print('The addition of {} and {} is= {}'.format(num1,num2,add))
         print(f'The addition of {num1} and {num2} is= {add}')
```

The addition of 10 and 20 is= 30
The addition of 10 and 20 is= 30
The addition of 10 and 20 is= 30

end statement

```python
In [20]: print('hello') # 1st statement
         print('good morning') # 2nd statement)
         # i want print like:- hello good morning
```

```
hello
good morning
```

In [21]:
```python
print('hello', end=' ') # 1st statement
print('good morning') # 2nd statement
```

```
hello good morning
```

seprator

In [22]:
```python
print('hello','hai','how are you',sep='--->')
```

```
hello--->hai--->how are you
```

In [23]:
```python
print('hello','hai','how are you',sep='&')
```

```
hello&hai&how are you
```

In [24]:
```python
print('hello','hai','how are you',sep='@')
```

```
hello@hai@how are you
```

In [25]:
```python
print('hello','hai','how are you',sep=' ')
```

```
hello hai how are you
```

In [26]:
```python
print(3,'.')
```

```
3 .
```

In [27]:
```python
print(3,'.',sep='') # see now space setteld(also use to remove space B/W words)
```

```
3.
```

In [29]:
```python
print(1,2,end=' ')
print(3,'.',sep='')
# will print 1 2 3.
```

```
1 2 3.
```

In [ ]: