## Resnet50 Model


## Action Classes - 15

```
In [1]: from keras import models
   from keras.layers import Dense,Flatten
   from keras import backend as K
   import numpy as np
   import matplotlib.pyplot as plt
   from keras.applications import resnet
```

In [2]: import tensorflow as tf
 print("Num GPUs Available: ", len(tf.config.list\_physical\_devices('GPU'))

Num GPUs Available: 1

2022-08-31 16:27:04.894499: I tensorflow/stream\_executor/cuda/cuda\_gpu\_ex ecutor.cc:975] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero 2022-08-31 16:27:04.928802: I tensorflow/stream\_executor/cuda/cuda\_gpu\_ex ecutor.cc:975] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero 2022-08-31 16:27:04.929106: I tensorflow/stream\_executor/cuda/cuda\_gpu\_ex ecutor.cc:975] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero



## **Dataset**

```
In [3]: from keras.preprocessing.image import ImageDataGenerator

dataset_path = "./frames/"
    # will contain the categories in respective folders

# Data generators
    # train_datagen = ImageDataGenerator(rescale=1/255, validation_split=0.2)
    train_datagen = ImageDataGenerator(dtype = 'float32', preprocessing_funct)
```

```
In [4]:
        image size = (224,224)
        batch size = 10
         train batches = train datagen.flow from directory(
             dataset path,
             target size = image size,
            batch_size = batch_size,
             class mode = "categorical",
             subset = "training"
         )
        validation batches = train datagen.flow from directory(
             dataset path,
             target size = image size,
             batch size = batch size,
             class mode = "categorical",
             subset = "validation"
         test batches = train datagen.flow from directory(
             dataset path,
             target_size = image_size,
             batch size = batch size,
             class mode = "categorical",
             subset = "validation"
        Found 3767 images belonging to 15 classes.
        Found 934 images belonging to 15 classes.
        Found 934 images belonging to 15 classes.
In [5]: train batches.class indices
Out[5]: {'ApplyLipstick': 0,
          'Archery': 1,
         'BabyCrawling': 2,
          'Biking': 3,
         'Diving': 4,
          'Fencing': 5,
          'Kayaking': 6,
          'MilitaryParade': 7,
          'PizzaTossing': 8,
          'ShavingBeard': 9,
          'SkateBoarding': 10,
          'SumoWrestling': 11,
          'TennisSwing': 12,
          'Typing': 13,
          'WritingOnBoard': 14}
In [6]:
        from matplotlib import pyplot as plt
         def plot images(images arr):
             fig, axes = plt.subplots(1,10)
             axes = axes.flatten()
             for img, ax in zip(images_arr, axes):
                 ax.imshow(img)
                 ax.axis('off')
             plt.tight_layout()
             plt.show()
```

```
In [7]: imgs, labels = train batches[0]
       plot images(imgs)
       print(labels[:10])
       Clipping input data to the valid range for imshow with RGB data ([0..1] f
       or floats or [0..255] for integers).
       Clipping input data to the valid range for imshow with RGB data ([0..1] f
       or floats or [0..255] for integers).
       Clipping input data to the valid range for imshow with RGB data ([0..1] f
       or floats or [0..255] for integers).
       Clipping input data to the valid range for imshow with RGB data ([0..1] f
       or floats or [0..255] for integers).
       Clipping input data to the valid range for imshow with RGB data ([0..1] f
       or floats or [0..255] for integers).
       Clipping input data to the valid range for imshow with RGB data ([0..1] f
       or floats or [0..255] for integers).
       Clipping input data to the valid range for imshow with RGB data ([0..1] f
       or floats or [0..255] for integers).
       Clipping input data to the valid range for imshow with RGB data ([0..1] f
       or floats or [0..255] for integers).
       Clipping input data to the valid range for imshow with RGB data ([0..1] f
       or floats or [0..255] for integers).
       Clipping input data to the valid range for imshow with RGB data ([0..1] f
       or floats or [0..255] for integers).
       [[0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0.]
        [0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0. 0. 0.]
        [0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 1. 0.]
        [0.\ 0.\ 0.\ 0.\ 0.\ 0.\ 0.\ 0.\ 1.\ 0.\ 0.\ 0.\ 0.\ 0.]
        [0. 0. 0. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.]
In [8]: resnet50modeltop = resnet.ResNet50(include top=True,
                        input shape=(224,224,3),
                        pooling='avg',
```

2022-08-31 16:27:06.086318: I tensorflow/core/platform/cpu\_feature\_guard. cc:193] This TensorFlow binary is optimized with oneAPI Deep Neural Netwo rk Library (oneDNN) to use the following CPU instructions in performance-critical operations: AVX2 FMA

To enable them in other operations, rebuild TensorFlow with the appropria te compiler flags.

2022-08-31 16:27:06.086962: I tensorflow/stream executor/cuda/cuda gpu ex ecutor.cc:975] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero 2022-08-31 16:27:06.087261: I tensorflow/stream executor/cuda/cuda gpu ex ecutor.cc:975] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero 2022-08-31 16:27:06.087578: I tensorflow/stream executor/cuda/cuda gpu ex ecutor.cc:975] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero 2022-08-31 16:27:06.551973: I tensorflow/stream executor/cuda/cuda gpu ex ecutor.cc:975] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero 2022-08-31 16:27:06.552183: I tensorflow/stream\_executor/cuda/cuda\_gpu\_ex ecutor.cc:975] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero 2022-08-31 16:27:06.552299: I tensorflow/stream executor/cuda/cuda gpu ex ecutor.cc:975] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero 2022-08-31 16:27:06.552432: I tensorflow/core/common runtime/gpu/gpu devi ce.cc:1532] Created device /job:localhost/replica:0/task:0/device:GPU:0 w ith 3368 MB memory: -> device: 0, name: NVIDIA GeForce GTX 1050 Ti, pci bus id: 0000:01:00.0, compute capability: 6.1

```
'input 1', [(None, 224, 224, 3)])
    'conv1_pad', (None, 230, 230, 3))
    'conv1_conv', (None, 112, 112, 64))
    'conv1_bn', (None, 112, 112, 64))
    'conv1_relu', (None, 112, 112, 64))
(5,
    'pool1 pad', (None, 114, 114, 64))
    'pool1_pool', (None, 56, 56, 64))
(6,
    'conv2 block1_1_conv', (None, 56, 56, 64))
    'conv2_block1_1_bn', (None, 56, 56, 64))
    'conv2_block1_1_relu', (None, 56, 56, 64))
(9,
(10, 'conv2 block1 2 conv', (None, 56, 56, 64))
     'conv2 block1 2 bn', (None, 56, 56, 64))
     'conv2_block1_2_relu', (None, 56, 56, 64))
(12,
     'conv2_block1_0_conv', (None, 56, 56, 256))
'conv2_block1_3_conv', (None, 56, 56, 256))
(13,
(15,
     'conv2_block1_0_bn', (None, 56, 56, 256))
     'conv2_block1_3_bn', (None, 56, 56, 256))
     'conv2_block1_add', (None, 56, 56, 256))
     'conv2 block1 out', (None, 56, 56, 256))
     'conv2 block2 1 conv', (None, 56, 56, 64))
(19,
     'conv2_block2_1_bn', (None, 56, 56, 64))
(20,
     'conv2_block2_1_relu', (None, 56, 56, 64))
(21,
(22,
     'conv2 block2 2 conv', (None, 56, 56, 64))
     'conv2 block2 2 bn', (None, 56, 56, 64))
     'conv2_block2_2_relu', (None, 56, 56, 64))
'conv2_block2_3_conv', (None, 56, 56, 256))
(24,
(25,
     'conv2_block2_3_bn', (None, 56, 56, 256))
(26,
     'conv2_block2_add', (None, 56, 56, 256))
(27,
     'conv2 block2 out', (None, 56, 56, 256))
(28,
     'conv2 block3 1 conv', (None, 56, 56, 64))
(29,
(30,
     'conv2 block3 1 bn', (None, 56, 56, 64))
     'conv2_block3_1_relu', (None, 56, 56, 64))
(31,
     'conv2_block3_2_conv', (None, 56, 56, 64))
(32,
     'conv2_block3_2_bn', (None, 56, 56, 64))
(33,
(34,
     'conv2_block3_2_relu', (None, 56, 56, 64))
     'conv2 block3 3 conv', (None, 56, 56, 256))
(35,
     'conv2_block3_3_bn', (None, 56, 56, 256))
(36,
     'conv2_block3_add', (None, 56, 56, 256))
(37,
     'conv2_block3_out', (None, 56, 56, 256))
     'conv3_block1_1_conv', (None, 28, 28, 128))
(39,
     'conv3 block1 1 bn', (None, 28, 28, 128))
(40,
     'conv3 block1 1 relu', (None, 28, 28, 128))
(41,
     'conv3 block1 2 conv', (None, 28, 28, 128))
(42,
     'conv3_block1_2_bn', (None, 28, 28, 128))
(43,
     'conv3_block1_2_relu', (None, 28, 28, 128))
(44.
(45,
     'conv3_block1_0_conv', (None, 28, 28, 512))
     'conv3 block1 3 conv', (None, 28, 28, 512))
(47,
     'conv3_block1_0_bn', (None, 28, 28, 512))
     'conv3_block1_3_bn', (None, 28, 28, 512))
(48,
     'conv3_block1_add', (None, 28, 28, 512))
     'conv3_block1_out', (None, 28, 28, 512))
(50,
     'conv3 block2 1 conv', (None, 28, 28, 128))
(51,
     'conv3 block2 1 bn', (None, 28, 28, 128))
(52,
     'conv3 block2 1 relu', (None, 28, 28, 128))
(53,
     'conv3_block2_2_conv', (None, 28, 28, 128))
(54,
     'conv3_block2_2_bn', (None, 28, 28, 128))
(55,
     'conv3_block2_2_relu', (None, 28, 28, 128))
(56,
     'conv3 block2 3 conv', (None, 28, 28, 512))
     'conv3 block2 3 bn', (None, 28, 28, 512))
(59, 'conv3_block2_add', (None, 28, 28, 512))
(60, 'conv3 block2 out', (None, 28, 28, 512))
     'conv3_block3_1_conv', (None, 28, 28, 128))
(62, 'conv3 block3 1 bn', (None, 28, 28, 128))
```

```
'conv3_block3_1_relu', (None, 28, 28, 128))
     'conv3_block3_2_conv', (None, 28, 28, 128))
     'conv3_block3_2_bn', (None, 28, 28, 128))
     'conv3_block3_2_relu', (None, 28, 28, 128))
     'conv3_block3_3_conv', (None, 28, 28, 512))
(67,
     'conv3_block3_3_bn', (None, 28, 28, 512))
     'conv3_block3_add', (None, 28, 28, 512))
(69,
     'conv3 block3 out', (None, 28, 28, 512))
(70,
     'conv3_block4_1_conv', (None, 28, 28, 128))
(71,
     'conv3_block4_1_bn', (None, 28, 28, 128))
(72,
(73,
     'conv3_block4_1_relu', (None, 28, 28, 128))
     'conv3 block4 2 conv', (None, 28, 28, 128))
     'conv3 block4 2 bn', (None, 28, 28, 128))
(75,
     'conv3_block4_2_relu', (None, 28, 28, 128))
'conv3_block4_3_conv', (None, 28, 28, 512))
(76,
     'conv3_block4_3_bn', (None, 28, 28, 512))
(78,
     'conv3_block4_add', (None, 28, 28, 512))
(79,
     'conv3 block4 out', (None, 28, 28, 512))
(80,
(81,
     'conv4 block1 1 conv', (None, 14, 14, 256))
     'conv4 block1 1 bn', (None, 14, 14, 256))
(82,
     'conv4_block1_1_relu', (None, 14, 14, 256))
(83,
     'conv4_block1_2_conv', (None, 14, 14, 256))
(84,
(85,
     'conv4 block1 2 bn', (None, 14, 14, 256))
     'conv4 block1 2 relu', (None, 14, 14, 256))
     'conv4_block1_0_conv', (None, 14, 14, 1024))
'conv4_block1_3_conv', (None, 14, 14, 1024))
'conv4_block1_0_bn', (None, 14, 14, 1024))
(87,
(88,
(90,
     'conv4_block1_3_bn', (None, 14, 14, 1024))
     'conv4_block1_add', (None, 14, 14, 1024))
(91,
     'conv4 block1 out', (None, 14, 14, 1024))
(92,
(93,
     'conv4 block2 1 conv', (None, 14, 14, 256))
     'conv4_block2_1_bn', (None, 14, 14, 256))
(94,
     'conv4_block2_1_relu', (None, 14, 14, 256))
(95,
     'conv4_block2_2_conv', (None, 14, 14, 256))
(96,
(97, 'conv4 block2 2 bn', (None, 14, 14, 256))
(98, 'conv4_block2_2_relu', (None, 14, 14, 256))
(99, 'conv4_block2_3_conv', (None, 14, 14, 1024)) (100, 'conv4_block2_3_bn', (None, 14, 14, 1024))
(101, 'conv4_block2_add', (None, 14, 14, 1024))
(102, 'conv4_block2_out', (None, 14, 14, 1024))
(103, 'conv4 block3 1 conv', (None, 14, 14, 256))
(104, 'conv4 block3 1 bn', (None, 14, 14, 256))
(105, 'conv4 block3 1 relu', (None, 14, 14, 256))
      'conv4_block3_2_conv', (None, 14, 14, 256))
      'conv4_block3_2_bn', (None, 14, 14, 256))
(107,
(108, 'conv4_block3_2_relu', (None, 14, 14, 256))
(109, 'conv4 block3 3 conv', (None, 14, 14, 1024))
(110, 'conv4_block3_3_bn', (None, 14, 14, 1024))
(111, 'conv4_block3_add', (None, 14, 14, 1024))
(112, 'conv4_block3_out', (None, 14, 14, 1024))
(113, 'conv4 block4 1 conv', (None, 14, 14, 256))
(114, 'conv4 block4 1 bn', (None, 14, 14, 256))
(115, 'conv4_block4_1_relu', (None, 14, 14, 256))
(116, 'conv4 block4 2 conv', (None, 14, 14, 256))
(117, 'conv4 block4 2 bn', (None, 14, 14, 256))
      'conv4_block4_2_relu', (None, 14, 14, 256))
     'conv4_block4_3_conv', (None, 14, 14, 1024))
(119,
(120, 'conv4_block4_3_bn', (None, 14, 14, 1024))
(121, 'conv4_block4_add', (None, 14, 14, 1024))
(122, 'conv4 block4 out', (None, 14, 14, 1024))
(123, 'conv4_block5_1_conv', (None, 14, 14, 256))
(124, 'conv4_block5_1_bn', (None, 14, 14, 256))
(125, 'conv4 block5 1 relu', (None, 14, 14, 256))
```

```
(128, 'conv4_block5_2_relu', (None, 14, 14, 256))
(129, 'conv4_block5_3_conv', (None, 14, 14, 1024))
         (130, 'conv4_block5_3_bn', (None, 14, 14, 1024))
         (131, 'conv4_block5_add', (None, 14, 14, 1024))
         (132, 'conv4 block5 out', (None, 14, 14, 1024))
         (133, 'conv4_block6_1_conv', (None, 14, 14, 256))
         (134, 'conv4_block6_1_bn', (None, 14, 14, 256))
               'conv4_block6_1_relu', (None, 14, 14, 256))
         (135.
         (136, 'conv4 block6 2 conv', (None, 14, 14, 256))
         (137, 'conv4 block6 2 bn', (None, 14, 14, 256))
         (138, 'conv4_block6_2_relu', (None, 14, 14, 256))
         (139, 'conv4_block6_3_conv', (None, 14, 14, 1024))
(140, 'conv4_block6_3_bn', (None, 14, 14, 1024))
         (141, 'conv4_block6_add', (None, 14, 14, 1024))
         (142, 'conv4 block6 out', (None, 14, 14, 1024))
         (143, 'conv5 block1 1 conv', (None, 7, 7, 512))
         (144, 'conv5 block1 1 bn', (None, 7, 7, 512))
         (145, 'conv5_block1_1_relu', (None, 7, 7, 512))
(146, 'conv5_block1_2_conv', (None, 7, 7, 512))
         (147, 'conv5_block1_2_bn', (None, 7, 7, 512))
         (148, 'conv5 block1_2_relu', (None, 7, 7, 512))
         (149, 'conv5_block1_0_conv', (None, 7, 7, 2048))
         (150, 'conv5 block1 3 conv', (None, 7, 7, 2048))
         (151, 'conv5_block1_0_bn', (None, 7, 7, 2048))
         (152, 'conv5_block1_3_bn', (None, 7, 7, 2048))
         (153, 'conv5_block1_add', (None, 7, 7, 2048))
         (154, 'conv5 block1 out', (None, 7, 7, 2048))
         (155, 'conv5 block2 1 conv', (None, 7, 7, 512))
         (156, 'conv5 block2_1_bn', (None, 7, 7, 512))
         (157, 'conv5_block2_1_relu', (None, 7, 7, 512))
         (158, 'conv5_block2_2_conv', (None, 7, 7, 512))
         (159, 'conv5_block2_2_bn', (None, 7, 7, 512))
         (160, 'conv5_block2_2_relu', (None, 7, 7, 512))
         (161, 'conv5 block2 3 conv', (None, 7, 7, 2048))
         (162, 'conv5_block2_3_bn', (None, 7, 7, 2048))
         (163, 'conv5_block2_add', (None, 7, 7, 2048))
         (164, 'conv5_block2_out', (None, 7, 7, 2048))
         (165, 'conv5_block3_1_conv', (None, 7, 7, 512))
         (166, 'conv5 block3 1 bn', (None, 7, 7, 512))
         (167, 'conv5_block3_1_relu', (None, 7, 7, 512))
         (168, 'conv5 block3 2 conv', (None, 7, 7, 512))
         (169, 'conv5_block3_2_bn', (None, 7, 7, 512))
         (170, 'conv5_block3_2_relu', (None, 7, 7, 512))
         (171, 'conv5 block3 3 conv', (None, 7, 7, 2048))
         (172, 'conv5_block3_3_bn', (None, 7, 7, 2048))
         (173, 'conv5_block3_add', (None, 7, 7, 2048))
         (174, 'conv5_block3_out', (None, 7, 7, 2048))
(175, 'avg_pool', (None, 2048))
         (176, 'predictions', (None, 1000))
In [9]: resnet50model = resnet.ResNet50(include top=False,
                              input shape=(224,224,3),
                              pooling='avg',classes=15,
                              weights='imagenet')
         for (i,layer) in enumerate(resnet50model.layers):
             layer.trainable = False
             print((i, layer.name, layer.output shape, layer.trainable))
```

(126, 'conv4\_block5\_2\_conv', (None, 14, 14, 256)) (127, 'conv4 block5 2 bn', (None, 14, 14, 256))

```
'input 2', [(None, 224, 224, 3)], False)
    'conv1_pad', (None, 230, 230, 3), False)
    'conv1_conv', (None, 112, 112, 64), False)
    'conv1_bn', (None, 112, 112, 64), False)
    'conv1_relu', (None, 112, 112, 64), False)
    'pool1 pad', (None, 114, 114, 64), False)
(5,
    'pool1 pool', (None, 56, 56, 64), False)
(6,
    'conv2 block1_1_conv', (None, 56, 56, 64), False)
    'conv2_block1_1_bn', (None, 56, 56, 64), False)
    'conv2_block1_1_relu', (None, 56, 56, 64), False)
(9,
(10, 'conv2 block1 2 conv', (None, 56, 56, 64), False)
     'conv2 block1 2 bn', (None, 56, 56, 64), False)
     'conv2_block1_2_relu', (None, 56, 56, 64), False)
(12,
     'conv2_block1_0_conv', (None, 56, 56, 256), False)
'conv2_block1_3_conv', (None, 56, 56, 256), False)
(13,
(15,
     'conv2_block1_0_bn', (None, 56, 56, 256), False)
     'conv2_block1_3_bn', (None, 56, 56, 256), False)
     'conv2_block1_add', (None, 56, 56, 256), False)
     'conv2 block1 out', (None, 56, 56, 256), False)
(18,
     'conv2 block2 1 conv', (None, 56, 56, 64), False)
(19,
     'conv2_block2_1_bn', (None, 56, 56, 64), False)
(20,
     'conv2_block2_1_relu', (None, 56, 56, 64), False)
(21,
(22,
     'conv2 block2 2 conv', (None, 56, 56, 64), False)
     'conv2 block2 2 bn', (None, 56, 56, 64), False)
     'conv2_block2_2_relu', (None, 56, 56, 64), False)
'conv2_block2_3_conv', (None, 56, 56, 256), False)
(24,
(25,
     'conv2_block2_3_bn', (None, 56, 56, 256), False)
(26,
     'conv2_block2_add', (None, 56, 56, 256), False)
(27,
     'conv2 block2 out', (None, 56, 56, 256), False)
(28,
     'conv2 block3 1 conv', (None, 56, 56, 64), False)
(29,
(30,
     'conv2 block3 1 bn', (None, 56, 56, 64), False)
     'conv2_block3_1_relu', (None, 56, 56, 64), False)
(31,
     'conv2_block3_2_conv', (None, 56, 56, 64), False)
(32,
     'conv2 block3 2 bn', (None, 56, 56, 64), False)
(33,
(34,
     'conv2_block3_2_relu', (None, 56, 56, 64), False)
     'conv2 block3 3 conv', (None, 56, 56, 256), False)
(35,
     'conv2_block3_3_bn', (None, 56, 56, 256), False)
(36,
     'conv2_block3_add', (None, 56, 56, 256), False)
(37,
(38,
     'conv2_block3_out', (None, 56, 56, 256), False)
     'conv3_block1_1_conv', (None, 28, 28, 128), False)
(39,
     'conv3 block1 1 bn', (None, 28, 28, 128), False)
(40,
     'conv3 block1 1 relu', (None, 28, 28, 128), False)
(41,
     'conv3 block1 2 conv', (None, 28, 28, 128), False)
(42,
     'conv3_block1_2_bn', (None, 28, 28, 128), False)
(43,
     'conv3_block1_2_relu', (None, 28, 28, 128), False)
(44.
(45,
     'conv3_block1_0_conv', (None, 28, 28, 512), False)
(46,
     'conv3 block1 3 conv', (None, 28, 28, 512), False)
(47,
     'conv3_block1_0_bn', (None, 28, 28, 512), False)
     'conv3_block1_3_bn', (None, 28, 28, 512), False)
(48,
     'conv3_block1_add', (None, 28, 28, 512), False)
     'conv3 block1 out', (None, 28, 28, 512), False)
(50,
     'conv3 block2 1 conv', (None, 28, 28, 128), False)
(51,
(52,
     'conv3 block2 1 bn', (None, 28, 28, 128), False)
     'conv3 block2 1 relu', (None, 28, 28, 128), False)
(53,
     'conv3_block2_2_conv', (None, 28, 28, 128), False)
(54,
     'conv3_block2_2_bn', (None, 28, 28, 128), False)
(55,
     'conv3_block2_2_relu', (None, 28, 28, 128), False)
(56,
     'conv3 block2 3 conv', (None, 28, 28, 512), False)
     'conv3 block2 3 bn', (None, 28, 28, 512), False)
(59, 'conv3_block2_add', (None, 28, 28, 512), False)
(60, 'conv3 block2 out', (None, 28, 28, 512), False)
     'conv3_block3_1_conv', (None, 28, 28, 128), False)
(62, 'conv3 block3 1 bn', (None, 28, 28, 128), False)
```

```
'conv3_block3_1_relu', (None, 28, 28, 128), False)
     'conv3_block3_2_conv', (None, 28, 28, 128), False)
     'conv3 block3 2 bn', (None, 28, 28, 128), False)
     'conv3_block3_2_relu', (None, 28, 28, 128), False)
     'conv3_block3_3_conv', (None, 28, 28, 512), False)
(67,
     'conv3_block3_3_bn', (None, 28, 28, 512), False)
     'conv3_block3_add', (None, 28, 28, 512), False)
(69,
     'conv3 block3_out', (None, 28, 28, 512), False)
(70,
     'conv3_block4_1_conv', (None, 28, 28, 128), False)
(71,
     'conv3_block4_1_bn', (None, 28, 28, 128), False)
(72,
(73,
     'conv3_block4_1_relu', (None, 28, 28, 128), False)
     'conv3 block4 2 conv', (None, 28, 28, 128), False)
     'conv3 block4 2 bn', (None, 28, 28, 128), False)
(75,
     'conv3_block4_2_relu', (None, 28, 28, 128), False)
'conv3_block4_3_conv', (None, 28, 28, 512), False)
(76,
     'conv3_block4_3_bn', (None, 28, 28, 512), False)
(78,
(79,
     'conv3_block4_add', (None, 28, 28, 512), False)
     'conv3 block4_out', (None, 28, 28, 512), False)
(80,
(81,
     'conv4 block1 1 conv', (None, 14, 14, 256), False)
     'conv4 block1 1 bn', (None, 14, 14, 256), False)
(82,
     'conv4_block1_1_relu', (None, 14, 14, 256), False)
(83,
(84,
     'conv4_block1_2_conv', (None, 14, 14, 256), False)
(85,
     'conv4 block1 2 bn', (None, 14, 14, 256), False)
     'conv4 block1 2 relu', (None, 14, 14, 256), False)
     'conv4_block1_0_conv', (None, 14, 14, 1024), False)
'conv4_block1_3_conv', (None, 14, 14, 1024), False)
(87,
(88,
     'conv4_block1_0_bn', (None, 14, 14, 1024), False)
(90,
     'conv4_block1_3_bn', (None, 14, 14, 1024), False)
     'conv4_block1_add', (None, 14, 14, 1024), False)
(91,
     'conv4 block1 out', (None, 14, 14, 1024), False)
(92,
(93,
     'conv4 block2 1 conv', (None, 14, 14, 256), False)
     'conv4 block2 1 bn', (None, 14, 14, 256), False)
(94,
     'conv4_block2_1_relu', (None, 14, 14, 256), False)
(95,
     'conv4_block2_2_conv', (None, 14, 14, 256), False)
(96.
(97, 'conv4 block2 2 bn', (None, 14, 14, 256), False)
(98, 'conv4_block2_2_relu', (None, 14, 14, 256), False)
(99, 'conv4_block2_3_conv', (None, 14, 14, 1024), False) (100, 'conv4_block2_3_bn', (None, 14, 14, 1024), False)
(101, 'conv4_block2_add', (None, 14, 14, 1024), False)
(102, 'conv4_block2_out', (None, 14, 14, 1024), False)
(103, 'conv4 block3 1 conv', (None, 14, 14, 256), False)
(104, 'conv4 block3 1 bn', (None, 14, 14, 256), False)
(105, 'conv4 block3 1 relu', (None, 14, 14, 256), False)
      'conv4_block3_2_conv', (None, 14, 14, 256), False)
      'conv4_block3_2_bn', (None, 14, 14, 256), False)
(107,
(108, 'conv4_block3_2_relu', (None, 14, 14, 256), False)
(109, 'conv4 block3 3 conv', (None, 14, 14, 1024), False)
(110, 'conv4_block3_3_bn', (None, 14, 14, 1024), False)
(111, 'conv4_block3_add', (None, 14, 14, 1024), False) (112, 'conv4_block3_out', (None, 14, 14, 1024), False)
(113,
      'conv4 block4 1 conv', (None, 14, 14, 256), False)
(114, 'conv4 block4 1 bn', (None, 14, 14, 256), False)
(115, 'conv4_block4_1_relu', (None, 14, 14, 256), False)
(116, 'conv4 block4 2 conv', (None, 14, 14, 256), False)
(117, 'conv4 block4 2 bn', (None, 14, 14, 256), False)
      'conv4_block4_2_relu', (None, 14, 14, 256), False)
      'conv4_block4_3_conv', (None, 14, 14, 1024), False)
(119,
(120, 'conv4_block4_3_bn', (None, 14, 14, 1024), False)
(121, 'conv4_block4_add', (None, 14, 14, 1024), False)
(122, 'conv4 block4 out', (None, 14, 14, 1024), False)
(123, 'conv4_block5_1_conv', (None, 14, 14, 256), False)
      'conv4_block5_1_bn', (None, 14, 14, 256), False)
(125, 'conv4 block5 1 relu', (None, 14, 14, 256), False)
```

```
(126, 'conv4 block5 2 conv', (None, 14, 14, 256), False)
(127, 'conv4 block5 2 bn', (None, 14, 14, 256), False)
(128, 'conv4_block5_2_relu', (None, 14, 14, 256), False) (129, 'conv4_block5_3_conv', (None, 14, 14, 1024), False)
(130, 'conv4_block5_3_bn', (None, 14, 14, 1024), False)
(131, 'conv4_block5_add', (None, 14, 14, 1024), False)
(132, 'conv4 block5 out', (None, 14, 14, 1024), False)
(133, 'conv4_block6_1_conv', (None, 14, 14, 256), False)
      'conv4_block6_1_bn', (None, 14, 14, 256), False)
      'conv4_block6_1_relu', (None, 14, 14, 256), False)
(135.
(136, 'conv4 block6 2 conv', (None, 14, 14, 256), False)
(137, 'conv4 block6 2 bn', (None, 14, 14, 256), False)
(138, 'conv4_block6_2_relu', (None, 14, 14, 256), False)
(139, 'conv4_block6_3_conv', (None, 14, 14, 1024), False) (140, 'conv4_block6_3_bn', (None, 14, 14, 1024), False)
(141, 'conv4_block6_add', (None, 14, 14, 1024), False)
(142, 'conv4 block6 out', (None, 14, 14, 1024), False)
(143, 'conv5 block1 1 conv', (None, 7, 7, 512), False)
(144, 'conv5 block1 1 bn', (None, 7, 7, 512), False)
(145, 'conv5_block1_1_relu', (None, 7, 7, 512), False)
(146, 'conv5_block1_2_conv', (None, 7, 7, 512), False)
(147, 'conv5_block1_2_bn', (None, 7, 7, 512), False)
(148, 'conv5_block1_2_relu', (None, 7, 7, 512), False)
(149, 'conv5_block1_0_conv', (None, 7, 7, 2048), False)
(150, 'conv5 block1 3 conv', (None, 7, 7, 2048), False)
(151, 'conv5 block1_0_bn', (None, 7, 7, 2048), False)
(152, 'conv5_block1_3_bn', (None, 7, 7, 2048), False)
(153, 'conv5_block1_add', (None, 7, 7, 2048), False)
(154, 'conv5 block1 out', (None, 7, 7, 2048), False)
(155, 'conv5 block2 1 conv', (None, 7, 7, 512), False)
(156, 'conv5 block2 1 bn', (None, 7, 7, 512), False)
(157, 'conv5_block2_1_relu', (None, 7, 7, 512), False)
(158, 'conv5_block2_2_conv', (None, 7, 7, 512), False)
(159, 'conv5 block2 2 bn', (None, 7, 7, 512), False)
(160, 'conv5_block2_2_relu', (None, 7, 7, 512), False)
(161, 'conv5 block2 3 conv', (None, 7, 7, 2048), False)
(162, 'conv5_block2_3_bn', (None, 7, 7, 2048), False)
(163, 'conv5_block2_add', (None, 7, 7, 2048), False)
(164, 'conv5_block2_out', (None, 7, 7, 2048), False)
(165, 'conv5_block3_1_conv', (None, 7, 7, 512), False)
(166, 'conv5 block3 1 bn', (None, 7, 7, 512), False)
(167, 'conv5_block3_1_relu', (None, 7, 7, 512), False)
(168, 'conv5 block3 2 conv', (None, 7, 7, 512), False)
(169, 'conv5_block3_2_bn', (None, 7, 7, 512), False) (170, 'conv5_block3_2_relu', (None, 7, 7, 512), False)
(171, 'conv5 block3 3 conv', (None, 7, 7, 2048), False)
(172, 'conv5_block3_3_bn', (None, 7, 7, 2048), False)
(173, 'conv5_block3_add', (None, 7, 7, 2048), False)
(174, 'conv5_block3_out', (None, 7, 7, 2048), False)
(175, 'avg_pool', (None, 2048), False)
```

```
In [10]: model = models.Sequential()
         flatten = Flatten() # adding Flatten Layer
         dense layer 1 = Dense(32, activation='relu') # Adding a Dense layer
         prediction layer = Dense(15, activation='softmax')
         model.add(resnet50model)
         model.add(flatten)
         model.add(dense layer 1)
         model.add(prediction layer)
         model.summary()
         Model: "sequential"
                                       Output Shape
          Layer (type)
                                                                  Param #
          resnet50 (Functional)
                                       (None, 2048)
                                                                  23587712
          flatten (Flatten)
                                       (None, 2048)
                                       (None, 32)
          dense (Dense)
                                                                  65568
          dense 1 (Dense)
                                       (None, 15)
                                                                  495
         Total params: 23,653,775
         Trainable params: 66,063
         Non-trainable params: 23,587,712
In [11]: model.compile(
             optimizer='adam',
             loss='categorical crossentropy',
             metrics=['accuracy'],
         )
```


```
In [12]: model.save("./models/action-class-15-resnet50.h5")
In [13]: fit = model.fit(train_batches, epochs=20, validation_data=validation_batches)
```


2022-08-31 16:27:16.140097: I tensorflow/stream\_executor/cuda/cuda\_dnn.c c:384] Loaded cuDNN version 8401 2022-08-31 16:27:17.618666: I tensorflow/core/platform/default/subproces s.cc:304] Start cannot spawn child process: No such file or directory

```
- accuracy: 0.9044 - val loss: 0.2988 - val accuracy: 0.9143
     Epoch 2/20
     - accuracy: 0.9942 - val loss: 0.3690 - val accuracy: 0.8994
    Epoch 3/20
     - accuracy: 0.9997 - val loss: 0.2462 - val accuracy: 0.9208
     Epoch 4/20
     - accuracy: 1.0000 - val loss: 0.2743 - val accuracy: 0.9218
     - accuracy: 1.0000 - val loss: 0.2799 - val accuracy: 0.9261
    Epoch 6/20
    - accuracy: 1.0000 - val loss: 0.2832 - val accuracy: 0.9251
     Epoch 7/20
     - accuracy: 1.0000 - val loss: 0.2824 - val accuracy: 0.9293
     -04 - accuracy: 1.0000 - val loss: 0.2772 - val accuracy: 0.9315
     Epoch 9/20
     -04 - accuracy: 1.0000 - val loss: 0.2924 - val accuracy: 0.9283
     Epoch 10/20
     -04 - accuracy: 1.0000 - val loss: 0.2899 - val accuracy: 0.9336
     Epoch 11/20
     -04 - accuracy: 1.0000 - val loss: 0.3002 - val accuracy: 0.9261
     Epoch 12/20
     -04 - accuracy: 1.0000 - val loss: 0.2892 - val accuracy: 0.9315
     Epoch 13/20
     -04 - accuracy: 1.0000 - val loss: 0.2887 - val accuracy: 0.9293
    Epoch 14/20
     -04 - accuracy: 1.0000 - val loss: 0.3030 - val accuracy: 0.9315
     Epoch 15/20
     -04 - accuracy: 1.0000 - val loss: 0.3038 - val accuracy: 0.9315
    Epoch 16/20
     -04 - accuracy: 1.0000 - val loss: 0.3095 - val accuracy: 0.9293
     Epoch 17/20
     -04 - accuracy: 1.0000 - val loss: 0.2942 - val accuracy: 0.9315
    Epoch 18/20
     -05 - accuracy: 1.0000 - val loss: 0.3129 - val accuracy: 0.9293
     Epoch 19/20
     377/377 [================== ] - 62s 165ms/step - loss: 6.5001e
     -05 - accuracy: 1.0000 - val loss: 0.3129 - val accuracy: 0.9304
    Epoch 20/20
     -05 - accuracy: 1.0000 - val loss: 0.3133 - val accuracy: 0.9336
In [14]: model.save("./models/action-class-15-trained-resnet50.h5")
```

## **Evaluate and Predict**

```
In [15]:
         model = models.load model("./models/action-class-15-trained-resnet50.h5")
         model.summary()
         Model: "sequential"
                                      Output Shape
          Layer (type)
                                                                 Param #
          resnet50 (Functional)
                                      (None, 2048)
                                                                 23587712
                                      (None, 2048)
          flatten (Flatten)
          dense (Dense)
                                      (None, 32)
                                                                 65568
                                      (None, 15)
          dense 1 (Dense)
                                                                 495
         Total params: 23,653,775
         Trainable params: 66,063
         Non-trainable params: 23,587,712
In [16]: model.evaluate(test batches)
         94/94 [============== ] - 10s 92ms/step - loss: 0.3133 - a
         ccuracy: 0.9336
         [0.31331899762153625, 0.9336188435554504]
Out[16]:
In [17]:
         plt.style.use("ggplot")
         plt.figure()
         plt.plot(np.arange(0, 20), fit.history["loss"], label="train_loss")
         plt.plot(np.arange(0, 20), fit.history["val loss"], label="val loss")
         plt.title("Training Loss")
         plt.xlabel("Epoch #")
         plt.ylabel("Loss")
         plt.legend(loc="lower left")
         plt.show()
         plt.plot(np.arange(0, 20), fit.history["accuracy"], label="train acc")
         plt.plot(np.arange(0, 20), fit.history["val accuracy"], label="val acc")
         plt.title("Accuracy")
         plt.xlabel("Epoch #")
         plt.ylabel("Accuracy")
         plt.legend(loc="lower left")
         plt.show()
```





```
In [18]: print("Avg Val Acc: " + str(sum(fit.history["val_accuracy"])/20*100))
print("Avg Val Loss: " + str(sum(fit.history["val_loss"])/20*100))
```

Avg Val Acc: 92.67130583524704 Avg Val Loss: 29.605583623051647