


Assignment 1: Initialize a new Git repository in a directory of your choice. Add a simple text file to the repository and make the first commit.

Text file -



Git first commit -

```
sanke@DESKTOP-CF5S0BC MINGW64 ~/Desktop/Wipro-Git (master)
$ git init
Initialized empty Git repository in C:/Users/sanke/Desktop/Wipro-Git/.git/

sanke@DESKTOP-CF5S0BC MINGW64 ~/Desktop/Wipro-Git (master)
$ git add .

sanke@DESKTOP-CF5S0BC MINGW64 ~/Desktop/Wipro-Git (master)
$ git commit -m "first commit"
[master (root-commit) 4d14f0e] first commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 demo.txt.txt

sanke@DESKTOP-CF5S0BC MINGW64 ~/Desktop/Wipro-Git (master)
$ git remote add origin https://github.com/Sanketzambare2/Git_Assignments.git

sanke@DESKTOP-CF5S0BC MINGW64 ~/Desktop/Wipro-Git (master)
$ git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 213 bytes | 213.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sanketzambare2/Git_Assignments.git
 * [new branch]      master -> master

sanke@DESKTOP-CF5S0BC MINGW64 ~/Desktop/Wipro-Git (master)
$
```