04



CERTIFICATE

No. Z1A 15 02 91172 001

Holder of Certificate: CAGSAN MERDIVEN VE ERISIM EKIPMANLARI

SANAYI TICARET LIMITED SIRKETI

Dilovasi O.S.B. 3 Kisim Meriç Cad. 1

41455 MUALLIM KÖYÜ - GEBZE, KOCAELI

TURKEY

Certification Mark:





Product: Leaning rung ladders

Tested according to:

DIN EN 131-1:2011 DIN EN 131-2:2012 DIN EN 131-3:2007 PPP 52102C:2012 ZEK 01.4-08

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.:

MEC15018.00

Valid until:

2020-02-17



Date, 2015-02-25

Page 1 of 2

(Gianpaolo Mensa)



CERTIFICATE
No. Z1A 15 02 91172 001

Model(s): T6020, T6025, T0030, T0035,

T0040, T0045, T0050, T10055, T10060

Parameters: Model No. of rungs Max. lenght

T6020	6	1880 mm
T6025	8	2440 mm
T0030	10	2970 mm
T0035	12	3540 mm
T0040	14	4090 mm
T0045	15	4390 mm
T0050	17	4950 mm
T10055	19	5520 mm
T10060	21	6050 mm

Stile: 63 x 25 x 1,3 mm (T6020, T6025);

75 x 25 x 1,3 mm (T0030, T0035, T0040,

T0045, T0050);

100 x 25 x 1,5 mm (T10055, T10060)

Stile Material: EN AW-6063

Rung: 30 x 30 x 1,3 mm Rung Material: EN AW-6063

Factory(ies): 91172



Page 2 of 2



ZERTIFIKAT

Nr. Z1A 15 02 91172 001

Zertifikatsinhaber: CAGSAN MERDIVEN VE ERISIM EKIPMANLARI

SANAYI TICARET LIMITED SIRKETI

Dilovasi O.S.B. 3 Kisim Meriç Cad. 1

41455 MUALLIM KÖYÜ - GEBZE, KOCAELI

TÜRKEI

Prüfzeichen:





Produkt: Sprossenanlegeleitern

Geprüft nach: DIN EN 131-1:2011

DIN EN 131-2:2012 DIN EN 131-3:2007 PPP 52102C:2012 ZEK 01.4-08

Das Produkt entspricht hinsichtlich der Gewährleistung von Sicherheit und Gesundheit den Anforderungen des deutschen Produktsicherheitsgesetzes § 20 bis 22 ProdSG. Es kann mit den oben abgebildeten Prüfzeichen gekennzeichnet werden. Eine Veränderung der Darstellung der Prüfzeichen ist nicht erlaubt. Die Übertragung eines Zertifikates durch den Zertifikatsinhaber an Dritte ist unzulässig. Das Zertifikat ist gültig bis zum angegebenen Zeitpunkt, sofern es nicht früher gekündigt wird. Umseitige Hinweise sind zu beachten.

Prüfbericht Nr.: MEC15018.00

Gültig bis: 2020-02-17

FOD 554500

Datum, 2015-02-25

Seite 1 von 2



ZERTIFIKAT

Nr. Z1A 15 02 91172 001

Modell(e): T6020, T6025, T0030, T0035,

T0040, T0045, T0050, T10055, T10060

Kenndaten: Modell Sprossenanzahl Max.Länge

T6020	6	1880 mm
T6025	8	2440 mm
T0030	10	2970 mm
T0035	12	3540 mm
T0040	14	4090 mm
T0045	15	4390 mm
T0050	17	4950 mm
T10055	19	5520 mm
T10060	21	6050 mm

Holm: 63 x 25 x 1,3 mm (T6020, T6025);

75 x 25 x 1,3 mm (T0030, T0035, T0040,

T0045, T0050);

100 x 25 x 1,5 mm (T10055, T10060)

Holm Material: EN AW-6063

Sprosse: 30 x 30 x 1,3 mm Sprosse Material: EN AW-6063

Produktionsstätte(n):

91172



Seite 2 von 2