

CERTIFICATE

No. Z1 16 12 91172 006

Holder of Certificate: CAGSAN MERDIVEN VE ERISIM

EKIPMANLARI

SANAYI TICARET LIMITED SIRKETI

Dilovasi O.S.B. 3 Kisim Meric Cad. 1

41455 MUALLIM KÖYÜ - GEBZE, KOCAELI

TURKEY



Certification Mark:



Product: Scaffold

(Mobile working tower)

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: MEC16199.00

Valid until: 2021-12-27



Date. 2016-12-29

Page 1 of 3

(Gianpaolo Mensa



CERTIFICATE No. Z1 16 12 91172 006

Model(s): ProTUBE L4, ProTUBE L6, ProTUBE L8,

ProTUBE L10, ProTUBE L12, ProTUBE L14

Parameters:

Group according to EN 1004:2004:

2 1,5 kN/m2

Max. loading capacity:
Max. standing height (m):

4,63 (outdoor)

12,20 (indoor)

Material_

Frame material: EN AW 6082 - T5

Platform frame material: EN AW 6063 - T6

Platform material: EN 636 CLASS E80 F40 - Plywood (thickness

= 15 mm)

See attachment for further details

Tested

according to:

EN 1004:2004

EN 1298:1996

Production Facility(ies):

91172









Attachment to

CERTIFICATE

No. Z1 16 12 91172 006

Model	Max.Dimensions (m) (Lenght x Width x Height)	Max. standing height (m)	Weight (kg)
ProTUBE L4	2,56 x 1,36 x 3,50	2,28	132,92
ProTUBE L6	2,56 x 1,36 x 5,59 5,00 x 4,00 x 5,59 *	4,37	176,64
ProTUBE L8	2,56 x 1,36 x 7,70 5,00 x 4,00 x 7,70 *	6,48	279,40
ProTUBE L10	2,56 x 1,36 x 9,20 5,00 x 4,00 x 9,20 *	7,99	301,96
ProTUBE L12	2,56 x 1,36 x 11,91 5,00 x 4,00 x 11,91 *	10,69	409,72
ProTUBE L14	2,56 x 1,36 x 13,42 5,00 x 4,00 x 13,42 *	12,20	432,28

Note: * = with stabilizers



Date, 2016-12-29

Page 3 of 3

TÜV®

SILL.