



Demonstration Prototype Notice: This is a lightweight self-built demonstration dashboard, not an official or commercial GRC product. Data displayed reflects continuous AWS telemetry ingested via EventBridge & AWS Lambda. ISO 27001:2022 and NIST CSF crosswalks are *analyst-assigned (indicative)* mappings for gap assessment and prioritize operational triage.

Total Active Cloud Findings

21

Critical / High Violations

4

Medium Violations

8

Average Risk Score

4.3/10



21 Tracked Items

HIGH

MAPPED

AWS Config
Rule Failed:
restricted-
ssh

Network
Exposure /
Unauthorized
Access

sg-
06f92c30d1042feb2

Identity &
Access
Team

AWS Config

5.2 (Ensure no
security
groups allow
ingress from
0.0.0.0/0 to
port 22)

CIS: exact

A.8.20 (Network Security), A.8.21 (Security of Network Services)

PR.AC-5 (Network Integrity & Access Controls), P

CloudTrail
should be
enabled and
configured

HIGH	MAPPED	CloudTrail should be enabled and configured with at least one multi-Region trail that includes read and write management events Logging & Monitoring / Audit Trail	account	Security Operations	AWS Security Hub	3.1 (Ensure CloudTrail is enabled across all regions) CIS: exact	A.8.15 (Logging), A.8.16 (Monitoring Activities)	DE.CM-1 (Network and Asset Monitoring), PR.PT-1
HIGH	MAPPED	AWS Config Rule Failed: s3-bucket-public-read-prohibited Data Exposure / Confidentiality	cloud-compliance-demo-public-demo-oxcof074	Data Protection Team	AWS Config AWS Security Hub	2.1.5 (Ensure S3 Bucket Access is Restricted) CIS: exact	A.5.15 (Access Control), A.8.24 (Use of Cryptography)	PR.AC-3 (Remote Access Management), PR.DS-1
HIGH	MAPPED	AWS Config Rule Failed: iam-user-mfa-enabled Identity Governance / Credential Compromise	cloud-compliance-demo-contractor-no-mfa	Identity & Access Team	AWS Config AWS Security Hub	1.10 (Ensure MFA is enabled for all IAM users that have a console password) CIS: exact	A.5.17 (Authentication Information), A.5.15 (Access Control)	PR.AC-1 (Identities and Credentials Issued), PR.A
		S3 general purpose buckets				2.1.2 (Ensure		

The screenshot shows the Windows Task Manager Performance tab. The CPU usage is at 100%, indicated by a full blue bar. The 'Processes' list shows several background processes, with 'System' at the top. The 'Performance' section on the left shows various system metrics like Memory, Disk, Network, and GPU, all with their respective usage bars.

LOW

MAPPED

Ensure a support role has been created to manage incidents with AWS Support

Security Governance & Operations

account

Cloud Platform Team

AWS Security Hub

1.17 (Ensure a support role has been created for AWS Support)

CIS: closest

A.5.24 (Incident Management Planning)

RS.CO-1 (Personnel Know Roles in Response)

Risk Level: MEDIUM

Compliance Score: 74.56%

Assessment Decision:
CONDITIONALLY APPROVED - Remediation Plan Required (90 Days)

Category Breakdown:

Data Protection85.7%

Access & Identity58.3%

Incident Response100.0%

Cloud Operations42.9%

Compliance & Governance77.8%

Resilience & DR100.0%

Subcontractor Risk50.0%


Identified Third-Party Deficiencies:

HIGH[VND-DP-03] Does the vendor maintain logical data segregation between multi-tenant customer environments?
PARTIAL

HIGH[VND-AC-02] Are privileged access credentials rotated at least every 90 days or generated just-in-time (JIT)?
PARTIAL

Compliance Score: 74.56%

CONDITIONALLY APPROVED - Remediation Plan Required (90 Days)



HIGH **[VND-DP-03]** Does the vendor maintain logical data segregation between multi-tenant customer environments?

PARTIAL

HIGH [VND-AC-02] Are privileged access credentials rotated at least every 90 days or generated just-in-time (JIT)?

PARTIAL

MEDIUM [VND-AC-03] Does the vendor perform quarterly user access reviews (UAR) for personnel with infrastructure access?

NO

HIGH [VND-CO-01] Are cloud environments continuously monitored with automated CIS Benchmark compliance scanning (e.g. AWS Config / Security Hub)?


NO

HIGH [VND-GV-02] Is the organization certified against ISO/IEC 27001:2022 by an accredited certification body?

PARTIAL

MEDIUM [VND-TP-01] Does the vendor evaluate and continuously monitor 4th-party sub-processors handling customer data?

PARTIAL




- **Function Errors:** 0 FunctionError occurrences.
- **Log Verification:**
 - Filtered /aws/lambda/cloud-compliance-demo-risk-register-logger logs during the replay window for WARN, ERROR, and Traceback: 0 occurrences.

(c) Live Risk Register Table (21 Distinct Rows)

Downloaded from S3 bucket cloud-compliance-demo-risk-register-adlqd9up (risk_register.json / risk_register.csv):

Title (short)	ResourceID (short)	Sev...	CIS	CIS_...	ISO	NIST	Owner	Sources
AWS Config Rule Failed: iam-user	cloud-compliance-demo-contra	HIGH	1.10	exact	A.5.17	PR.AC-1	Identity & Access Te	AWS Config, AWS Security Hub
AWS Config Rule Failed: restrict	sg-06f92c30d1042feb2	HIGH	5.2	exact	A.8.20	PR.AC-5	Identity & Access Te	AWS Config
AWS Config Rule Failed: s3-bucke	cloud-compliance-demo-public	HIGH	2.1.5	exact	A.5.15	PR.AC-3	Data Protection Team	AWS Config, AWS Security Hub
CloudTrail should be enabled and	account	HIGH	3.1	exact	A.8.15	DE.CM-1	Security Operations	AWS Security Hub
AWS Config Rule Failed: encrypte	vol-0d35a3ca9a7c6de4b	MEDIUM	2.2.1	close st	A.8.24	PR.DS-1	Data Protection Team	AWS Config, AWS Security Hub
EBS default encryption should be	account	MEDIUM	2.2.1	close st	A.8.24	PR.DS-1	Data Protection Team	AWS Security Hub
Ensure IAM password policy requi	account	MEDIUM	1.8	exact	A.5.17	PR.AC-1	Identity & Access Te	AWS Security Hub
S3 general purpose buckets shoul	account	MEDIUM	2.1.5	exact	A.5.15	PR.AC-3	Data Protection Team	AWS Security Hub
S3 general purpose buckets shoul	cloud-compliance-demo-config	MEDIUM	2.1.2	exact	A.8.20	PR.DS-2	Data Protection Team	AWS Security Hub
S3 general purpose buckets shoul	cloud-compliance-demo-public	MEDIUM	2.1.2	exact	A.8.20	PR.DS-2	Data Protection Team	AWS Security Hub
S3 general purpose buckets shoul	cloud-compliance-demo-risk-r	MEDIUM	2.1.2	exact	A.8.20	PR.DS-2	Data Protection Team	AWS Security Hub
VPC flow logging should be enabl	vpc-032992f7702d627f7	MEDIUM	3.9	exact	A.8.15	DE.CM-1	Security Operations	AWS Security Hub
Ensure IAM password policy preve	account	LOW	1.9	exact	A.5.17	PR.AC-1	Identity & Access Te	AWS Security Hub
Ensure a log metric filter and a	account	LOW	Not	none	Not	Not	Cloud Platform Team	AWS Security Hub
Ensure a log metric filter and a	account	LOW	Not	none	Not	Not	Cloud Platform Team	AWS Security Hub
Ensure a log metric filter and a	account	LOW	Not	none	Not	Not	Cloud Platform Team	AWS Security Hub
Ensure a log metric filter and a	account	LOW	Not	none	Not	Not	Cloud Platform Team	AWS Security Hub
Ensure a support role has been c	account	LOW	1.17	close st	A.5.24	RS.CO-1	Cloud Platform Team	AWS Security Hub
S3 general purpose buckets shoul	cloud-compliance-demo-config	LOW	2.1.3	exact	A.8.10	PR.DS-1	Data Protection Team	AWS Security Hub
S3 general purpose buckets shoul	cloud-compliance-demo-risk-r	LOW	2.1.3	exact	A.8.10	PR.DS-1	Data Protection Team	AWS Security Hub
S3 general purpose buckets shoul	cloud-compliance-demo-public	LOW	2.1.3	exact	A.8.10	PR.DS-1	Data Protection Team	AWS Security Hub



https://github.com/SannidhiSriram-06/cloud-complianc...

cloud-compliance-vendor-risk

Code Issues Pull requests Agents Actions More

Watch 0 Fork 0

Automated AWS Compliance Monitoring with AWS Config & Security Hub, ISO 27001 / NIST CSF Risk Register, and Vendor Risk Assessment Workflow

0 stars 0 forks 0 watching 1 branch 0 tags

Activity

Public repository

terminal files web sysinfo proces... settings

Security standards

Integrations **Updated**

Custom actions

Usage

Security Hub

Setup Azure integration

 Unavailable

Enable

[View all standards](#)[View Insight](#)

- AWS Config
- <
- Dashboard
- Conformance packs
- Rules
- Resources
- ▼ Aggregators
- Compliance Dashboard
- Conformance packs
- Rules
- Inventory Dashboard
- Resources
- Authorizations
- Advanced queries
- Settings
- Documentation
- Partners
- FAQs
- Pricing

A rule is a compliance check that helps you manage your ideal configuration settings. AWS Config evaluates whether your resource configurations comply with relevant rules and displays the compliance results.

Rules

Filter by compliance status

All

View details

Edit rule

Actions

Add rule

< 1 2 3 ... >

	Name	Remediation action	Type	Enabled evaluation mode	Detective compliance
☐	encrypted-volumes	Not set	AWS managed	DETECTIVE	⚠️ 1 Noncompliant resou...
☐	iam-user-mfa-enabled	Not set	AWS managed	DETECTIVE	⚠️ 1 Noncompliant resou...
☐	restricted-ssh	Not set	AWS managed	DETECTIVE	⚠️ 1 Noncompliant resou...
☐	s3-bucket-public-read-pr...	Not set	AWS managed	DETECTIVE	⚠️ 1 Noncompliant resou...
☒	securityhub-access-keys-r...	Not set	AWS managed	DETECTIVE	✅ Compliant
☒	securityhub-cloud-trail-cl...	Not set	AWS managed	DETECTIVE	-
☒	securityhub-cloud-trail-e...	Not set	AWS managed	DETECTIVE	-
☒	securityhub-cloud-trail-lo...	Not set	AWS managed	DETECTIVE	-
☒	securityhub-cmk-backing...	Not set	AWS managed	DETECTIVE	-
☒	securityhub-ec2-ebs-encr...	Not set	AWS managed	DETECTIVE	⚠️ 1 Noncompliant resou...

AWS Config

>

Rules

>

encrypted-volumes

Dashboard

Conformance packs

Rules

Resources

Aggregators

Compliance Dashboard

Conformance packs

Rules

Inventory Dashboard

Resources

Authorizations

Advanced queries

Settings

Documentation

Partners

FAQs

Pricing

encrypted-volumes

Actions

Learn more

Details

Description

Secure EBS volumes attached to EC2 instances through encryption.

Domain

Loading

Objectives

Loading

Common controls

Loading

Frameworks

CCCS-Medium-Cloud-Control-May-2019 ⓘ
NIST-SP-800-53-r5 ⓘ
FedRAMP-r5 ⓘ
NIST-CSF-v1.1 ⓘ
FedRAMP-r4 ⓘ
AWS-WAF-v10 ⓘ
NIST-SP-800-171-r2 ⓘ
CRI-Profile-v2.2 ⓘ
PCI-DSS-v4.0 ⓘ
PCI-DSS-v3.2.1 ⓘ
ISO-IEC-27001:2013-Annex-A ⓘ
SSAE-18-SOC-2-Oct-2023 ⓘ
CMMC-Level2 ⓘ
CIS-AWS-Benchmark-v1.4 ⓘ
CIS-AWS-Benchmark-v1.3 ⓘ
CIS-v7.1 ⓘ
CIS-v8.0 ⓘ

Scope of changes

All changes

Remediation action

Not set

Control name

Enable encryption for EBS volumes attached to EC2 instances

Service

Amazon Elastic Compute Cloud (Amazon EC2)

Governed resources

AWS::EC2::Volume

API Identifier

arn:aws:controlcatalog:::control/503ulcglhjkoaajywfpt6ros

Last evaluation status

Successful

Last successful evaluation time

September 20, 2026 12:13 AM

Detective compliance

Noncompliant resource(s)

Behavior

Detective ⓘ

Aliases

AWS-GR_ENCRYPTED_VOLUMES

Deployable Regions

30 of 34 Regions ⓘ

Trigger type

Configuration changes

AWS Config resource types

-

Parameters

Key	Type	Value	Description
kmsId	String	-	ID or ARN of the KMS key that is used to encrypt the volume.

Resources in scope

View details

Remediate

Noncompliant

ID

Type

Status

Annotation

Compliance

vol-Od35a3ca9a7c6de4b

EC2 Volume

-

-

Noncompliant

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

AWS Config

- Dashboard
- Conformance packs
- Rules
- Resources
- Aggregators
- Compliance Dashboard
- Conformance packs
- Rules
- Inventory Dashboard
- Resources
- Authorizations
- Advanced queries
- Settings

- Documentation
- Partners
- FAQs
- Pricing

iam-user-mfa-enabled

Details

Description

Protect your account by requiring multi-factor authentication (MFA) for any AWS Identity and Access Management (IAM) user using the account. MFA adds an extra authentication code on top of a user name and password.

Domain

Identity and access management

Objectives

Authentication and access control

Common controls

Multi-factor authentication (MFA)

Frameworks

CIS-v7.1

CCCS-Medium-Cloud-Control-May-2019

FedRAMP-r4

CIS-v8.0

SSAE-18-SOC-2-Oct-2023

NIST-SP-800-171-r2

CRI-Profile-v2.2

PCI-DSS-v4.0

ACSC-ISM-02-Mar-2023

PCI-DSS-v3.2.1

NIST-CSF-v1.1

CMMC-Level2

AWS-WAF-v10

Control name

Disallow access to IAM users without MFA

Service

AWS Identity and Access Management (IAM)

Governed resources

AWS::IAM::User

API Identifier

arn:aws:controlcatalog:::control/7z1uzm6s8qk7ym7m0sm56cq0u

Behavior

Detective

Aliases

AWS-GR_IAM_USER_MFA_ENABLED

Deployable Regions

22 of 34 Regions

Scope of changes

-

Remediation action

Not set

Last evaluation status

Successful

Last successful evaluation time

September 19, 2026 11:41 PM

Detective compliance

Noncompliant resource(s)

Trigger type

Periodic: 24 hours

AWS Config resource types

-

Resources in scope

Noncompliant

ID	Type	Status	Annotation	Compliance
cloud-compliance-demo-contractor-no-mfa	IAM User	-	-	Noncompliant

AWS Config

<

Dashboard

Conformance packs

Rules

Resources

▼ Aggregators

Compliance Dashboard

Conformance packs

Rules

Inventory Dashboard

Resources

Authorizations

Advanced queries

Settings

restricted-ssh

Actions

Details

Learn more

Description

Reduces a server's exposure to risk by removing unfettered connectivity to remote console services such as SSH.

Domain

Identity and access management

Network security

Objectives

Authentication and access control

Network architecture and secure configuration

Common controls

Access control segmentation

Network access control design and configuration

Frameworks

PCI-DSS-v4.0

FedRAMP-r5

FedRAMP-r4

NIST-SP-800-53-r5

CCCS-Medium-Cloud-Control-May-2019

NIST-CSF-v1.1

ISO-IEC-27001:2022-Annex-A

CMMC-Level2

CIS-AWS-Benchmark-v1.3

CIS-AWS-Benchmark-v1.2

CRI-Profile-v2.2

SSAE-18-SOC-2-Oct-2023

PCI-DSS-v3.2.1

CIS-AWS-Benchmark-v3.0

CIS-AWS-Benchmark-v1.4

NIST-SP-800-171-r2

ISO-IEC-27001:2013-Annex-A

Control name

Disallow Internet connection via SSH

Service

Amazon Elastic Compute Cloud (Amazon EC2)

Governed resources

AWS::EC2::SecurityGroup

API Identifier

arn:aws:controlcatalog:::control/6rilu41n0gb9w6mxrkyewoer4

Behavior

Detective

Aliases

AWS-GR_RESTRICTED_SSH

Deployable Regions

32 of 34 Regions

Scope of changes

All changes

Remediation action

Not set

Last evaluation status

Successful

Last successful evaluation time

September 20, 2026 12:01 AM

Detective compliance

Noncompliant resource(s)

Trigger type

Periodic: 24 hours

Configuration changes

AWS Config resource types

-

Resources in scope

Noncompliant

View details

Remediate

1

ID	Type	Status	Annotation	Compliance
sg-06f92c30d1042feb2	EC2 SecurityGroup	-	-	Noncompliant

AWS Config

- Dashboard
- Conformance packs
- Rules
- Resources
- ▼ Aggregators
- Compliance Dashboard
- Conformance packs
- Rules
- Inventory Dashboard
- Resources
- Authorizations
- Advanced queries
- Settings

- Documentation
- Partners
- FAQs
- Pricing

s3-bucket-public-read-prohibited

Actions

Details

Description

Secure access to data stored in Amazon S3 buckets by disallowing public reads.

Domain

Data protection

Network security

Objectives

Data classification and handling

Network architecture and secure configuration

Common controls

Control access to data

Network segmentation controls

Network access control design and configuration

Frameworks

FedRAMP-r5

FedRAMP-r4

AWS-WAF-v10

CCCS-Medium-Cloud-Control-May-2019

PCI-DSS-v4.0

ISO-IEC-27001:2013-Annex-A

NIST-CSF-v1.1

NIST-SP-800-53-r5

SSAE-18-SOC-2-Oct-2023

CRI-Profile-v2.2

ISO-IEC-27001:2022-Annex-A

CIS-AWS-Benchmark-v1.2

CIS-AWS-Benchmark-v3.0

ACSC-ISM-02-Mar-2023

CIS-AWS-Benchmark-v1.4

PCI-DSS-v3.2.1

CIS-AWS-Benchmark-v1.3

CIS-v8.0

Scope of changes

All changes

Remediation action

Not set

Control name

Disallow public read access to S3 buckets

Service

Amazon Simple Storage Service (Amazon S3)

Governed resources

AWS::S3::Bucket

API Identifier

arn:aws:controlcatalog:::control/8sw3pbld15t9cbww8d2w2qwgf

Behavior

Detective

Aliases

AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED

Deployable Regions

34 of 34 Regions

Trigger type

Periodic: 24 hours

Configuration changes

AWS Config resource types

-

Resources in scope

Noncompliant

ID	Type	Status	Annotation	Compliance
cloud-compliance-demo-public-demo-oxcof074	S3 Bucket	-	The S3 bucket policy allows public read access.	Noncompliant

View details

Remediate



< 1 >



AWS Config

- Dashboard
- Conformance packs
- Rules
- Resources
- Aggregators
- Compliance Dashboard
- Conformance packs
- Rules
- Inventory Dashboard
- Resources
- Authorizations
- Advanced queries
- Settings

- Documentation
- Partners
- FAQs
- Pricing

This rule has been created by [securityhub.amazonaws.com](#)

This is a service-linked AWS Config rule, which is a unique type of managed config rule that supports other AWS services to create AWS Config rules in your account. You cannot edit or delete these rules if you are subscribed to AWS services that these rules are linked to. [Learn more about Service-Linked AWS Config Rules.](#)

securityhub-ec2-ebs-encryption-by-default-54df971e

Actions

Details

Learn more

Description Checks if Amazon Elastic Block Store (EBS) encryption is enabled by default. The rule is NON_COMPLIANT if the encryption is not enabled.		
Domain Data protection	Control name Checks if Amazon Elastic Block Store (EBS) encryption is enabled by default	Behavior Detective
Objectives Data encryption	Service Amazon Elastic Compute Cloud (Amazon EC2)	Aliases CONFIG.EC2.DT.40
Common controls Encrypt data at rest	Governed resources AWS::EC2::Volume	Deployable Regions 34 of 34 Regions
Frameworks CRI-Profile-v2.2 NIST-SP-800-53-r5 NIST-CSF-v1.1 CIS-v8.0 CIS-v7.1 PCI-DSS-v3.2.1 ISO-IEC-27001:2013-Annex-A AWS-WAF-v10 ACSC-ISM-02-Mar-2023 CIS-AWS-Benchmark-v1.4 CCCS-Medium-Cloud-Control-May-2019 FedRAMP-r5 FedRAMP-r4 CIS-AWS-Benchmark-v1.3 PCI-DSS-v4.0	API Identifier arn:aws:controlcatalog::control/do2podvuuqloqdro24fny7tbf	
Scope of changes -	Last evaluation status Successful	Trigger type Periodic: 12 hours
Remediation action Not set	Last successful evaluation time September 20, 2026 12:00 AM Detective compliance Noncompliant resource(s)	AWS Config resource types -

Resources in scope

View details

Remediate



Noncompliant

< 1 >



ID	Type	Status	Annotation	Compliance
529921977325	Account	-	EBS Encryption by default is not enabled.	Noncompliant

- Amazon EventBridge
- Dashboard
- Developer resources
- Learn
- Sandbox
- Quick starts
- Buses
- Event buses
- Rules Updated
- Global endpoints
- Archives
- Replays
- Pipes
- Pipes
- Scheduler
- Schedules
- Schedule groups
- Scheduled rules (legacy) Updated
- Integration
- Partner event sources

Event pattern rules (2)

Delete

Enable

Edit

CloudFormation Template

Create rule

We have moved Scheduled rules in your account to 'Scheduler' section, where you can view, create and edit a scheduled rule.

Go to Scheduled rules

Find rules

Any status

< 1 >

	Name	Status	Type	Event bus	ARN	Description
☐	cloud-compliance-demo-config-compliance	Enabled	Standard	default	arn:aws:events:us-east-1:529921977325:rule/cloud-compliance-demo-config-compliance	Captures AWS Config NON_COMPLIANT rule evaluations and routes to Risk Register Lambda
☐	cloud-compliance-demo-securityhub-findings	Enabled	Standard	default	arn:aws:events:us-east-1:529921977325:rule/cloud-compliance-demo-securityhub-findings	Captures AWS Security Hub FAILED compliance findings and routes to Risk Register Lambda

- Amazon EventBridge
- Dashboard
- Developer resources
- Learn
- Sandbox
- Quick starts
- Buses
- Event buses
- Rules Updated
- Global endpoints
- Archives
- Replays
- Pipes
- Pipes
- Scheduler
- Schedules
- Schedule groups
- Scheduled rules (legacy) Updated
- Integration
- Partner event sources
- API destinations
- Connections
- Schema registry

cloud-compliance-demo-config-compliance

Edit

Disable

Delete

CloudFormation Template

Rule details

Info

Rule name cloud-compliance-demo-config-compliance	Status Enabled	Event bus name default	Type Standard
Description Captures AWS Config NON_COMPLIANT rule evaluations and routes to Risk Register Lambda	Rule ARN arn:aws:events:us-east-1:529921977325:rule/cloud-compliance-demo-config-compliance	Event bus ARN arn:aws:events:us-east-1:529921977325:event-bus/default	

- Event pattern
- Targets
- Monitoring
- Tags

Event pattern

Info

1 {
2 "detail": {
3 "newEvaluationResult": {
4 "complianceType": ["NON_COMPLIANT"]
5 }
6 },
7 "detail-type": ["Config Rules Compliance Change"],
8 "source": ["aws.config"]
9 }

Copy

- Amazon EventBridge
- Dashboard
- Developer resources
- Learn
- Sandbox
- Quick starts
- Buses
- Event buses
- Rules Updated
- Global endpoints
- Archives
- Replays
- Pipes
- Pipes
- Scheduler
- Schedules
- Schedule groups
- Scheduled rules (legacy) Updated
- Integration
- Partner event sources
- API destinations
- Connections
- Schema registry

cloud-compliance-demo-securityhub-findings

Edit

Disable

Delete

CloudFormation Template

Rule details

Rule name cloud-compliance-demo-securityhub-findings	Status Enabled	Event bus name default	Type Standard
Description Captures AWS Security Hub FAILED compliance findings and routes to Risk Register Lambda	Rule ARN arn:aws:events:us-east-1:529921977325:rule/cloud-compliance-demo-securityhub-findings	Event bus ARN arn:aws:events:us-east-1:529921977325:event-bus/default	

- Event pattern
- Targets
- Monitoring
- Tags

Event pattern

```
1 {
2   "detail": {
3     "findings": {
4       "Compliance": {
5         "Status": ["FAILED"]
6       }
7     }
8   },
9   "detail-type": ["Security Hub Findings - Imported"],
10  "source": ["aws.securityhub"]
11 }
```

Copy

cloud-compliance-demo-risk-register-logger

Throttle

Copy ARN

Actions ▼

▼ Function overview Info

Diagram

Template

cloud-compliance-demo-risk-register-logger

Layers (0)

EventBridge (2)

+ Add trigger

+ Add destination

Export to Infrastructure Composer

Download ▼

Function ARN
 arn:aws:lambda:us-east-1:529921977325:function:cloud-compliance-demo-risk-register-logger

Description
-

Last modified
49 minutes ago

Code

Test

Monitor

Configuration

Aliases

Versions

Code source Info

Open in Visual Studio Code

Update ▼

cloud-compliance-demo-risk-register-logger

EXPLORER

▼ CLOUD-COMPLIANCE-DEMO-RISK-REGISTER-L...

risk_register_processor.py

risk_register_processor.py

1 `#!/usr/bin/env python3`

2 `"""`

3 `Risk Register Processor Lambda Function`

4 `=====`

5 `Processes AWS Security Hub (ASEF) findings and AWS Config compliance events`

Info

Tutorials >

Choose a tutorial

Learn how to implement common use cases in AWS Lambda.

Create a simple web app ^

In this tutorial you will learn how to:

- Build a simple web app, consisting of a Lambda function with a function URL that outputs a webpage
- Invoke your function through its function URL

[Learn more](#)

Start tutorial

Monitor
 Info

Filter metrics by

Function ▼

View CloudWatch logs ↗



☐ Alarm recommendations ⓘ

☐ Investigate with AI - new ⓘ

1h

3h

12h

1d

3d

1w

Custom



UTC timezone ▼









Explore related ⓘ



CloudWatch metrics

Lambda sends runtime metrics for your functions to Amazon CloudWatch. The metrics shown are an aggregate view of all function runtime activity. To view metrics for the unqualified or \$LATEST resource, choose **Filter metrics by**. To view metrics for a specific function version or alias, choose **Aliases** or **Versions**, select the alias or version, and then choose **Monitor**.



Widget actions

CloudWatch Logs

Lambda logs all requests handled by your function and automatically stores logs generated by your code through Amazon CloudWatch Logs. To validate your code, instrument it with custom logging statements. The following tables list the most recent and most expensive function invocations across all function activity. To view logs for a specific function version or alias, visit the **Monitor** section at that level.

Recent invocations

#	Timestamp	RequestId	LogStream	DurationInMS	BilledDurationIn...	MemorySetInMB	MemoryUsedInMB
▶ 1	2026-09-19T18:32:45.800Z	2234ea8d-c7d5-4ffe-aac5-463ae3e73f84	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	789.07	790.0	128.0	96.0
▶ 2	2026-09-19T18:32:40.839Z	6d094cb7-a9d1-4f67-b241-c723fa7d2659	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	958.79	959.0	128.0	96.0
▶ 3	2026-09-19T18:32:33.482Z	a061c048-7344-4905-80a5-020a3d3dd4e3	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	758.58	759.0	128.0	96.0
▶ 4	2026-09-19T18:32:29.159Z	7763b8c2-f9d7-43c4-8e25-61f2d4514238	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	918.27	919.0	128.0	96.0
▶ 5	2026-09-19T18:32:18.318Z	f0b9abe7-577d-4cf4-ace5-bd0fd11efd4f	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	946.62	947.0	128.0	96.0
▶ 6	2026-09-19T18:32:07.020Z	0a1f07e0-345b-40ee-93fb-61c5293c703c	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	716.45	717.0	128.0	96.0
▶ 7	2026-09-19T18:32:01.158Z	733d9c89-985a-4737-9781-fba9ad95fae6	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	753.42	754.0	128.0	96.0
▶ 8	2026-09-19T18:31:59.838Z	332See94-a423-4006-95ca-e0d669c8a169	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	728.14	729.0	128.0	96.0
▶ 9	2026-09-19T18:31:57.859Z	e64f436d-f6fd-4109-870a-cb14874edb93	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	864.94	865.0	128.0	96.0

Most expensive invocations in GB-seconds (memory assigned * billed duration)

#	Timestamp	RequestId	LogStream	BilledDurationIn...	MemorySetInMB	BilledDurationInGBSeconds
▶ 1	2026-09-19T18:30:37.660Z	778d15e5-e16d-49f2-a1cd-db6e8a5b1fdc	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	1594	128	0.1993
▶ 2	2026-09-19T18:30:36.422Z	3d82a0ed-4650-4b45-a428-5c4a7e5499c5	2026/09/19/[\$LATEST]656b37448fd74d04b1176bceedfbb56	1591	128	0.1989
▶ 3	2026-09-19T18:30:37.681Z	94450558-2acd-43b8-9e4b-670be04d1c75	2026/09/19/[\$LATEST]994b7ea4d9b5446a8df9e1b5da3f88eb	1542	128	0.1928
▶ 4	2026-09-19T18:30:37.123Z	d07ce348-db6e-46eb-a13f-99854bcc8f3a	2026/09/19/[\$LATEST]6e43cb94afac4a0498aa444801e9f9b9	1532	128	0.1915
▶ 5	2026-09-19T18:30:37.585Z	75922103-d8f5-459c-b42e-331ec8cc8461	2026/09/19/[\$LATEST]419cc82c00a54781a45e6a1e2f093483	1492	128	0.1865
▶ 6	2026-09-19T18:10:25.777Z	c5d8e8b3-9f54-42fc-88f8-092ca34e2312	2026/09/19/[\$LATEST]935cd890068a43418cc364f827d2527c	1337	128	0.1671
▶ 7	2026-09-19T18:32:40.839Z	6d094cb7-a9d1-4f67-b241-c723fa7d2659	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	959	128	0.1199
▶ 8	2026-09-19T18:32:18.318Z	f0b9abe7-577d-4cf4-ace5-bd0fd11efd4f	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	947	128	0.1184
▶ 9	2026-09-19T18:32:29.159Z	7763b8c2-f9d7-43c4-8e25-61f2d4514238	2026/09/19/[\$LATEST]c69b287e8d204b4b90338e509579c9c2	919	128	0.1149

Security Hub CSPM

Summary

Controls

Security standards

Insights

Findings

Integrations

Updated

Management

Automations

Custom actions

Settings

General

Regions

Configuration

Usage

What's new

Security Hub

Findings (16)

A finding is a security issue or failed security check. You can save related findings by selecting the 'Group by' and then creating an insight.

Search and add filter

Group by

None

Workflow status is NEW

Workflow status is NOTIFIED

Record state is ACTIVE

Clear filters

	Finding	Severity	Workflow status	Region	Account ID	Product	Resource	Compliance Status	Updated at
☐	S3 general purpose buckets should require requests to use TLS	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	S3 Bucket cloud-compliance-demo-risk-register-adlqd9up	FAILED	35 minutes ago
☐	S3 general purpose buckets should require requests to use TLS	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	S3 Bucket cloud-compliance-demo-public-demo-oxcof074	FAILED	35 minutes ago
☐	MFA should be enabled for all IAM users that have a console password	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	IAM User cloud-compliance-demo-contractor-no-mfa	FAILED	35 minutes ago
☐	S3 general purpose buckets should block public access	HIGH	NEW	us-east-1	aws 529921977325	Security Hub	S3 Bucket cloud-compliance-demo-public-demo-oxcof074	FAILED	36 minutes ago
☐	S3 general purpose buckets should have MFA delete enabled	LOW	NEW	us-east-1	aws 529921977325	Security Hub	S3 Bucket cloud-compliance-demo-risk-register-adlqd9up	FAILED	36 minutes ago
☐	S3 general purpose buckets should have MFA delete enabled	LOW	NEW	us-east-1	aws 529921977325	Security Hub	S3 Bucket cloud-compliance-demo-public-demo-oxcof074	FAILED	36 minutes ago
☐	S3 general purpose buckets should have MFA delete enabled	LOW	NEW	us-east-1	aws 529921977325	Security Hub	S3 Bucket cloud-compliance-demo-config-cezeajty	FAILED	36 minutes ago
	Ensure IAM password policy								

Security Hub CSPM

Summary

Controls

Security standards

Insights

Findings

Integrations

Updated

Management

Automations

Custom actions

Settings

General

Regions

Configuration

Usage

What's new

Security Hub

☐	S3 general purpose buckets should have MFA delete enabled	LOW	NEW	us-east-1	aws 529921977325	Security Hub	S3 Bucket cloud-compliance-demo-public-demo-oxcof074	⊗ FAILED	36 minutes ago
☐	S3 general purpose buckets should have MFA delete enabled	LOW	NEW	us-east-1	aws 529921977325	Security Hub	S3 Bucket cloud-compliance-demo-config-cezeajty	⊗ FAILED	36 minutes ago
☐	Ensure IAM password policy requires minimum password length of 14 or greater	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	Account 529921977325	⊗ FAILED	36 minutes ago
☐	EBS default encryption should be enabled	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	Account 529921977325	⊗ FAILED	36 minutes ago
☐	VPC flow logging should be enabled in all VPCs	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	EC2 VPC vpc-032992f7702d627f7	⊗ FAILED	36 minutes ago
☐	CloudTrail should be enabled and configured with at least one multi-Region trail that includes read and write management events	HIGH	NEW	us-east-1	aws 529921977325	Security Hub	Account 529921977325	⊗ FAILED	36 minutes ago
☐	Ensure a support role has been created to manage incidents with AWS Support	LOW	NEW	us-east-1	aws 529921977325	Security Hub	Account 529921977325	⊗ FAILED	36 minutes ago
☐	Ensure IAM password policy prevents password reuse	LOW	NEW	us-east-1	aws 529921977325	Security Hub	Account 529921977325	⊗ FAILED	36 minutes ago
☐	S3 general purpose buckets should require requests to use TLS	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	S3 Bucket cloud-compliance-demo-config-cezeajty	⊗ FAILED	36 minutes ago
☐	encrypted-volumes	MEDIUM	NEW	us-east-1	aws 529921977325	Config	EC2 Volume vol-0d35a3ca9a7c6de4b	⊗ FAILED	36 minutes ago
☐	S3 general purpose buckets should have block public access settings enabled	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	Account 529921977325	⊗ FAILED	36 minutes ago

Security Hub CSPM

Summary

Controls

Security standards

Insights

Findings

Integrations

Updated

Management

Automations

Custom actions

Settings

General

Regions

Configuration

Usage

What's new

Security Hub

Findings (16)

Actions

Workflow status

Insight details

Create insight

A finding is a security issue or failed security check. You can save related findings by selecting the 'Group by' and then creating an insight.

Search and add filter

Group by

None

Workflow status is NEW

Workflow status is NOTIFIED

Record state is ACTIVE

Clear filters

< 1 >

	Finding	Severity	Workflow status	Region	Account ID	Product	Res
☐	S3 general purpose buckets should require requests to use TLS	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	S3 B clod den adlc
☐	S3 general purpose buckets should require requests to use TLS	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	S3 B clod den oxci
☐	MFA should be enabled for all IAM users that have a console password	MEDIUM	NEW	us-east-1	aws 529921977325	Security Hub	IAM clod den mfa
☐	S3 general purpose buckets should block public access	HIGH	NEW	us-east-1	aws 529921977325	Security Hub	S3 B clod den oxci
☐	S3 general purpose buckets should have MFA delete enabled	LOW	NEW	us-east-1	aws 529921977325	Security Hub	S3 B clod den adlc
☐	S3 general purpose buckets should have MFA delete enabled	LOW	NEW	us-east-1	aws 529921977325	Security Hub	S3 B clod den oxci
☐	S3 general purpose buckets should have MFA delete enabled	LOW	NEW	us-east-1	aws 529921977325	Security Hub	S3 B clod den

Ensure IAM password policy

MFA should be enabled for all IAM users that have a console password

MEDIUM

NEW

First detected 38 minutes ago. Last updated 36 minutes ago.

This AWS control checks whether AWS Multi-Factor Authentication (MFA) is enabled for all AWS Identity and Access Management (IAM) users that use a console password.

Actions

Investigate

Overview

Resources

History

Finding ID	arn:aws:securityhu.../6316e6ee-2a96-45f5-ad7c-2569bfc873b8	
Types	Software and Configuration Checks/Industry and Regulatory Standards	
Workflow status	New	
Record state	ACTIVE	
Config rule	securityhub-mfa-enabled-for-iam-console-access-92efc31b	
Compliance	FAILED	
Finding account ID	529921977325	
Cloud provider	AWS	
Last updated	September 19, 2026, 18:31:48 (UTC+00:00)	

View more

Resources

IAM User

cloud-compliance-demo-contractor-no-mfa

Open resource

Security Hub CSPM

Summary

Controls

Security standards

Insights

Findings

Integrations Updated

Management

Automations

Custom actions

Settings

General

Regions

Configuration

Usage

What's new

Security Hub

Filter by

Control status

All

Enabled

Disabled

Control status

Failed

Passed

Unknown

No data

All controls (39)

Search controls

Download

1

ID	Title	Control Status	Severity	Failed checks	Custom parameters
CloudTrail.6	Ensure the S3 bucket used to store CloudTrail logs is not publicly accessible	No Data	Critical	0 of 0	Unsupported
Config.1	AWS Config should be enabled and use the service-linked role for resource recording	No Data	Critical	0 of 0	Supported
IAM.4	IAM root user access key should not exist	No Data	Critical	0 of 0	Unsupported
IAM.6	Hardware MFA should be enabled for the root user	No Data	Critical	0 of 0	Unsupported
IAM.9	MFA should be enabled for the root user	No Data	Critical	0 of 0	Unsupported
CloudTrail.1	CloudTrail should be enabled and configured with at least one multi-Region trail that includes read and write management events	No Data	High	0 of 0	Unsupported
EC2.2	VPC default security groups should not allow inbound or outbound traffic	No Data	High	0 of 0	Unsupported
IAM.1	IAM policies should not allow full "*" administrative privileges	No Data	High	0 of 0	Unsupported
S3.8	S3 general purpose buckets should block public access	No Data	High	0 of 0	Unsupported
CloudTrail.2	CloudTrail should have encryption at-rest enabled	No Data	Medium	0 of 0	Unsupported
CloudTrail.5	CloudTrail trails should be integrated with Amazon CloudWatch Logs	No Data	Medium	0 of 0	Unsupported
EC2.21	Network ACLs should not allow ingress from 0.0.0.0/0 to port 22 or port 3389	No Data	Medium	0 of 0	Unsupported
EC2.6	VPC flow logging should be enabled in all VPCs	No Data	Medium	0 of 0	Unsupported
EC2.7	EBS default encryption should be enabled	No Data	Medium	0 of 0	Unsupported

Security Hub CSPM <

- Summary
- Controls
- Security standards
- Insights
- Findings
- Integrations **Updated**

- ▼ Management
 - Automations
 - Custom actions

- ▼ **Settings**
 - General
 - Regions
 - Configuration
 - Usage

- What's new ↗
- Security Hub ↗



 CIS Azure Foundation Benchmark

 Azure foundational best practices standard

Setup Azure integration

:: Security standards [Info](#)

Track your cloud security posture with a summary security score and standard security scores. This widget always shows complete, unfiltered data.


Security score

 Unable to display security score: The security score is still being generated. The score will be available in 19 minutes

Standard	Passed	Failed	Score
 CIS AWS Foundations Benchmark v1.4.0	0	0	0%
 AI Security Best Practices v1.0.0			Enable
 AWS Foundational Security Best Practices v1.0.0			Enable
 AWS Resource Tagging Standard v1.0.0			Enable
 Azure Foundational Security Best Practices v1.0.0			Enable
 CIS AWS Foundations Benchmark v1.2.0			Enable

Assets with the most findings [Info](#)

- Resources | Accounts | Applications

Resources	By severity	By resource type	Total findings
 AWS:::Account:529921977325			6
 arn:aws:s3:::cloud-compliance-demo-public-demo-oxcof074			3
 arn:aws:s3:::cloud-compliance-demo-config-cezeajty			2
 arn:aws:s3:::cloud-compliance-demo-risk-register-adlqd9up			2
 arn:aws:ec2:us-east-1:529921977325:volume/vol-0d35a3ca9a7c6de4b			1

:: Findings by Region [Info](#)

Region settings for resources from non-AWS cloud environments are managed from [Integrations](#).

Region	Critical	High	Medium	Low
 United States (N. Virginia) [Current Region]	0	2	9	5

View findings across multiple Regions

Use cross-Region aggregation to replicate findings from a set of linked Regions to a single home Region. [Learn more](#)

[Configure cross-Region aggregation](#)

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences




CIS Azure Foundation Benchmark


Azure foundational best practices standard

Setup Azure integration

Security standards [Info](#)

Track your cloud security posture with a summary security score and standard security scores. This widget always shows complete, unfiltered data.

Security score

⚠️ Unable to display security score: The security score is still being generated. The score will be available in 8 minutes

Standard	Passed	Failed	Score ▲
CIS AWS Foundations Benchmark v1.4.0	0	0	0%
AI Security Best Practices v1.0.0			<button>Enable</button>
AWS Foundational Security Best Practices v1.0.0			<button>Enable</button>
AWS Resource Tagging Standard v1.0.0			<button>Enable</button>
Azure Foundational Security Best Practices v1.0.0			<button>Enable</button>
CIS AWS Foundations Benchmark v1.2.0			<button>Enable</button>

[View all standards](#)

Assets with the most findings

Info

Prioritize and evaluate your assets that are most at risk.

Resources

Accounts

Applications

Resources	By severity	By resource type	Total findings
aws AWS::::Account:529921977325			6
aws arn:aws:s3::cloud-compliance-demo-public-demo-oxcof074			3
aws arn:aws:s3::cloud-compliance-demo-config-cezeajty			2
aws arn:aws:s3::cloud-compliance-demo-risk-register-adlqd9up			2
aws arn:aws:ec2:us-east-1:529921977325:volume/vol-0d35a3ca9a7c6de4b			1

View Insight

Findings by Region [Info](#)

Region settings for resources from non-AWS cloud environments are managed from [Integrations](#).

Region	Critical	High	Medium	Low
 United States (N. Virginia) [Current Region]	0	2	9	5

View findings across multiple Regions

Use cross-Region aggregation to replicate findings from a set of linked Regions to a single home Region. [Learn more](#)

[Configure cross-Region aggregation](#)

Vector buckets

Batch Operations

► AWS Marketplace for S3

Info

Access Points

Upload

< 1 >