

LABORATORY REPORT

Algorithm Laboratory (CS-39001)

B.Tech Program in ECS

Submitted By

Name:- SANNIDHI DEB

Roll No: 2330044



Kalinga Institute of Industrial Technology (Deemed to be University) Bhubaneswar, India

Autumn, 2025

Table of Contents

Experiment Number	2.1
	Aim of the program: Design an algorithm to find the factorial of a positive integer n. Analyze the time complexity of your algorithm. Implement a C program to find the factorial of a positive integer n.
Experiment Title	
Date of Experiment	07/08/2025
Date of Submission	20/08/2025

1. Algorithm:-

input: a number 'n'.

output: factorial of 'n'.

① Iterative Factorial(n),

fact \leftarrow 1.

for $i \leftarrow 1$ to n

do {

} fact \leftarrow fact \times i

} return fact

T.C = $O(n)$

Sannidhi Deb, 2330044

2. Code:-

```
#include <stdio.h>

int factorial(int n) {
    int result = 1;
    for (int i = 2; i <= n; i++)
        result *= i;
    return result;
}

int main() {
    int n;
    printf("\nSannidhi Deb\n 2330044\n\n");
    printf("Enter a positive integer\n: ");
    scanf("%d", &n);
    printf("\nFactorial of %d is %d\n", n, factorial(n));
    return 0;
}
```

3. Results/Output:- Entire Screen Shot including Date & Time:-

The screenshot shows a terminal window with the following text output:

```
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>gcc exp2_1.c -o exp2_1.exe
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>exp2_1
Sannidhi Deb
2330044

Enter a positive integer
: 6

Factorial of 6 is 720
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>
```

The terminal window is part of a Windows desktop environment. The taskbar at the bottom shows various icons for applications like File Explorer, Microsoft Edge, and Visual Studio Code. The system tray indicates the date as 17-08-2025 and the time as 00:17.

4. Remarks:-

1. What type of algorithm is used?

- Sannidhi Deb, 2330044
1. An iterative algorithm is used where algorithm traverses the array to find the factorial of given positive integer.

2. Analyze the complexity of your algorithm.

- Sannidhi Deb, 2330044
2. The algorithm processes each element and there are no nested loops, hence, the time complexity is $O(n)$.

3. Any other observations?

- Sannidhi Deb, 2330044
3. Simple and efficient for small n ; recursion can be used but risks stack overflow for large n .

Sannidhi Deb
(2330044)

Signature of the FIC

Sannidhi Deb

(Name of the FIC)

Experiment Number	2.2
Experiment Title	Design an algorithm to find the prime factorization of a positive integer n. Analyze the time complexity of your algorithm. Implement a C program to find the prime factorization of a positive integer n.
Date of Experiment	07/08/2025
Date of Submission	20/08/2025

1. Algorithm:-

Sanridhi Deb, 2330044

input: a positive number n
 output: prime factors of n
 for i ← 2 to $i^2 \leq n$
 while ($n \% i = 0$)
 print(i).
 $n = n/i$
 $i = i + 1$
 if $n > 2$
 print n.
 if $(n \% 2 == 0)$
 print 2.
 for i ← 3 to $i^2 \leq n$
 while ($n \% i = 0$)
 print i
 $n = n/i$
 $i = i + 2$
 if $n > 2$
 print n.
 $T(n) = O(\sqrt{n})$.

2. Code:-

```
#include <stdio.h>

void primeFactors(int n) {
    while (n % 2 == 0) {
        printf("2 ");
        n /= 2;
    }

    for (int i = 3; i * i <= n; i += 2) {
```

```

        while (n % i == 0) {
            printf("%d ", i);
            n /= i;
        }
    }

    if (n > 2)
        printf("%d", n);
}

int main() {
    int n;
    printf("\nSannidhi Deb\n 2330044\n\n");
    printf("Enter a positive integer: ");
    scanf("%d", &n);
    printf("Prime factors of %d are: ", n);
    primeFactors(n);
    printf("\n");
    return 0;
}

```

3. Results/Output:- Entire Screen Shot including Date & Time:-

```

C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>gcc exp2_2.c -o exp2_2.exe
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>exp2_2
Sannidhi Deb
2330044

Enter a positive integer: 42
Prime factors of 42 are: 2 3 7

C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>


```

Ln 22, Col 45 Spaces: 4 UTF-8 LF { } C Finish Setup Go Live Win32

Quick search ENG IN 00:21 17-08-2025

4. Remarks:-

- What type of algorithm is used?



2. Analyze the complexity of your algorithm.

Sannidhi Deb, 2330044

2. The time complexity is $O(\sqrt{n})$.

3. Any other observations?

Sannidhi Deb, 2330044

3. Efficient for small numbers; for large 'n', optimized algorithm.

Sannidhi Deb
(2330044)

Signature of the FIC

Sannidhi Deb

(Name of the FIC)

Experiment Number	2.3
Experiment Title	Design an algorithm to find the greatest common divisor (GCD) of two integers. Analyze the time complexity of your algorithm. Implement a C program to find the GCD of two integers.
Date of Experiment	07/08/2025
Date of Submission	20/08/2025

1. Algorithm:-

28/07/2025
28/07/2025
sannidhi deb, 3330044

```

2.3. function GCD(a,b)
    WHILE b ≠ 0 -
        temp ← b .
        b ← a mod b
        a ← temp
    END WHILE
    RETURN a
    END FUNCTION.
  
```

2. Code:-

```
#include <stdio.h>

int gcd(int a, int b) {
    while (b != 0) {
        int temp = b;
        b = a % b;
        a = temp;
    }
    return a;
}

int main() {
    int a, b;
    printf("\nSannidhi Deb\n 2330044\n\n");
    printf("Enter two integers: ");
    scanf("%d %d", &a, &b);
    printf("GCD of %d and %d is %d\n", a, b, gcd(a, b));
    return 0;
}
```

3. Results/Output:- Entire Screen Shot including Date & Time:-

The screenshot shows a Windows command-line interface (CMD) window. The user has run the command `exp2_3`, which outputs their name and ID. Then, they enter two integers (23 and 11) and the program prints the GCD (1). This process is repeated for integers 15 and 12, resulting in a GCD of 3.

```
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>gcc exp2_3.c -o exp2_3.exe
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>exp2_3
Sannidhi Deb
2330044

Enter two integers: 23 11
GCD of 23 and 11 is 1

C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>gcc exp2_3.c -o exp2_3.exe
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>exp2_3
Sannidhi Deb
2330044

Enter two integers: 15 12
GCD of 15 and 12 is 3

C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>
```

At the bottom, the taskbar shows various open applications including Microsoft Edge, File Explorer, and the terminal window itself. The system tray indicates the date as 17-08-2025 and the time as 00:24.

4. Remarks:-

1. What type of algorithm is used?

Sannidhi Deb, 2330044
1. The algorithm follows Euclidean algorithm.

2. Analyze the complexity of your algorithm.

Sannidhi Deb, 2330044
2. The time complexity is $O(n \log(a,b))$ will be $O(n \log n)$.

3. Any other observations?

Sannidhi Deb, 2330044
Date _____
Page _____
3. Very efficient and widely used in cryptography and number theory.

Sannidhi Deb
(2330044)

Signature of the FIC

Sannidhi Deb

(Name of the FIC)

Experiment Number	2.4
Experiment Title	Design an algorithm to find the Fibonacci series of nth number. Analyze the time complexity of your algorithm. Implement a C program to find the Fibonacci series of nth number.
Date of Experiment	07/08/2025
Date of Submission	20/08/2025

1. Algorithm:-

Sannidhi Deb, 2330044

```

2.4. Function Fibonacci(n)
    if n <= 0 .then
        return []
    else if n == 1 THEN
        return [0]
    else if n == 2 THEN
        return [0,1]
    fib ← ARRAY of size n.
    fib[0] ← 0
    fib[1]← 1
    for i from 2 to n-1 DO
        fib[i] ← fib[i-1] + fib[i-2]
    END FOR
    return fib
END FUNCTION .

```

2. Code:-

```
#include <stdio.h>

int fibonacci(int n) {
    if (n == 0) return 0;
    if (n == 1) return 1;

    int a = 0, b = 1, c;
    for (int i = 2; i <= n; i++) {
        c = a + b;
        a = b;
        b = c;
    }
    return b;
}

int main() {
    int n;
    printf("\nSannidhi Deb\n 2330044\n\n");
    printf("Enter the term number: ");
    scanf("%d", &n);
    printf("Fibonacci term %d is %d\n", n, fibonacci(n));
    return 0;
}
```

3. Results/Output:- Entire Screen Shot including Date & Time:-

C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>gcc exp2_4.c -o exp2_4.exe
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>exp2_4
Sannidhi Deb
2330044
Enter the term number: 17
Fibonacci term 17 is 1597
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>

The screenshot shows a Windows desktop environment. A terminal window is open in the background, displaying the command-line interface for compiling and running a C program. The taskbar at the bottom of the screen shows various pinned icons, including Microsoft Edge, File Explorer, and several application icons. The system tray indicates the date as 17-08-2025 and the time as 00:36.

4. Remarks:-

1. What type of algorithm is used?

Sannidhi Deb, 2330044

1. The algorithm uses iterative dynamic programming.

2. Analyze the complexity of your algorithm.

Sannidhi Deb, 2330044

2. Time complexity is $O(n)$ as there is no nested loop.

3. Any other observations?

Sannidhi Deb, 2330044

3. Recursive version is inefficient with $O(2^n)$; it can be improved to $O(n)$.

Sannidhi Deb
(2330044)

Signature of the FIC

Sannidhi Deb

(Name of the FIC)

Experiment Number	2.5
	<p>The Towers of Hanoi is a classic mathematical puzzle where you are given three rods (let's call them A, B, and C) and a number of disks of different sizes that can slide onto any rod. Initial setup</p> <ul style="list-style-type: none"> i) All disks start on Rod A, stacked in decreasing order of size (largest at bottom, smallest at top) ii) Rods B and C are initially empty. <p>Objective</p> <p>Move all disks from Rod A to Rod C.</p> <p>Rules</p> <ul style="list-style-type: none"> i) You can only move one disk per operation. ii) You can only move the top disk from any rod. iii) A larger disk can never be placed on top of a smaller disk. iv) A disk can be moved from any rod to any other rod as long as it does not violate the size constraint. <p>Design an algorithm that solves the Towers of Hanoi puzzle for n disks. Analyze the time complexity of your algorithm. Also write a C program to implement the same</p>
Date of Experiment	07/08/2025
Date of Submission	20/08/2025

1. Algorithm:-

Sannidhi Deb , 2330044

```

2.5. Function TowerofHanoi(n,src,aux,dst)
    if n == 1
        print(move,disk,src,dst)
        return
    TowerofHanoi (n-1,src,dst,aux)
    print(move,disk,src,dst)
    TowerofHanoi (n-1,aux,src,dst)
END FUNCTION

```

2. Code :-

```
#include <stdio.h>

void hanoi(int n, char source, char target, char auxiliary) {
    if (n == 1) {
        printf("Move disk 1 from %c to %c\n", source, target);
        return;
    }
    hanoi(n - 1, source, auxiliary, target);
    printf("Move disk %d from %c to %c\n", n, source, target);
    hanoi(n - 1, auxiliary, target, source);
}

int main() {
    int n;
    printf("\nSannidhi Deb\n 2330044\n\n");
    printf("Enter number of disks: ");
    scanf("%d", &n);
    printf("Steps to solve Towers of Hanoi:\n");
    hanoi(n, 'A', 'C', 'B');
    return 0;
}
```

3. Results/Output:- Entire Screen Shot including Date & Time:-

The screenshot shows a Windows desktop environment. At the top, there's a taskbar with various icons for Microsoft Edge, File Explorer, and other applications. The main window is a terminal or command-line interface showing the execution of a C program. The output is as follows:


```
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>gcc exp2_5.c -o exp2_5.exe
C:\Users\debsa\OneDrive\Desktop\AL_Lab_044>exp2_5
Sannidhi Deb
2330044

Enter number of disks: 3
Steps to solve Towers of Hanoi:
Move disk 1 from A to C
Move disk 2 from A to B
Move disk 1 from C to B
Move disk 3 from A to C
Move disk 1 from B to A
Move disk 2 from B to C
Move disk 1 from A to C
```


The terminal window also displays system status information at the bottom, including the date and time (17-08-2025, 00:38), battery level, and network connectivity.

4. Remarks:-


1. What type of algorithm is used?



2. Analyze the complexity of your algorithm.




3. Any other observations?



5. Conclusion:-

In this lab session, we revised essential operations in C programming. We implemented programs to find the factorial, get prime factors, find GCD of integers, Fibonacci terms and also perform a problem on the Towers of Hanoi. These exercises reinforced key data structure concepts such as array traversal, in-place updates, and efficient element manipulation — all fundamental for building more complex algorithms.



Signature of the FIC

Sannidhi Deb

(Name of the FIC)