

Tibbna Hospital Management System

Complete User & Workflow Manual — every menu item, with Tester Feedback

Version 3.0 | Tester: _____ | Date: _____ | Env: ☐ Local ☐ Vercel

How to use this manual: every sidebar menu item and dashboard panel is documented with its **Purpose**, an ① **INPUT** → ② **PROCESSING** → ③ **OUTPUT** table, click-by-click **Steps** with an example, the **Report/Output** it produces, the **Links** to other models, and a **Tester Notes** box to record results. Follow the modules top-to-bottom — later items reuse earlier data.

0. Master Data-Flow Map (how the models connect)

The output of each model becomes the input of the next; the **General Ledger** is the hub all reports read from.

Source model	Produces	Flows into
Reception · Patient	Patient record	Appointments, Invoices, Insurance
Insurance · Pre-Approval	Authorization #	Invoice → Claim
Customer Invoice	Revenue + AR + provider shares	General Ledger, AR Aging, Distributions, Claims
Distributions	Provider-fee expense + cash out	GL, Provider Statement, Cash Flow
Inventory · Goods Receipt	Stock + AP invoice	GL, Payables, AP Aging
HR · Payroll	Salary expense + payable	GL → Bank Transfer → Cash; Staff Payslips
Shareholders	Capital / dividend	GL, Balance Sheet, Cash Flow
General Ledger (hub)	All journal entries	Income Statement, Balance Sheet, Trial Balance, Cash Flow, Budget actuals

1. Administrator Dashboard

The landing screen. It is **read-only** — it summarises live data and links to other modules. It has three panels: **Key Metrics**, **Today's Activity**, and **Quick Actions**.

WF-DASH-01 — Read the Key Metrics & Today's Activity

Purpose: undefined

Where: Sidebar → Dashboard

Screen elements: Key Metrics cards (Total Patients, Staff Members, Total Appointments, Departments); Today's Activity cards (Today's Appointments, Pending Appointments, System Status).

① INPUT	② PROCESSING	③ OUTPUT
(none — automatic)	System counts patients, active staff, appointments, departments and today's schedule from the live database	Up-to-date KPI numbers + system health

Steps (click-by-click):

- Click **Dashboard** in the sidebar.
- Read **Total Patients** (e.g. 40), **Staff Members** (7), **Total Appointments**, **Departments** (7).
- Read **Today's Appointments / Pending / System Status** (should say "Active").

 **Example:** On a fresh day the cards show 40 patients, 7 staff, 7 departments, 0 appointments today.

 **Report / Output:** This panel IS the report — a real-time snapshot. Numbers must match the underlying lists (e.g. Total Patients = the count in Reception → Manage Patients).

 **Links to other models:** Counts come from Reception (patients/appointments), HR (staff), and Departments. Each metric is a live read of those models.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-DASH-02 — Use the Quick Actions shortcuts

Purpose: undefined
Where: Dashboard → Quick Actions
Screen elements: Cards: Manage Staff, Departments, Services, Inventory, Finance.

① INPUT	② PROCESSING	③ OUTPUT
A click	System navigates to the target module	The chosen module opens

- Steps (click-by-click):**
- 1. Click **Manage Staff** → opens HR Employees.
 - 2. Click **Departments** → opens Departments.
 - 3. Click **Services** → opens the Services catalog.
 - 4. Click **Inventory** → opens Inventory.
 - 5. Click **Finance** → opens Finance.

 **Example:** Click "Finance" → you land on the Finance overview without using the sidebar.

 **Links to other models:** Pure navigation shortcuts to HR, Departments, Services, Inventory, Finance.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

2. Reception Desk

Front-desk operations. Sub-items: Manage Patients · Appointments · Customer Billing · Returns · Staff Info · Todo List.

WF-REC-01 — Manage Patients — register & search

Purpose: undefined
Where: Reception Desk → Manage Patients
Screen elements: Patient list, Search box, New Patient form.

① INPUT	② PROCESSING	③ OUTPUT
Name, national ID, mobile, DOB, gender, optional insurance	Stores the patient, issues a unique ID	A searchable patient record

- Steps (click-by-click):**
- 1. Click **Manage Patients** → **New Patient**.
 - 2. Enter name, national ID, mobile, DOB, gender.
 - 3. (Optional) add insurance.
 - 4. Click **Save**.
 - 5. To find someone, type a name / national ID / mobile in **Search**.

 **Example:** Register "Noor Maliki"; later type "Noor" to open her record.

 **Report / Output:** Patient list is exportable; the count feeds the Dashboard "Total Patients".

 **Links to other models:** OUTPUT → Appointments, Invoices, Insurance Policies. Never type raw IDs elsewhere — always search.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-REC-02 — Appointments — book / edit / cancel / delete

Purpose: undefined
Where: Reception Desk → Appointments
Screen elements: Table (Date-Patient-Doctor-Type-Indication-Location-Unit-Status-Actions); All/Today/Upcoming/Past filters; booking dialog with time-slot picker.

① INPUT	② PROCESSING	③ OUTPUT
Patient, staff, date+slot, type, indication, unit, location	Checks slot availability; stores appointment (Scheduled); supports edit/cancel/delete	A scheduled appointment row

Steps (click-by-click):

1. Click **Appointments** → **New Appointment**.
2. Search & pick the patient; choose staff.
3. Pick a date, then an available slot (red = booked).
4. Fill type/indication/unit/location → **Create Appointment**.
5. Edit: **click the row** → change → **Save Changes**.
6. Cancel: open it → **Cancel Appointment**. Delete: row .
7. Use **Today/Upcoming/Past** to filter.

 **Example:** Book Noor with Dr. Ahmed on 2 June 09:30; later click her row to move it to 13:00.

 **Report / Output:** Counts feed the Dashboard "Today's Appointments" / "Pending".

 **Links to other models:** Uses Patient + Staff models; completing a visit usually leads to a Customer Invoice.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-REC-03 — Customer Billing (reception invoice)

Purpose: undefined

Where: Reception Desk → Customer Billing

Screen elements: Same invoice form as Finance → Customer Invoices.

① INPUT	② PROCESSING	③ OUTPUT
Patient, services, payment	Totals lines + auto-posts revenue to GL	An invoice + ledger entry

Steps (click-by-click):

1. Click **Customer Billing** → **New Invoice**.
2. Search the patient, add services, set payment.
3. Click **Create**.

 **Example:** Front desk bills a walk-in 50,000 IQD consultation, paid cash.

 **Report / Output:** Produces a printable invoice; revenue appears in Finance Reports.

 **Links to other models:** Identical engine to Finance → Customer Invoices (WF-FIN-01); posts to GL, AR Aging, Distributions.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-REC-04 — Returns

Purpose: undefined

Where: Reception Desk → Returns

Screen elements: Returns list + New Return.

① INPUT	② PROCESSING	③ OUTPUT
Original invoice + line(s) returned	Records the return and adjusts the invoice balance	A return record + adjusted invoice

Steps (click-by-click):

1. Click **Returns** → **New Return**.
2. Pick the original invoice.
3. Select the line(s) being returned → confirm.

 **Example:** A patient returns a paid lab test → balance adjusts.

 **Report / Output:** Returns appear in revenue/refund reporting and reduce net revenue.

 **Links to other models:** Adjusts the Invoice model and the General Ledger.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-REC-05 — Staff Info

Purpose: undefined

Where: Reception Desk → Staff Info

Screen elements: Read-only staff directory.

① INPUT	② PROCESSING	③ OUTPUT
(none / search)	Lists active staff for reference	Staff contact/role list

Steps (click-by-click):

1. Click **Staff Info**.
2. Browse or search the staff directory.

 **Example:** Front desk checks which doctor is in Cardiology today.

 **Links to other models:** Reads the HR Employees / Staff model.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-REC-06 — Todo List

Purpose: undefined

Where: Reception Desk → Todo List

Screen elements: Task list with add + tick.

① INPUT	② PROCESSING	③ OUTPUT
A task description	Stores and toggles tasks	A shared task list

Steps (click-by-click):

1. Click **Todo List**.
2. Type a task → **Add**.
3. Tick items as done.

 **Example:** "Call insurer about Noor's pre-approval" → add → tick when done.

 **Links to other models:** Standalone helper for the front desk.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

3. Inventory (Hospital Stores)

Stock by department. Sidebar lists each department (Cardiology, Emergency, Neurology, Pediatrics, Radiology, Surgery). The page has tabs: Items · Stock · Stock Request · Storage · Create Order · Goods Receipt · Dispense · Wastage · History · Depts · Item Units · Reports · Manufacturers.

WF-INV-01 — Items — browse, search, view batches

Purpose: undefined

Where: Inventory → Items tab

Screen elements: KPI cards (Total/Low/Out/Departments); Items table; Search;  view; Add buttons.

① INPUT	② PROCESSING	③ OUTPUT
Search text	Filters items; shows stock status + batches	Item details, lot numbers, expiry

Steps (click-by-click):

- 1. Open **Inventory**.
- 2. On **Items**, search (e.g. "Amoxicillin").
- 3. Click  to view details + batches.
- 4. Click a **department** in the sidebar to filter to that store.

 **Example:** View Amoxicillin → see 3,020 in stock, batch HSP-0001, expiry 2027.

 **Report / Output:** KPI cards summarise Total/Low/Out-of-stock; the Reports tab gives valuation + low-stock.

 **Links to other models:** Items are consumed by Dispense (WF-INV-03) and replenished by Goods Receipt (WF-INV-02).

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-INV-02 — Create Order → Goods Receipt (procurement)

Purpose: undefined

Where: Inventory → Create Order / Goods Receipt tabs

Screen elements: Order cart, supplier picker; receipt matching with batch/expiry.

① INPUT	② PROCESSING	③ OUTPUT
Items+qty, supplier; then received qty + batch/expiry	Places order; on receipt increases stock, creates an AP invoice, posts to GL	Higher stock + a payable + ledger entries

Steps (click-by-click):

- 1. Tab **Create Order** → **Add** items to cart → choose supplier → submit.
- 2. On delivery → tab **Goods Receipt** → match the order.
- 3. Enter received qty + batch + expiry → confirm.

 **Example:** Order 100 boxes Amoxicillin from Supplier X; receive 100 → stock +100, AP bill created.

 **Report / Output:** Feeds Stock Valuation; the AP bill appears in AP Aging.

 **Links to other models:** OUTPUT → Payables (WF-FIN-13), AP Aging report (WF-FIN-08), General Ledger.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-INV-03 — Dispense, Wastage, History, Reports

Purpose: undefined

Where: Inventory → Dispense / Wastage / History / Reports tabs

Screen elements: Dispense form; wastage form; movement log; reports.

① INPUT	② PROCESSING	③ OUTPUT
Item+qty+destination (or wastage reason)	Decreases stock and logs every movement	Updated stock + history + valuation reports

Steps (click-by-click):

- 1. Tab **Dispense** → item + qty + destination → confirm (stock -).
- 2. Tab **Wastage** → record expired/damaged.
- 3. Tab **History** → review all movements.
- 4. Tab **Reports** → valuation / low-stock.

 **Example:** Dispense 10 Amoxicillin to Cardiology → stock –10, logged in History.

 **Report / Output:** Reports tab = stock valuation, low-stock alerts, movement report.

 **Links to other models:** Consumes stock from Goods Receipt; storage/manufacturers/units tabs configure the catalog.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

4. Finance

Sub-items: Customer Invoices · Services · Insurance · Insurance Claims · Suppliers · Budget · Accounting · Reports · Shareholders · Stakeholders · Distributions · Service Providers · Payables (AP) · Service Payments · Service Provider Reports.

WF-FIN-01 — Customer Invoices

Purpose: undefined

Where: Finance → Customer Invoices

Screen elements: Invoice form: date, patient search, Services lines, Insurance section, Payment details.

① INPUT	② PROCESSING	③ OUTPUT
Patient, services (qty×price), discount, payment	Totals lines, computes patient responsibility, auto-posts DR Cash/AR · CR Revenue	Invoice INV-YYYY-xxxxx + GL entry

Steps (click-by-click):

1. **New Invoice** → search & select patient.
2. **Add Service** (e.g. CONS001) — price auto-fills; set qty.
3. If insured, the company + coverage % auto-fill; pick provider on multi-provider lines.
4. Set Status/Method → **Create**.

 **Example:** Noor, CONS001 50,000, cash → revenue posts to GL.

 **Report / Output:** Printable invoice; revenue shows on the Income Statement; unpaid balance on AR Aging.

 **Links to other models:** OUTPUT → GL, AR Aging, Distributions (provider shares), Insurance Claims (insured portion).

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-02 — Services (catalog)

Purpose: undefined

Where: Finance → Services

Screen elements: Services list; service detail page (pricing, providers, live revenue).

① INPUT	② PROCESSING	③ OUTPUT
Service code/name/category, prices, providers	Stores the service; computes its billed revenue + provider shares from invoices	A billable service + a revenue/provider detail page

Steps (click-by-click):

1. Click **Services** → browse/search.
2. Click a service to open its detail.
3. Review prices (self-pay/insurance/government), providers, and live billed total.

 **Example:** Open "General Consultation (CONS001)" → 101,000 IQD billed, 2 providers (Dr. Ahmed 40%, Dr. Basim 30%).

 **Report / Output:** Service detail = a mini revenue report (total billed, invoices, provider share paid/pending).

 **Links to other models:** INPUT to every Invoice line; providers here drive Distributions; revenue rolls into Reports.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-03 — Insurance (Companies · Patient Policies · Pre-Approvals)

Purpose: undefined

Where: Finance → Insurance

Screen elements: Three tabs.

① INPUT	② PROCESSING	③ OUTPUT
Insurer details; patient policy; pre-approval request	Stores insurers, links policies to patients, runs the prior-authorization workflow	Insurers, policies, and authorization numbers

Steps (click-by-click):

1. **Companies** → Add Company (name, email, coverage %).
2. **Patient Policies** → Add Policy (search patient, choose company + type + number).
3. **Pre-Approvals** → Request →  PDF /  Email → Mark Approved/Rejected (amount + expiry).

 **Example:** Noor ↔ Iraq Insurance 70%; pre-approve knee surgery CPT 27447 for 4,800,000.

 **Report / Output:** Pre-approval prints a PDF request and emails the insurer with full details.

 **Links to other models:** Policy → auto-fills Invoices; Approved authorization → banner on Invoice → carried to Claims.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-04 — Insurance Claims

Purpose: undefined

Where: Finance → Insurance Claims

Screen elements: 5 KPI cards + claims table with status filters.

① INPUT	② PROCESSING	③ OUTPUT
Covered invoice (auto-claim); insurer decision	Creates SUBMITTED claim, tracks approved/paid, posts cash on payment	Claim pipeline KPIs + ledger entry on payment

Steps (click-by-click):

1. Open **Insurance Claims** — covered invoices appear as Submitted.
2. Open a claim → verify amount + authorization #.
3. Enter Approved/Paid + status as the insurer responds.

 **Example:** Noor's 35,000 insurer portion is Submitted carrying PA-2026-...; insurer pays → mark Paid.

 **Report / Output:** KPI cards = Total · Claimed · Approved · Paid · Pending, with status counts.

 **Links to other models:** INPUT from Invoice insurance split + authorization; OUTPUT cash → GL & Cash Flow.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-05 — Suppliers

Purpose: undefined

Where: Finance → Suppliers

Screen elements: Supplier list + add/edit.

① INPUT	② PROCESSING	③ OUTPUT
Supplier name, contact, terms	Stores vendors used by procurement and AP	A vendor master

Steps (click-by-click):

1. Click **Suppliers** → add/edit a supplier → save.

 **Example:** Add "Supplier X" for pharmacy purchases.

 **Links to other models:** INPUT to Inventory orders (WF-INV-02) and Payables (WF-FIN-13).

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-06 — Budget

Purpose: undefined

Where: Finance → Budget

Screen elements: Fiscal period + category allocations; variance view.

① INPUT	② PROCESSING	③ OUTPUT
Period + allocations	Compares allocations to actual GL postings; computes variance	Budget-vs-actual + variance %

Steps (click-by-click):

1. Click **Budget** → create a period → allocate per category.
2. View **budget vs actual** (actuals from GL).

 **Example:** Pharmacy budget 50M; actual 35M → 15M favourable.

 **Report / Output:** Budget-vs-actual report with variance per category.

 **Links to other models:** INPUT actuals from the General Ledger.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-07 — Accounting (General Ledger)

Purpose: undefined

Where: Finance → Accounting

Screen elements: Chart of accounts with balances; click an account for entries.

① INPUT	② PROCESSING	③ OUTPUT
(read only)	Computes each account balance from posted journal lines	Balances + balanced journal entries

Steps (click-by-click):

1. Click **Accounting**.
2. Click **1111 Cash & Bank** → see its entries.
3. Confirm each entry: Debit = Credit.

 **Example:** After an invoice, a new entry shows revenue credited.

 **Report / Output:** The ledger IS the source report; everything else derives from it.

 **Links to other models:** INPUT = every posting (invoices, payments, claims, distributions, payroll, inventory, shareholders). OUTPUT → all Reports + Budget.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-08 — Reports (6 statements)

Purpose: undefined

Where: Finance → Reports

Screen elements: Period selector + tabs: Income Statement, Balance Sheet, Trial Balance, AR Aging, AP Aging, Cash Flow; Print/PDF.

① INPUT	② PROCESSING	③ OUTPUT
A reporting period	Reads GL (period activity for P&L/Cash Flow; as-of for Balance Sheet/Trial/Aging); buckets AR/AP by age	Six statements on screen + PDF

Steps (click-by-click):

1. Click **Reports** → set the period.
2. Open each tab in turn.
3. Cross-check: AR total = Balance Sheet AR; Cash Flow closing = Balance Sheet cash.
4. Click  **Print / PDF**.

 **Example:** This Year → Income, Balance Sheet "Balanced ✓", AR Aging total 3,512,937.

 **Report / Output:** Income Statement, Balance Sheet, Trial Balance, AR Aging, AP Aging, Cash Flow — all PDF-exportable.

 **Links to other models:** INPUT from GL (WF-FIN-07); AR from Invoices, AP from Inventory/Suppliers, cash from GL cash account.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-09 — Shareholders (capital + dividends)

Purpose: undefined

Where: Finance → Shareholders

Screen elements: Shareholder list; capital entry; Distribute Dividend.

① INPUT	② PROCESSING	③ OUTPUT
Name, share %, capital / dividend amount	Posts DR Cash/CR Capital (capital) and DR Retained Earnings/CR Cash (dividend), pro-rata	Equity + dividends + account statement

Steps (click-by-click):

1. **Add Shareholder** (name + share %).
2. Record a **capital contribution**.
3. **Distribute Dividend** → see Available to Distribute → enter amount → confirm.

 **Example:** Owner A invests 10M; later distribute 5M dividend pro-rata.

 **Report / Output:** Per-shareholder account statement (capital + dividends).

 **Links to other models:** OUTPUT → GL, Balance Sheet equity, Cash Flow (Financing); uses Net Income from Reports.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-10 — Stakeholders (provider setup)

Purpose: undefined

Where: Finance → Stakeholders

Screen elements: Provider list + add (name, role, bank, default share %).

① INPUT	② PROCESSING	③ OUTPUT
Provider details + share %	Stores providers for service linkage and payouts	A payable provider

Steps (click-by-click):

1. Click **Stakeholders** → add a provider with role + bank + share %.
2. Link the provider to the service(s) they perform.

 **Example:** Dr. Ahmed (Surgeon, 40%) linked to CONS001.

 **Report / Output:** Provider directory; share config drives invoice_shares.

 **Links to other models:** Consumed when an Invoice line picks the provider; paid in Distributions.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-11 — Distributions (pay providers + statement)

Purpose: undefined

Where: Finance → Distributions

Screen elements: Per-provider Pending/Paid/Total; period filter; Pay modal;  Statement.

① INPUT	② PROCESSING	③ OUTPUT
Provider with pending shares, date, notes	Marks shares PAID and posts DR Professional Fees / CR Cash	Paid shares + GL entry + PDF statement

Steps (click-by-click):

1. Click **Distributions** → optionally set a period.
2. **Pay [amount]** → set date + notes → **Confirm Payment**.
3. Verify the entry in Accounting.
4. Click  **Statement** for the PDF.

 **Example:** Dr. Ahmed 30,000 pending → Pay → GL: DR Professional Fees / CR Cash 30,000.

 **Report / Output:** Per-provider PDF payment statement (paid + pending, totals, signature).

 **Links to other models:** INPUT shares from Invoices; OUTPUT expense+cash → GL, Income Statement, Cash Flow.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-12 — Service Providers

Purpose: undefined

Where: Finance → Service Providers

Screen elements: Provider organisations list (external labs/centres) with config.

① INPUT	② PROCESSING	③ OUTPUT
Provider org details + fees	Stores external service-provider organisations and their fees	Provider orgs used on service lines

Steps (click-by-click):

1. Click **Service Providers** → add/edit an organisation.
2. Set the per-service fee the hospital pays them.

 **Example:** Add "Al-Rasheed Radiology Lab" with a per-scan fee.

 **Report / Output:** Feeds Service Payments + Service Provider Reports.

 **Links to other models:** Differs from Stakeholders (individual doctors): these are external organisations paid via Service Payments (WF-FIN-14).

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-FIN-13 — Payables (AP)

Purpose: undefined

Where: Finance → Payables (AP)

Screen elements: Open supplier bills with due dates + balances; Pay action.

① INPUT	② PROCESSING	③ OUTPUT
An open AP bill, payment	Records payment, posts DR Payables / CR Cash, reduces balance	Settled bill + GL entry

Steps (click-by-click):

1. Click **Payables** → find the bill → **Pay**.
2. Confirm — balance reduces.

 **Example:** Pay Supplier X's Amoxicillin bill → AP drops, cash out posts.

 **Report / Output:** Open payables appear on AP Aging (Reports).

 **Links to other models:** INPUT from Inventory Goods Receipt; OUTPUT cash → GL, Cash Flow.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: ____
Expected vs actual (+ any error):

WF-FIN-14 — Service Payments

Purpose: undefined

Where: Finance → Service Payments

Screen elements: Service lines grouped by provider organisation; select + Create Payment.

① INPUT	② PROCESSING	③ OUTPUT
Selected unpaid service lines	Batches selected lines into a payment and marks them paid	A provider payment batch

Steps (click-by-click):

1. Click **Service Payments**.
2. Expand a provider; tick the lines to pay.
3. Click **Create Payment**.

 **Example:** Pay Al-Rasheed Lab for 5 scans in one batch.

 **Report / Output:** Payment batches feed Service Provider Reports.

 **Links to other models:** INPUT service fees from Invoices/Service Providers; settles external-org payables.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: ____
Expected vs actual (+ any error):

WF-FIN-15 — Service Provider Reports

Purpose: undefined

Where: Finance → Service Provider Reports

Screen elements: Per-provider revenue/payment summaries; drill-down per provider.

① INPUT	② PROCESSING	③ OUTPUT
A provider (optional)	Aggregates billed vs paid per provider organisation	Provider revenue/payment report

Steps (click-by-click):

1. Click **Service Provider Reports**.
2. Pick a provider to drill down.

 **Example:** See Al-Rasheed Lab: 1.2M billed, 0.8M paid, 0.4M pending.

 **Report / Output:** This page IS the report — billed/paid/pending per provider.

 **Links to other models:** INPUT from Service Payments (WF-FIN-14) + Invoices.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

5. Human Resources (HR)

Sub-items: Employees · Schedules · Attendance · Leaves · Payroll · Staff Compensation · Departments · Specialties · Recruitment · Training · Performance · Benefits · Reports.

WF-HR-01 — Employees

Purpose: undefined

Where: HR → Employees

Screen elements: Employee list; Add Employee; profile/edit.

① INPUT	② PROCESSING	③ OUTPUT
Personal info, job title, department, category, hire date, basic salary	Stores the employee with an employee number	An employee record

Steps (click-by-click):

1. Click **Employees** → **Add Employee** → fill → **Save**.
2. Click an employee to view; **Edit** to update.

 **Example:** Add "Sara Mohammed", Nurse, Emergency, basic 900,000.

 **Report / Output:** Headcount + categories feed the HR Dashboard chart.

 **Links to other models:** OUTPUT → Attendance, Leaves, Payroll, Schedules.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-02 — Schedules

Purpose: undefined

Where: HR → Schedules

Screen elements: Shift schedule list; create/assign shifts.

① INPUT	② PROCESSING	③ OUTPUT
Employee, shift, dates	Assigns work shifts used by attendance	A staff roster

Steps (click-by-click):

1. Click **Schedules** → **Create** → assign employee + shift + dates.

 **Example:** Assign Sara to night shift Mon–Wed.

 **Links to other models:** Feeds Attendance (scheduled vs actual) and Payroll hours.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-03 — Attendance

Purpose: undefined

Where: HR → Attendance

Screen elements: Daily, Process, Exceptions, Reports, Biometric, Staff History.

① INPUT	② PROCESSING	③ OUTPUT
Daily in/out records	Computes regular + overtime hours; flags exceptions	Processed hours for payroll

Steps (click-by-click):

- 1. Click **Attendance** → **Daily** (who's in).
- 2. **Process** → compute hours.
- 3. **Exceptions** → late/absent issues.

Example: Process May → Sara: 168 regular + 6 overtime.

Report / Output: Attendance Reports + Staff History per employee.

Links to other models: INPUT from Schedules; OUTPUT hours → Payroll.

Tester Notes — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-04 — Leaves

Purpose: undefined

Where: HR → Leaves

Screen elements: Requests, Approvals, Balances, Calendar, Types, Analytics.

① INPUT	② PROCESSING	③ OUTPUT
Employee, leave type, dates	Routes for multi-level approval; updates balances; unpaid leave deducts pay	Approved/rejected leave + balance

Steps (click-by-click):

- 1. Click **Leaves** → **Requests** → **New Request** → submit.
- 2. Approver: **Approvals** → Approve/Reject.
- 3. Check **Balances** / **Calendar**.

Example: Sara requests 3 days annual → approved → balance –3.

Report / Output: Leave Analytics + Balances reports; pending count on HR Dashboard.

Links to other models: OUTPUT → Payroll deductions; absences without leave reduce pay.

Tester Notes — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-05 — Payroll

Purpose: undefined

Where: HR → Payroll

Screen elements: Period, Attendance Review, Process, Approvals, Bank Transfer, Loans, Tax, Social Security, End of Service.

① INPUT	② PROCESSING	③ OUTPUT
Period + processed attendance + leave	Computes gross/deductions/net; on approval posts DR Salaries/CR Payables; transfer posts DR Payables/CR Cash	Payslips + GL entries + bank file

Steps (click-by-click):

- 1. Click **Payroll** → open period → **Attendance Review** → **Process**.
- 2. **Approvals** → approve (salaries post to GL).
- 3. **Bank Transfer** → generate file; paying posts cash out.

Example: March 2026: gross 35.1M, net 25.9M → approve → GL posts.

 **Report / Output:** Payslips (PDF) per employee; payroll register; bank transfer file.

 **Links to other models:** INPUT Employees/Attendance/Leaves; OUTPUT → GL, Income Statement, Cash Flow, Staff Portal payslips.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-06 — Staff Compensation

Purpose: undefined

Where: HR → Staff Compensation

Screen elements: Per-employee salary/allowance configuration.

① INPUT	② PROCESSING	③ OUTPUT
Basic salary, allowances, deductions	Stores the pay structure used by payroll	A compensation profile

Steps (click-by-click):

1. Click **Staff Compensation** → pick an employee → set salary + allowances → save.

 **Example:** Set Sara's housing + transport allowances.

 **Links to other models:** INPUT to Payroll calculations (WF-HR-05).

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-07 — Departments

Purpose: undefined

Where: HR → Departments

Screen elements: Department list; add/edit; orders; specialties.

① INPUT	② PROCESSING	③ OUTPUT
Department name, head, type	Stores the org structure	Departments used across HR + Inventory

Steps (click-by-click):

1. Click **Departments** → add/edit a department.

 **Example:** Add "Oncology" department.

 **Report / Output:** Count feeds the Dashboard "Departments".

 **Links to other models:** Used by Employees, Inventory (department stores), Appointments (unit).

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-08 — Specialties

Purpose: undefined

Where: HR → Specialties

Screen elements: Specialty list; add/edit; view.

① INPUT	② PROCESSING	③ OUTPUT
Specialty name/description	Stores clinical specialties	Specialties for staff + services

Steps (click-by-click):

1. Click **Specialties** → add/edit.

Example: Add "Interventional Cardiology".

Links to other models: Tags staff and services.

Tester Notes — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-09 — Recruitment

Purpose: undefined
Where: HR → Recruitment
Screen elements: Requisitions, Vacancies, Applicants, Pipeline, Interviews, Offers, Analytics.

① INPUT	② PROCESSING	③ OUTPUT
Hiring need, candidates	Moves candidates through stages with interviews + approvals	A filled vacancy / sent offer

Steps (click-by-click):

1. **Requisitions** → **New** → approve.
2. **Vacancies** → **Create** (publish).
3. **Applicants** → add → **Pipeline** stages.
4. **Interviews** → **Schedule** → **Evaluate**.
5. Create + send an **Offer**.

Example: Open "ICU Nurse" → 5 applicants → interview top 2 → offer one.

Report / Output: Recruitment Analytics; open-vacancy KPI on HR Dashboard.

Links to other models: A hired candidate becomes an Employee (WF-HR-01).

Tester Notes — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-10 — Training

Purpose: undefined
Where: HR → Training
Screen elements: Programs + sessions.

① INPUT	② PROCESSING	③ OUTPUT
Program/session details, attendees	Schedules training and tracks attendance/certification	Training records

Steps (click-by-click):

1. Click **Training** → create a program/session → enrol staff.

Example: Schedule "CPR Refresher" for nurses.

Links to other models: Linked to Employees; certifications feed HR alerts.

Tester Notes — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-11 — Performance

Purpose: undefined

Where: HR → Performance

Screen elements: Reviews + goals.

① INPUT	② PROCESSING	③ OUTPUT
Review scores, goals	Records appraisals and goal progress	Performance reviews

Steps (click-by-click):

1. Click **Performance** → create a review or goal → submit.

 **Example:** Submit Sara’s quarterly review.

 **Report / Output:** Pending-review alert on HR Dashboard.

 **Links to other models:** Linked to Employees; recognition can feed bonuses.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-12 — Benefits

Purpose: undefined

Where: HR → Benefits

Screen elements: Health insurance, housing, transport.

① INPUT	② PROCESSING	③ OUTPUT
Benefit enrolment	Stores employee benefit enrolments	Benefit records

Steps (click-by-click):

1. Click **Benefits** → choose health/housing/transport → enrol an employee.

 **Example:** Enrol Sara in staff health insurance.

 **Links to other models:** Allowances feed Staff Compensation + Payroll.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-HR-13 — HR Reports

Purpose: undefined

Where: HR → Reports

Screen elements: Employee, Attendance, Payroll reports.

① INPUT	② PROCESSING	③ OUTPUT
A period / filter	Aggregates HR data	HR reports

Steps (click-by-click):

1. Click **Reports** → choose Employee / Attendance / Payroll.

 **Example:** Run the May attendance report.

 **Report / Output:** Employee, Attendance, and Payroll reports.

 **Links to other models:** Reads Employees, Attendance, Payroll models.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

6. Billing (overview)

WF-BIL-01 — Billing overview

Purpose: undefined

Where: Sidebar → Billing

Screen elements: KPI cards (Total/Collected/Outstanding/Overdue 90+); Recent Invoices; Receivables Aging bars; Quick Actions.

① INPUT	② PROCESSING	③ OUTPUT
(none — automatic)	Summarises the invoices table + AR aging	A revenue-cycle dashboard

Steps (click-by-click):

1. Click **Billing**.
2. Read the KPI cards + Recent Invoices + Aging bars.
3. Use Quick Actions to jump to New Invoice / Reports / Distributions.

 **Example:** Outstanding 3,512,937 across 24 invoices; 90+ bucket flags overdue.

 **Report / Output:** At-a-glance billing KPIs + aging snapshot (full detail in Finance → Reports).

 **Links to other models:** Reads Invoices; links to Finance Invoices, Reports, Distributions.

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

7. Staff Portal

Self-service for each employee. Sub-items: My Compensation · Payslips.

WF-STF-01 — My Compensation

Purpose: undefined

Where: Staff Portal → My Compensation

Screen elements: Your salary breakdown.

① INPUT	② PROCESSING	③ OUTPUT
(your own record)	Shows the signed-in employee's pay structure	Salary + allowance breakdown

Steps (click-by-click):

1. Click **Staff Portal** → **My Compensation**.
2. Review basic + allowances + deductions.

 **Example:** Sara sees her basic 900,000 + housing allowance.

 **Links to other models:** INPUT from Staff Compensation (WF-HR-06).

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

WF-STF-02 — Payslips

Purpose: undefined

Where: Staff Portal → Payslips

Screen elements: List of monthly payslips with download.

① INPUT	② PROCESSING	③ OUTPUT
(your own record)	Shows finalised payroll results for you	Downloadable payslip PDFs

Steps (click-by-click):

- 1. Click **Payslips**.
- 2. Open a month → view/download the PDF.

 **Example:** Sara downloads her March payslip.

 **Report / Output:** Each payslip is a PDF document.

 **Links to other models:** INPUT from Payroll (WF-HR-05).

 **Tester Notes** — result: ☐ Pass ☐ Fail ☐ Blocked Date: _____
Expected vs actual (+ any error):

8. Consolidated Issue Log

Copy every **Fail/Blocked** from the Tester Notes boxes here so developers get one list.

#	Workflow	Page/URL	What you did	Expected	Actual + error	Severity
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						

Summary: Passed ____ Failed ____ Blocked ____ | Result: ☐ Accepted ☐ Accepted with issues ☐ Rejected
Tester signature: _____ Date: _____